KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test: | | | | | (S | ee instruction | ons on Rev | erse Side) | | | | | |
|---|--------------------------------|---|----------------------|------------------------------------|--|--------------------------|-----------------------|--|-------------------|---|-------------------|---|--|
| | en Flow iverability | , | | | Test Date: | 12-1 | 6-Z0 | 1/ | API N | lo. 15 <i>- 7/</i> | 9-20/E | 8-000 | |
| Company | E1.G | EC | POEK | Coepi | A 770 | N | | 1015 | | | | Vell Number | |
| | | | Location NE/4 | | Section 24 | | TWP 34 | | 28 | w | | cres Attributed | |
| Field Vo 4 | | | | | Reservoir | NESTE | e | | Gas Gath | ering Connec | etion MIOSTR | erm | |
| Completio | | | <u> </u> | | | Total Depti | h | | Packer Se | ot at | | | |
| Casing Si | | | Weight | | Internal Diameter | | Set at 6//8 | | Perforations 5974 | | y ^{To} 5 | To 5990 | |
| T/2 Tubing Size 2.375 | | // | 144 . 1 . 5 . 4 | | Internal Diameter /.995 | | Set at 5990 | | Perforations | | То | То | |
| Type Com | npletion | (Descri | be) | | Type Fluid | Production | 1 | | Pump Uni | t or Traveling | Plunger? (Yes) | / No | |
| Single Gas Producing Thru (Annulus / Tubing) | | | | | WATEX % Carbon Dioxide | | | | % Nitroge | en | Gas Gr | Gas Gravity - G | |
| r roudeling | | nu/ | | | | | | | | | | Aun) (Prover) Size | |
| Vertical D | | | | - | | Press | sure Taps | | | | (Meter) | Tuil) (Flovel) Size | |
| Pressure | Buildup | : Shu | t In | -/5 20 | at | 10:00 | (AM) (PM) | Taken | 12-10 | 5 20 | // at /o: | M) (PM) | |
| Well on L | | | | | | | | | | | | (AM) (PM) | |
| | | | | | | OBSERVE | D SURFAC | E DATA | , | | Duration of Shut- | in Hours | |
| Static / Dynamic | | | Circle one: Meter | Pressure Differential | | Well Head Temperature | Wellhead | Casing Wellhead Pressure $(P_{\perp}) \text{ or } (P_{1}) \text{ or } (P_{2})$ | | Tubing Wellhead Pressure $(P_w) \propto (P_t) \propto (P_s)$ | | Liquid Produced (Barrels) | |
| Property | (Inche | e) i | psig (Pm) | Inches H ₂ 0 | t | <u> </u> | paig | psia | psig | ps ia. | 24 | | |
| Shut-In | | | | | l | | 185.8 | 200.2 | ' | | <i>0</i> 7 | | |
| Flow | | | | <u> </u> | | | | | <u> </u> | _ | | | |
| | | | | | | FLOW STE | Flowing | | | | gor | Flowing | |
| Plate Coefflecient (F _p) (F _p) Mctd | | Circle one. Meter or Prover Pressure psla | | Press Extension P _m x h | Gravity Factor F _g | | Temperature Factor | ure Factor | | Metered Flow R (Mcfd) | (Cubic Fo | I CHEANIA | |
| | | | | | | | <u> </u> | | | <u> </u> | | | |
| | | | /D 12 - | | (OPEN FL | OW) (DELI/ | | Y) CALCU (P _a - 14.4) | | : | |) ² = 0.207) ² = | |
| $(P_e)^2 = $ $(P_e)^2 - (P_a)^2$ or | | (P _e) ² - (P _w) ² | | 2. P.2. P.2 | | | Backpr Si | Backpressure Curv Slope = "n" or Assigned | | LOG | Antilog | Open Flow Deliverability Equals R x Antilog | |
| (P _e) ² -1 | (P _g) ² | | | sylded by: Pa - P | and divide | P.*.P.* | | dard Slope | | | | (Mofd) | |
| | | | | | | | _ | | | _ | | | |
| Open Fi | low | | | Mcfd @ 14 | .65 psla | | Deliven | ability | | | Mcfd @ 14.65 p | sia | |
| | | igned a | authority, or | n behalf of the | Company, | states that | he is duly | authorized | to make 1 | the above repo | ort and that he I | nas knowledge of | |
| | | | | aid report is tru | | | | 16 | day of / | Alle. | +00E | 20 _/ | |
| | | <u>-</u> , | Witness (il | f any) | | | | | | For | Company | RECEIVED | |
| | | | For Comm | ission | <u> </u> | | | | | Ch | ecked by | DEC 1 9 2011 | |

KCC WICHITA

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator |
|---|
| (Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing. |
| /2-/6-20// Date: |
| Signature: |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.