KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:				(See Instruct	ions on Re	verse Side))					
□ Op	en Flov	v			Tool Date				40	No. 15				
De De	liverabi	lty			Test Date 12/25/1				15-	No. 15 007-2 3234-	9999- 23 <i>23</i>	4-1	00-0C	
Company		PERATIN	IG COM	PANY, LLC			Lease WILEY	TRUST			D-1	Well Nu	mber	
County BARBER	R		Location S/2 SW f	_	Section 5		TWP 34S		RNG (E 11W	(W)	1.	Acres A	Attributed	
Field HARBA	ион з	w 2#	odes :	South	Reservoi MISSIS				Gas Ga APC	thering Conn	ection			
Completion 11/24/07		•			Plug Bac 4927	k Total Dept	h		Packer S NONE	Set at				
Casing Size 4.500			Weight 10.50		Internal (4.052	Diameter	Set at 4969		Perforations 4540		то 4666			
Tubing S	ize		Weight		Internal Diameter Set at Perforations To 1.995 4681 OPEN									
2.375 Type Cor	malatias	/Danasih	4.70			d Production		i1	•	EN nit or Traveling	- Division Vos	/ No		
SINGLE	•	(Describ	e)		OIL, W		1		PUMF		g Plunger? Yes	/ NO		
Producing	_	(Annulus	/ Tubing)		% C	Carbon Dioxi	de		% Nitro	jen	Gas Gr	avity - (3 ₀	
Vertical D	Depth(H)				Pres	sure Taps				(Meter F	Run) (P	rover) Size	
4869 Pressure	Buildur	o: Shuti	10/2	4/11 ,	n at	· · · ·	(AM) (PM)	Taken 10	0/25/11	20	at		AM) (PM)	
Well on L	,										at			
						OBSERVE	D SURFAC	E DATA			Duration of Shut-	in	Hours	
Static / Dynamic	Orific Size	e	rcle one: Meter	Pressure Differential	Flowing Temperature	Well Head	Ca: Wellhead	sing I Pressure	Wellhe	Tubing ead Pressure	Duration	Liqui	uid Produced	
Property	(inche	1 (26	er Pressure ig (Pm)	in Inches H ₂ 0	t	t	psig	P ₁) or (P _e) psia	psig	Pr (P ₁) or (P _c)	(Hours) (Barrels)		вапеіз)	
Shut-In							160		540		24			
Flow														
						FLOW STR	EAM ATTE	RIBUTES		1			ı	
Plate Coeffied (F _b) (F Mcfd	cient	Circle o Meter Prover Pro psia	or essure	Press Extension P _m x h	Grav Fac F	tor	Flowing Femperature Factor F _{tt}	Fa	riation actor F	Metered Flo R (Mcfd)	w GOR (Cubic Fe Barrel)	et/	Flowing Fluid Gravity G _e	
(P _c) ² =			(P _w) ² =_		(OPEN FL	OW) (DELIV		r) CALCUI P _a - 14.4) +			(P _a)	² = 0.2	07	
(,,,,,		<u>- ` </u>	Ci	hoose formula 1 or 2			1	essure Curve		<u>·</u> _	, , , , , , , , , , , , , , , , , , ,	1		
(P _e) ² - (or (P _e) ² - (P _a) ²	(P _e)²- (I		1. P _c ² - P _s ² 2. P _c ² - P _d ² vided by: P _c ² - P _w ²	LOG of formula 1, or 2, and divide by:	P _c ² · P _x ²	Sic	ope = "n" orssigned dard Slope	n x	rog	Antilog	Del Equals	pen Flow iverability BR x Antilog (Mcfd)	
	ĺ													
Open Flo	w		•	Mcfd @ 14	.65 psia		Deliveral	bility	·		Mcfd @ 14.65 psi	a		
		_	-	behalf of the			-		day of _C	ECEMBER	ort and that he ha		eledge of 20 11	
			Witness (if a	any)					Telm		Company	<u>در ،</u>	0 2011	
			For Commis	sion						Che	cked by	LU J	. 0 2011	

	eclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC
and that correct of equip I he	the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records oment installation and/or upon type of completion or upon use being made of the gas well herein named. The reby request a one-year exemption from open flow testing for theWILEY TRUST D-1 on the grounds that said well:
staff as	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D rther agree to supply to the best of my ability any and all supporting documents deemed by Commissinecessary to corroborate this claim for exemption from testing.
	Signature: Zh. L. H. L.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.