


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

15-169-00576-00-00 Form CP-4

WELL PLUGGING RECORD

NORTH



Locate well correctly on above
Section Plat

Saline County, Sec. 8 Twp. 16 Rge. 3W (E) (W)
Location as "NE/CNWK/SWK" or footage from lines S/2 SE NW
Lease Owner Ray Perera
Lease Name Linholm Well No. 3
Office Address 100 Laurel Court, Mc Pherson, Kansas 67460
Character of Well (completed as Oil, Gas or Dry Hole) oil
Date well completed 12-7 1953
Application for plugging filed Sept 1968
Application for plugging approved Sept 1968
Plugging commenced 9-18 1968
Plugging completed 9-20 1968
Reason for abandonment of well or producing formation Went dry

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes- Gilbert Toman

Name of Conservation Agent who supervised plugging of this well Gilbert Toman
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3394' Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				5 1/2"		2,021'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Squeezed pipe with 200 sx of cement at 2400'. Did not drill out cement. Mudded hole to 310'. Set 10' of rock bridge. Dumped 25 sx of cement. Mudded hole to 40'. Made 10' of rock bridge. Dumped 10 sx of cement, filling to the bottom of the celler.

RECEIVED
STATE CORPORATION COMMISSION
SEP 25 1968
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Art Lamb Casing Pulling Co.
Address 2809 King St. Hutchinson, Kansas 67501

STATE OF Kansas, COUNTY OF Reno, ss.
Art Lamb (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Art Lamb
2809 King St. Hutchinson, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 20th day of September, 1968
Judy Lamb Notary Public.

My commission expires January 5, 1968

15-169-00576-00-00

Well. LOS

Wichita #3
Lease: Colburn & Farmer

S/4 SE NW
Sec 8, Twp 16N, R10E
Seline County, Kansas

Total Depth 3394'
Permit No. 24, 1953
Completed December 7, 1953
Drilled by Shields Drilling Co., Inc.

CASING RECORD

Size	Run	Cemented
8 5/8	360'	255 joints
8 1/2	3327 1/2'	75 joints

Elevation:
Treatment:
Production:

Figures indicate Bottom of formation

Top Soil	15
Gravel	34
Red Sil. & shale	140
Blue & white	340
Argillite Limestone	370
Shale & shale	750
Gravel	1200
Shale & shale	1220
Shale & shale	1250
Shale & shale	1350
Shale & shale	1907
Gravel	2200
Shale & shale	2800
Gravel	2850
Shale & shale	3174
Gravel	3397
Microfossils (Diatoms)	3397

T.O.P.

RECEIVED
STATE CORPORATION COMMISSION
AUG 21 1968
CONSERVATION DIVISION
Wichita, Kansas

T O P

Argillite Limestone	340'
Microfossils (Diatoms)	3397'

WELL LOG

15-169-00576-00-00

LINDHOLM #3
Jones, Shelburne & Farmer

S/2 SE NW
Sec 8, Twp 16S, Rge 3W
Saline County - Kansas

Total Depth: 3397'
Commenced: November 24, 1953
Completed: December 7, 1953
Drilled by Shields Drilling Co., Inc.

CASING RECORD

Size	Run	Cemented
8 5/8"	340'	215 sacks
5 1/2"	3397 1/2'	75 sacks

Elevation:
Treatment:
Production:

----- Figures Indicate Bottom of Formation -----

Top Soil	15
Sand	34
Red Bed & Shale	140
Shale & Lime	340
Anhydrite Lime	370
Lime & Shale	950
Shale	1200
Shale & Shells	1220
Shale & Salt	1250
Shale & Shells	1350
Lime & Shale	1987
Shale	2200
Shale & Lime	2800
Shale	2886
Lime & Shale	3174
Shale	3397
Maquoketa Dolomite	3399 T D

RECEIVED
OCT 4 1965
CONSERVATION DIVISION
Topeka, Kansas

TOPS

Anhydrite Lime	340'
Maquoketa Dolomite	3397'