

STATE OF KANSAS
 STATE CORPORATION COMMISSION
 200 Colorado Derby Building
 Wichita, Kansas 67202

WELL PLUGGING RECORD
 K.A.R.-82-3-117

API NUMBER. 15-169-00575-00-00

TYPE OR PRINT
 NOTICE: Fill out completely
 and return to Cons. Div.
 office within 30 days.

LEASE NAME Lindholm

WELL NUMBER #2

3680 Ft. from S Section Line

3680 Ft. from E Section Line

SEC. 8 TWP. 16 SRGE. 3 (E) or (W)

COUNTY Saline

Date Well Completed 5-18-1953

Plugging Commenced 7-11-94

Plugging Completed 7-12-94

LEASE OPERATOR D & R Oil Properties

ADDRESS 100 Laurel Court

PHONE # (316) 241-2816 OPERATORS LICENSE NO. 5563

Character of Well oil

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Did you notify the KCC District Office prior to plugging this well? yes

Which KCC Office did you notify? Salina

Is ACO-1 filed? If not, is well log attached? yes

Producing Formation Maguoketa Depth to Top 3400' Bottom 3402' T.D. 3402'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From Top	To	Size	Put In	Pulled out
Maguoketa	Dolomite	Top	353	8 5/8		None
		Top	3400	5 1/2		1900

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.
Sanded fifty feet off bottom-ran five sacks of cement.

Pulled 1927 feet of 5 1/2 casing - set top plug at 400 feet
Ran redi-mix to surface

(If additional description is necessary, use BACK of this form.)

RECEIVED
 STATE CORPORATION COMMISSION
 License No. 4873

AUG 01 1994

Name of Plugging Contractor D & R Well Service

Address Route 4 - Box 36 Galva KS 67443

STATE OF Kansas COUNTY OF McPherson

CONSERVATION DIVISION
 Wichita, Kansas

I, Dennis Perera, Operator

(Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above described well as filed that the same are true and correct, so help me God.


(Signature) Dennis Perera

(Address) 100 Laurel Court McPherson, KS 67460

SUBSCRIBED AND SWORN TO before me this 28th day of July, 19 94

Quentin J. Richert
 Notary Public

My Commission Expires: 12-2-97



WELL LOG

15-169-00575-00-00

JONES, SHELBURNE & FARMER
Lindholm #2

NW SE NW
Sec. 8, Twp. 16S, Rge. 3W
Saline County, Kansas

Total Depth: 3402'
Commenced: May 5, 1953
Completed: May 18, 1953
Drilled by Shields Drilling Co., Inc.

CASINO RUN

Size	Run	Contd.	Elevation: 1355' D.F.
8 5/8"	353'	Contd.	Treatment:
6 1/2"	3400'	Contd. w/ 75 Sax	Production:

-----Figures Indicate Bottom of Formation-----

Surface & Sand	70
Sand	100
Shale & Sand	346
Anhydrite Lime	353
Anhydrite	370
Broken Anhydrite	390
Lime & Shale	545
Shale & Shells	755
Lime & Shale	900
Lime, Brkn & Shale	1060
Broken Lime & Shale	1210
Salt & Shale	1275
Shale, Shells & Salt	1420
Shale	1480
Broken Lime & Shale	1605
Lime & Shale	1970
Shale & Lime	2100
Shale & Lime Streak	2260
Lime & Shale	2765
Shale	2955
Lime	2983
Shale	2995
Lime & Shale	3125
Shale & Lime	3161
Shale	3390
Maquoketa Dolomite	3400
Total Depth	3402

TOPS	
Maquoketa Dolomite	3400
Total Depth	3402

RECEIVED
STATE CORPORATION COMMISSION

AUG 01 1994

CONSERVATION DIVISION
Wichita, Kansas

WELL LOG

15-169-00575-00-00

JONES, SHELBURNE & FARMER
Lindholm #2

NW SE NW
Sec. 8, Twp. 14S, Rge. 3W
Saline County, Kansas

Total Depth: 3482'
Commenced: May 4, 1953
Completed: May 16, 1953
Drilled by Shields Drilling Co., Inc.

CASING RUN

Size	Run	Cmt.
8 5/8"	353'	Cmt.
8 1/2"	3482'	Cmt. w/ 75 Szs

Elevation: 1335' D.F.
Treatment:
Production:

-----Figures Indicate Bottom of Formation-----

Surface & Sand	70
Sand	100
Shale & Sand	346
Anhydrite Lims	353
Anhydrite	370
Broken Anhydrite	390
Lime & Shale	545
Shale & Shells	755
Lime & Shale	900
Lime, Brn & Shale	1040
Broken Lime & Shale	1210
Salt & Shale	1275
Shale, Shells & Salt	1420
Shale	1480
Broken Lime & Shale	1605
Lime & Shale	1970
Shale & Lime	2100
Shale & Lime Streak	2240
Lime & Shale	2765
Shale	2955
Lime	2985
Shale	2995
Lime & Shale	3125
Shale & Lime	3161
Shale	3370
Magnesian Dolomite	3400
Total Depth	3482

TOPS	
Magnesian Dolomite	3400
Total Depth	3482

RECEIVED
STATE CORPORATION COMMISSION

OCT 4 1965

CONSERVATION DIVISION
Wichita, Kansas