STATE OF KANSAS STATE COMPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 211 No. Broadway

WELL PLUGGING RECORD

| l No. Broadway ichita, Kansas | | VSON_ | County | . Sec. | wp. <u>/ 3</u> Rge. | (E) | (W) |
|--|--|---|---|---|--|---------------|-----------|
| NORTH | | CLATH | or footage from | n lines SW/ | ESEY4 A | 1W 84 | |
| | Lease Owner | OLA THE | | | INC | Well No | 1 |
| | Office Address_ | RED. IL | | | KANSA | | |
| | Character of W | | | | CAS | | |
| | Date well comp | | VEDER | <i>-</i> | -ETED | | 19 19 |
| | Application for Application for | | ed 🗸 | - (Lost) | 10/e) | | 19 |
| | Plugging comme | enced | 6/26/62 | | | | 19 |
| | Plugging comple | | 6/26/62 | | 1 04 4 | | .19 |
| | Reason for aban | donment of well | or producing | formation | L034 1 | OCLS | N d |
| | If a producing | well is abandone | ed. date of las | st production_ | NONE | | 19 |
| | _ | obtained from | | _ | r its agents befo | re plugging v | vas com- |
| Locate well correctly on above Section Plat | menced? | s well \mathfrak{O}_i | D Ca | RETT. | | | |
| of Conservation Agent who sup- cing formation NONE | ervised plugging of this | | | | Total Depth of | Well 1071 | Feet |
| depth and thickness of all water | | | Dottom | | Total Depth of | 14 (1) | |
| • | - | | | | | CASING REC | מפסי |
| L, CAS OR WATER RECORI | | | | | | | |
| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED O | UT |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | - | | |
| | | | | | · · · · · · · · · · · · · · · · · · · | | |
| Set bridge Set bridge | ment or other plugs we set. ks cement in with rock a with brush top with roc | bottom (nd brush and rock | ² 610- £t | % 6 oc | olra como | nt ment | |
| Run 5 sacl Set bridge Set bridge | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock | ² 610- £t | % 6 oc | olra como | nt ment | |
| Run 5 sacl Set bridge Set bridge | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock | ² 610- £t | % 6 oc | cks cemer sacks cer | nent | |
| Run 5 sacl Set bridge Set bridge | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock | ² 610- £t | & 6 se | sacks ceres | nent | |
| Run 5 sacl Set bridge Set bridge | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock | ² 610- £t | & 6 set & 4 | EIVE | nent , | |
| Run 5 sacl Set bridge Set bridge | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock | ² 610- £t | & 6 set & 4 | CATION DIVIS | nent , | |
| Run 5 sacl Set bridge Set bridge | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock | ² 610- £t | & 6 set & 4 | EIVE | nent , | |
| Run 5 sacl Set bridge Set bridge | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock | ² 610- £t | & 6 set & 4 | CATION DIVIS | nent , | |
| Run 5 sacl Set bridge Set bridge Filled to | ks cement in with rock a with brush top with roc | bottom (nd brush and rock k & soil | 0 610 ft 0205 ft at 35 f | & 6 set & # | CATION DIVIS | nent , | |
| Run 5 sacl Set bridge Set bridge Filled to | ks cement in with rock a with brush top with roc | bottom (nd brush and rock k & soil | 0 610 ft 0205 ft at 35 f | & 6 set & # | CATION DIVIS | nent , | |
| Run 5 sacl Set bridge Set bridge Filled to 1 | ^{set.} ks_cement_in with_rock_a with_brush | bottom (nd brush and rock k & soil | 2 610-ft 205-ft at 35-f | STATE CORPO | CATION DIVIS | nent , | |
| Run 5 sacl Set bridge Set bridge Filled to 1 | ks cement in with rock a with brush top with roc | bottom (nd brush and rock k & soil | 2 610-ft 205-ft at 35-f | STATE CORPO | CATION DIVIS | nent , | |
| Run 5 sacl Set bridge Set bridge Filled to 1 | ks cement in with rock a with brush top with roc top with roc top with roc 602 N. PEAL | bottom (nd brush and rock k & soil | 205 ft 205 ft at 35 f | STATE CORPO | CATION DIVIS | nent , | |
| Run 5 sacl Set bridge Set bridge Filled to | ks cement in with rock a with brush top with roc top with roc 602 N. PEAR | bottom (nd brush and rock k & soil k & | 205 ft 205 ft at 35 f | STATE CORPO | RATION DIVISION, Kansas | SHON. | |
| Run 5 sacl Set bridge Set bridge Filled to | ks cement in with rock a with brush top with roc top with | bottom (nd brush and rock & soil | SHARY, USE BACK A, KAN employee of cats, statemen | of this sheet) SAS SO Wowner) or (ownerts, and matte | RATION DIVISION, Kansas | SHON. | |
| Run 5 sacl Set bridge Set bridge Filled to 1 | ks cement in with rock a with brush top with roc top with | bottom (nd brush and rock & soil | SHARY, USE BACK A, KAN employee of cats, statemen | of this sheet) SAS SO Wowner) or (ownerts, and matte | RATION DIVISION, Kansas | SHON. | |
| Rum 5 sacl Set bridge Set bridge Filled to | ks cement in with rock a with brush top with roc top with | bottom (nd brush and rock & soil | SHARY, USE BACK A, KAN employee of cats, statemen | of this sheet) SAS SO Wowner) or (ownerts, and matte | RATION DIVISION, Kansas | SHON. | |
| Run 5 sacl Set bridge Set bridge Filled to 1 | ks cement in with rock a with brush top with roc top with | bottom (nd brush and rock & soil | SHARY, USE BACK A, KAN employee of cats, statemen | of this sheet) SAS Sowner) or (ownerts, and matter | President of the presid | SHON. | |
| Run 5 sacl Set bridge Set bridge Filled to | set. ks cement in with rock a with brush top with roc 6.T. SHEWMARI 602 N. PEAN System of the same are true are at the same are true are | bottom ond brush and rock & soil Rescription is necessary to the property of | SHARY, USE BACK A, KAN employee of cats, statemen | of this sheet) SAS Sowner) or (ownerts, and matter | RATION DIVISION, Kansas | SHON. | |
| Run 5 sach Set bridge Set bridge Filled to 1 e of Plugging Contractor Cess TE OF AN SACH being first duly sworn on oath, e-described well as filed and that | set. ks cement in with rock a with brush top with roc 6.T. SHEWMARI 602 N. PEAN System of the same are true are at the same are true are | bottom (nd brush and rock & soil | SHARY, USE BACK A, KAN employee of cats, statemen | of this sheet) SAS SO Women's or (ownents, and matter A 2 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 | President of the property of the property of the president of the presiden | SHON. | |
| Run 5 sacl Set bridge Set bridge Filled to 1 e of Plugging Contractor Gess TE OF AND SWORN to before the second and the sec | set. ks cement in with rock a with brush top with roc 6.T. SHEWMARI 602 N. PEAN System of the same are true are at the same are true are | bottom ond brush and rock & soil Rescription is necessary to the property of | SHARY, USE BACK A, KAN employee of cats, statemen | of this sheet) SAS Sowner) or (ownerts, and matter | President of the property of the property of the president of the presiden | SHON. | og of the |

June 26-1962 15.091-19200.0000 OWNER Blathe Solf Club Inc · John & nash Pres. 8500 State Line, Leawood for Olathe, Gelf club LOCATION SE-SE-NW 33-13-23 COUNTY Johnson T.D. 671 OIL? Last hole PLUGGING CONT. & T Shewmaker ADDRESS 602 north, Bearl, Paola, Kunous PUSHER Von Bobo ADDRESS attawa, Kanons NUMBER /78 HOW PLUGGED Soit tools at 671, filled back to 205' with shale mud, bridged at 205' with bush & rock & 6 sacks cement, filled to 35' + bridge faith brush & rack & 4 sacks cement, filled to surface with rock o Roissing to thing houseston JUL 1" 1902 GENSERVATION DIVISION

0 - 3. Surface Olathe So 3 - 12 Rocks Chay Iniles west Olathe y such at 35' Welf # 12-37 Wins 37-45 SANDY SHALLE shale mud 45-75 KIME between all plugs. 75-105 KIME WHITE 33-13-23E 105-120 hIME SANAT 120. 160 SANDY-SHALE 160-170 hIMF 170-185_SANDY ShALL 185-205 LIME 205.240 SHALF BluE 240-255 HIME 255-270 SAND. SALTIUSTER ZBAILERS owinight 270-275 SLATE 275-300 SANDYAINE 300-303 SLATE-Show Bas. LiGHT Show 303-325-SANDY GIME 325-332 SHAKE 332-336 SAND-GAS. Production 336-370 SHALE BAUE

3-70-430 SHALK SANDY 430 440 SAND DPY -440-471 ShAhE. 471-475- Red Bed 475-500 LIGHT SHALE Wichte, Kanses 500- 520 SANDY ShAKE 520.550 SAND Dry 550-552 SLATE 552-568 SAND Show GAS 568- 573 Rad Bed 573-580 SHALF 590-600 SAND DIT at 610' 600-610 SHALE GARY - 6 40 ShALREAREY 640-644 CAP ROCK 644 - 650 SANDY SHALE 650-668 NAMM SANDY SLAKE 668-671 SAND GAS. PRODUCTION 500ft 64 Caseine 17ff 84 GASRING.