

KANSAS CORPORATION COMMISSION 1076735
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: License # 3728
Name: Kent, Roger dba R J Enterprises
Address 1: 22082 NE Neosho Rd
Address 2: _____
City: GARNETT State: KS Zip: 66032 + 1918
Contact Person: Roger Kent
Phone: (785) 448-6995
CONTRACTOR: License # 3728
Name: Kent, Roger dba R J Enterprises
Wellsite Geologist: n/a
Purchaser: n/a

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover
- ☐ Oil ☐ WSW ☐ SWD ☐ SIOW
☐ Gas ☐ D&A ☒ ENHR ☐ SIGW
☐ OG ☐ GSW ☐ Temp. Abd.
☐ CM (Coal Bed Methane)
☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
☐ Conv. to GSW
☐ Plug Back: _____ Plug Back Total Depth
☐ Commingled Permit #: _____
☐ Dual Completion Permit #: _____
☐ SWD Permit #: _____
☐ ENHR Permit #: _____
☐ GSW Permit #: _____

<u>02/07/2012</u>	<u>02/09/2012</u>	<u>02/09/2012</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-003-25295-00-00

Spot Description: _____
NW NE SW SW Sec. 8 Twp. 21 S. R. 20 ☒ East ☐ West
1295 Feet from ☐ North / ☒ South Line of Section
4462 Feet from ☒ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Anderson
Lease Name: WILSON-MELCHER Well #: 6-1
Field Name: Bush City Shoestring

Producing Formation: Squirrel
Elevation: Ground: 1115 Kelly Bushing: 1115
Total Depth: 858 Plug Back Total Depth: 852
Amount of Surface Pipe Set and Cemented at: 20 Feet
Multiple Stage Cementing Collar Used? ☐ Yes ☒ No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 852
feet depth to: 0 w/ 84 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls
Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West
County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

☐ Letter of Confidentiality Received
Date: _____
☐ Confidential Release Date: _____
☒ Wireline Log Received
☐ Geologist Report Received
☒ UIC Distribution
ALT ☐ I ☒ II ☐ III Approved by: Deanna Gertson Date: 03/23/2012



1076735

Operator Name: Kent, Roger dba R J Enterprises Lease Name: WILSON-MELCHER Well #: 6-I
 Sec. 8 Twp. 21 S. R. 20 ☒ East ☐ West County: Anderson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No
 (Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☒ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☒ Yes ☐ No

Electric Log Submitted Electronically ☒ Yes ☐ No
 (If no, Submit Copy)

List All E. Logs Run:

Gamma Ray/Neutron/CCL
 Drillers Log

☒ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
dark sand	831	
shale	858	

CASING RECORD ☒ New ☐ Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Dritled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	9.875	7	10	20	Portland	84	
production	5.625	2.875	10	852		84	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
20	808.0 - 818.0		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: ☐ Yes ☐ No

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled (Submit ACO-5) (Submit ACO-4) <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	---	--

R.J. Enterprise
22082 NE Neosho RD
Garnett, KS 66032

Wilson Melcher 6-1

Start 2-7-2012

Finish 2-9-2012

3	soil	3	
49	lime	52	
39	shale	91	
12	lime	103	
114	shale	217	
33	lime	250	
12	shale	262	
6	lime	268	set 20' 7"
16	shale	284	ran 851.9' 2 7/8
11	lime	295	cemented to surface 84 sxs
20	shale	315	
9	lime	324	
5	shale	329	
40	lime	369	
11	shale	380	
20	lime	400	
3	shale	403	
19	lime	422	
173	shale	595	
22	lime	617	
60	shale	677	
27	lime	704	
22	shale	726	
10	lime	736	
15	shale	751	
9	lime	760	
13	shale	773	
10	lime	783	
13	shale	796	
7	sandy shale	803	odor
15	Bkn sand	818	good show
8	Bkn sand	826	s
5	Dk sand	831	show
27	shale	858	T.D.

