



KANSAS CORPORATION COMMISSION 1076841
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33741
Name: Energex Kansas, Inc.
Address 1: 27 CORPORATE WOODS, STE 350
Address 2: 10975 GRANDVIEW DR
City: OVERLAND PARK State: KS Zip: 66210 +
Contact Person: Marcia Littell
Phone: (913) 754-7754
CONTRACTOR: License # 32834
Name: JTC Oil, Inc.
Wellsite Geologist: NA
Purchaser: Coffeyville Resources

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SLOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

<u>11/20/2011</u>	<u>11/30/2011</u>	<u>12/31/2011</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-059-25806-00-00

Spot Description: SE SE NE NW

SE SE NE NW Sec. 17 Twp. 18 S. R. 21 East West

4030 Feet from North / South Line of Section

2850 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: Franklin

Lease Name: Carter A Well #: BSP-CA30

Field Name: Paola-Rantoul

Producing Formation: Squirrel

Elevation: Ground: 964 Kelly Bushing: 0

Total Depth: 680 Plug Back Total Depth: 655

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: 655

feet depth to: 0 w/ 92 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: 03/20/2012
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: Deanna Garbar Date: 03/23/2012



1076841

Operator Name: Energex Kansas, Inc. Lease Name: Carter A Well #: BSP-CA30
 Sec. 17 Twp. 18 S. R. 21 East West County: Franklin

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Gamma Ray Neutron	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum NA
---	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9.875	6.50	23.0	20	Portland	3	
Production	5.625	2.875	5.8	655	70/30 Poz	92	5% Salt, 2% Gel, 1/2# Phenosa

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
3	587-602 47 Perfs	Spot 75 gal. 15% HCL Acid	587-602
		149 bbls. City H2o w KCL	
		150# 20/40, 3850# 12/20 sand	

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR.		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

JTC Oil, Inc.

Drillers Log

Well Name Carter A BSP CA 30

API# 15 15-059-25806-00-00

Surface Date 11/20/11 20 ft 6.5

Cement Amounts

3 Sacks

Cement Date 11/30/11

Well Depth 680

Casing Depth 655

Drillers Log

<u>Formation</u>	<u>Depth</u>	<u>Formation</u>	<u>Depth</u>
top soil	0		
lime	1		
shale	3		
lime	95		
shale	116		
lime	136		
red bed	141		
shale	149		
lime	185		
shale	201		
lime	210		
shale	239		
lime	243		
shale	268		
coal	271		
lime	273		
shale	285		
red bed	433		
shale	438		
lime	452		
shale	463		
lime	514		
shale	522		
lime	534		
shale	536		
lime	548		
shale	554		
red bed	568		
shale	570		
top oil sand	584-586 good		
	586-588 v good		

BSP CA30

	588-590 v good
	590-592 v good
	592-594 v good
	594-596 v good
	596-598 good
	598-601 good
	601-604 shale
oil sand stop	602
shale	603
#2 oil sand	654-655 lime
	655-656 oli sand
shale	565-657
stop drilling	680
casing pipe	655



CONSOLIDATED
Oil Well Services, LLC

TICKET NUMBER 33138
LOCATION Ottawa
FOREMAN Alan Mader

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11-30-11	2579	Carter "A" BSP-CA30	NE 17	18	21	LR
CUSTOMER Energen Resources			TRUCK # DRIVER TRUCK # DRIVER			
MAILING ADDRESS 10975 Grandview Dr			576	Alan M	Safety	Meat
CITY STATE ZIP CODE Overland Park KS 66210			495	Harold B	HJB	
JOB TYPE <u>long string</u> HOLE SIZE <u>6</u> HOLE DEPTH <u>680</u> CASING SIZE & WEIGHT <u>2 7/8</u>			370	Casey K	CK	
CASING DEPTH <u>650</u> DRILL PIPE _____ TUBING _____ OTHER _____			510	Keith C	KC	
SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING <u>yes</u>			DISPLACEMENT <u>3.8</u> DISPLACEMENT PSI <u>800</u> MIX PSI <u>200</u> RATE <u>5 bpm</u>			
REMARKS: <u>Held crew meet. Established rate. Mixed & pumped 100# gel followed by 92 SK 70/30 cement plug 5% salt, 2% gel & 1/2# Phenoseal per sack. Circulated cement. Flushed pump. Pumped plug to casing TD. Well held 800 PSI. Set float. Closed valve.</u>						

Alan Mader

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		975.00
5406	20	MILEAGE		80.00
5407	650	casing footage		
5407	1/2 min	ton miles		165.00
55026	1	80 vac		90.00
1127	92	70/30		1113.20
1118.B	262 #	gel		52.40
1118	186 #	salt		65.10
1407A	46 #	Phenoseal		56.12
1402	1	2' plug		28.00
				SALES TAX 102.56
				ESTIMATED TOTAL 2227.38

2410221

Flavin 8737

NO company rep

AUTHORIZATION Jim OK'd TITLE _____ DATE _____

I acknowledge that the payment terms; unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Ward Loyd, Commissioner
Thomas E. Wright, Commissioner

Sam Brownback, Governor

March 20, 2012

Marcia Littell
Enerjex Kansas, Inc.
27 CORPORATE WOODS, STE 350
10975 GRANDVIEW DR
OVERLAND PARK, KS 66210

Re: ACO1
API 15-059-25806-00-00
Carter A BSP-CA30
NW/4 Sec.17-18S-21E
Franklin County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,
Marcia Littell

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Ward Loyd, Commissioner
Thomas E. Wright, Commissioner

Sam Brownback, Governor

March 21, 2012

Marcia Littell
Enerjex Kansas, Inc.
27 CORPORATE WOODS, STE 350
10975 GRANDVIEW DR
OVERLAND PARK, KS 66210

Re: ACO-1
API 15-059-25806-00-00
Carter A BSP-CA30
NW/4 Sec.17-18S-21E
Franklin County, Kansas

Dear Marcia Littell:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 11/20/2011 and the ACO-1 was received on March 20, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department