

Kansas Corporation Commission Oil & Gas Conservation Division 1076730

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #3728	API No. 15 - 15-003-25293-00-00
Name: Kent, Roger dba R J Enterprises	Spot Description:
Address 1: 22082 NE Neosho Rd	NW_SE_SW_SW Sec. 8 Twp. 21 S. R. 20 F East West
Address 2:	494 Feet from North / South Line of Section
City: GARNETT State: KS Zip: 66032 + 1918	
Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 448-6995	□ne □nw Øse □sw
CONTRACTOR: License # 3728	County: Anderson
Name: Kent, Roger dba R J Enterprises	Lease Name: WILSON-MELCHER Well #: 4-I
Wellsite Geologist: n/a	Field Name: Bush City Shoestring
Purchaser: _n/a	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1113 Kelly Bushing: 1113
✓ New Well Re-Entry Workover	Total Depth: 854 Plug Back Total Depth: 848
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A	Amount of Surface Pipe Set and Cemented at: 20 Feet Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)	If yes, show depth set: Feet If Alternate II completion, cement circulated from: 848
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 84 sx cmt
If Workover/Re-entry: Old Well Info as follows:	sx cm.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: 0 ppm Fluid volume: 0 bbls Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
02/10/2012 02/14/2012 02/14/2012	
Spud Date or Pate Reached TD Completion Date or Recompletion Date Completion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
∀ Wireline Log Received
Geologist Report Received
☑ UIC Distribution
ALT I I III Approved by: Deanna Garrison Date: 03/23/2012

Side Two



1076730

Operator Name: Ker	it, Roger dba R J	l Enterprises		Lease	Name: _	WILSON-MEI	CHER	_ Well #:4-I		
Sec8 Twp.21	s. R. <u>20</u>		/est	Count	ty: Ande	rson				
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shu es if gas to surface to	it-in pressures, w est, along with fin	hether s	hut-in pre	ssure read	hed static level.	hydrostatic pres	sures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		Yes [✓ No		Ø.c	og Formatio	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	☐ Yes 「	√) No		Nam dark s			Top 842	ι	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	-	✓ Yes	No No No		shale	anu		854		
List All E. Logs Run:										
Gamma Ray/Neutron/CCL Drillers Log										
			CASING	RECORD	. ✓ Ne	w Used		<u>.</u>		
	Cine Hala	,		7		ermediate, product	1	# Contra	T	
Purpose of String	Size Hole Drilled	Size Casii Set (In O.I			eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
surface	9.875	7		10		20	Portland	84		· · · ·
production	5.625	2.875		10		848		84		<u> </u>
		ADI	DITIONAL	CEMENT	TING / SQL	EEZE RECORD				
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives				
Plug Back TD Plug Off Zone	-									
	-			<u> </u>						
Shots Per Foot		ION RECORD - B Footage of Each In			9		cture, Shot, Ceme mount and Kind of I		d	Depth
20	804.0 - 814.0			· · · · · · · · · · · · · · · · · · ·						
20	824.0 - 834.0									
	·									
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes N	0		
Date of First, Resumed	Production, SWD or El	1 —	ucing Met	hod:	oina 🗆	Gas Lift \	Other (Explain)			
Estimated Production Per 24 Hours	Oil		Gas	Mcf	Wat		bls.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:	1		METHOD C	OF COMPLE	TION:		PRODUCTION	חוואדבים	
Vented Solo	_	Open H	_	Perf.	_	Comp. Cor	mmingled mit ACO-4)	FRODUCTIO	24 H11 EK	·····
(If vented, Sur	bmit ACO-18.)		Cassiful		,	, 1500				

R.J. Enterprise 22082 NE Neosho RD Garnett, KS 66032

W	ilson Melche	er 4-l	Start 2-10-2012
3	soil	3	Finish 2-14-2012
48	lime	51	
38	shale	89	
14	lime	103	
111	shale	214	
36	lime	250	
16	shale	266	
8	lime	274	set 20' 7"
16	shale	290	ran 848.1' 2 7/8
9	lime	299	cemented to surface 84 sxs
18	shale	317	
9	lime	326	
4	shale	330	
41	lime	371	
9	shale	380	
20	lime	400	
6	shale	406	
18	lime	424	
174	shale	598	
18	lime	616	
60	shale	676	
28	lime	704	
22	shale	726	
10	lime	736	
13	shale	749	
10	lime	759	
10	shale	769	
10	lime	779	
9	shale	788	
10	sandy shale	798	odor
5	sandy shale	803	good show
15	Bkn sand	818	good show
6	sandy shale	824	good show
13	Bkn sand	837	good show
5	Dk sand	842	show
12	shale	854	T.D

GARNETT TRUE VALUE HOMECENTER 410 N Maple Garnett, KS 88032 (785) 446-7106 FAX (785) 448-7135

Merchant Copy INVOICE TELECOMORION

TOTAL SESSAGE

Paget 1		Invol	oe: 10180531
Specific 1 Improvious 1 1 Onto mp dr. JEM	freq say		Tion 12:17:94 Pro Cale: 01/10/12 India Date: 04/10/12 XIII Date: 08/06/18
BATTA ROCKER ICENT SECON NEL NEIGHOU PO GAJMETT, KE COOM	mp Tir (RD) (791) 446-4685 (20) (781) 446-4685	GEN KLIT T FOR HOUSE USE	
Carpent # 0000887	Outper PCs	Chapy Byx	

DROWN	11-7	ú	UAL.	TEMO	PROSECTION		At Montion	PRIOR	EXTENSION
14.00	18,80 840,00	2	PL	OPMP OPPC	MONAROH PALLET		18.0000 K	16,0000	870,00
840.50	\$4G.00	1	345	arc .	PORTLAND CONENT-040	!	8.4800 sas	6.4800	490.40
l		l				1	! :		
		П		1		;		1	
·		li		ļ		!			
!		ı		ĺ	!		Ì.	ĺ	
:		ļ			i				
) ;	į	i		ľ		- 1			
:		Н				(!	
İ		П			1	!			
[Ħ		1		į			
		Н		1	1				
	j	1		[
				1		•			
		П		l	ļ	1			- 1
	i	Н			1				
		lł				,			
!		Н		[•			
!		Ц		1]	:			
1		H		!	1	;			í
		Ц		<u> </u>		1'			
				HATTER BY	CHARGINGS BY SACRES BARRYESS CHARGES			Sales tatal	84864.00
ļ				4 TO 124	ANDERSON COUNTY	L			ļ
	•				THE POPULATION AND CONCERNS		4884.80		1
ĺ				x 7	TAT.	Hen-tea Tax 0	0.00	Sales Inc	879.00
ــــــــــــــــــــــــــــــــــــــ		_			PM/S	Pres .		L	

1 - Merchant Copy

GARNETT TRUE VALUE HOMECENTER 410 N Maple Garnett, KB 65032 (766) 448-7106 FAX (785) 448-7136

Paget 1

Merchant Copy INVOICE

kivolos: 10181129

Description		-	٠.						1
Bold To, FROGER RENT September Control Captage		Operated Designations	, l				(Tapa: Ship Chilo Incoles (C	CL/ESTE	
BANK TO FROGUEN KERTY SHORE HISTORY CONTROL CONT			. :			j Australia		C29/06/12	1
Continue is CO000887 Continue PG		B44 7s.			MECENIO NO	Starte ROOM	R ICENT		
SHEP UNA ITEMS		1 '			1 100 -00-00	(790) 448-0000]
ROBER		Company	8 (00005	17	Outstat/PO	Coder Bys] "
### 186.00 ### 186.00			=				line of the N		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
4.00 F BAG GPPC PORTLAND CEMBRT-648 8.4800 me 8.4800	ORDER								
\$40.00 \$40.00 P BAG GPPC PORTLAND CEMENT-648 8-4800 May 8-4800 1	420.00 4.00	400		FL.		HONARCH PALLEY			8188-8 60.08-
	840.00	\$40.00	-	BAG	OPPC		8,4800 ges	8,4000	4884.8
					1				
								i	<u>'</u>
	i							;	
								,	
	ļ							į	
							į		!
								į	
								ļ	!
	1			i				i	
	Ì		l					ļ	

1 - Merchant Copy

BHP WA AND BROCK COUNTY

MEMORY COMPLETE MIN-1176/2010

Honeux Tax 8

002.27

\$3322.57

TOTAL