

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
260 Colorado Derby Building  
Wichita, Kansas 67202

WELL PLUGGING RECORD  
K.A.R.-82-3-117

15-101-20060-00-00

API NUMBER 6/1973

LEASE NAME Collins

WELL NUMBER #1

2970 Ft. from S Section Line

2970 Ft. from E Section Line

SEC. 18 TWP. 17 S RGE. 24 (XX or (W))

COUNTY Lane

Date Well Completed 6/1973

Plugging Commenced 4/1/92

Plugging Completed 4/1/92

TYPE OR PRINT  
NOTICE: Fill out completely  
and return to Cons. Div.  
office within 30 days.

LEASE OPERATOR American Warrior Inc.

ADDRESS Box 399; Garden City, Ks. 67846

PHONE# (316) 275-2963 OPERATORS LICENSE NO. 4058

Character of Well oil

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on March 20, 1992 (date)

by Dan Goodrow (KCC District Agent's Name).

Is ACO-1 filed? unknown If not, is well log attached? no

Producing Formation Cherokee; Pawnee Depth to Top 4150' Bottom 4556' T.D. 4556'  
Kansas City

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled out
				8 5/8	366	none
				4 1/2	4615	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.  
Mix 210 sks. pozmix 8% gel. with 750# hulls. Shut at 1200#. Mix 25 sks. down Braden head, maximum pressure 300#.

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Halliburton License No. \_\_\_\_\_

Address Ness City, Ks.

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: American Warrior Inc.

STATE OF \_\_\_\_\_ COUNTY OF \_\_\_\_\_, ss.

(Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.


(Signature) Dean Jves

(Address) 1209 Harvey Hays, To

SUBSCRIBED AND SWORN TO before me this 28th day of May, 1992

Donnita L. Thode  
Notary Public

My Commission Expires: 11/9/94



CONSERVATION DIVISION  
Wichita, Kansas  
Form CP-4  
Revised 05-88

15-101-20060-00-00



# MICRO-SEISMOGRAM<sup>®</sup> LOG-CASED HOLE

COMPANY MALLONEE-MAHONEY  
INC.  
WELL # 1 COLLINS  
FIELD WHITE ROCK EXTENSION  
County LANE State KANS.

COMPANY MALLONEE-MAHONEY INCORPORATED  
MALLONEE-MAHONEY, INC.  
9-5 Sutton Place  
209 East William  
WELL # 1 COLLINS WICHITA, KANSAS 67202  
FIELD WHITE ROCK EXTENSION  
COUNTY LANE STATE KANSAS  
Location NW-SW-SW Other Services:  
RADIOACTIVITY  
Sec. 18 Twp 17S Rge 27W

Permanent Datum GROUND LEVEL Elev. 2718'  
Log Measured From GROUND LEVEL, 5 Ft. Above Perm. Datum Elev.: K.B. 2723'  
Drilling Measured From KELLY BUSHING D.F. 2720'  
G.L. 2718'

Run No.	ONE	<b>RECEIVED</b> KANSAS CORPORATION COMMISSION JAN 16 1992 CONSERVATION DIVISION WICHITA, KS
Date & Time Survey	6-4-73	
Date & Time Cementing	5-29-73	
Type Cementing Operation		
Depth Driller	4635'	
Depth Welex	4566'	
Logged Interval	4562' to 3270'	
Casing Driller	45' to 4615'	
Float Collar-D.V. Tool		
Squeeze Depth		
Amount & Type Cement	200 SACKS, 50/50 POS MIX	
Amount & Type Admix	125 LBS GILSINITE	
Type Fluid in Hole	WATER	
Fluid Level	FULL	
Salinity PPM Cl	FRESH	
Weight lb/aal-Vis.		
Approx. Loaded Cem. Top	3310	
Calculated Cement Top		
Max. Hole Temperature		°F.
Tool No.	225	
Spacing Recorded	2'	
Equipment-Location	7.3.3 HAYS	
Recorded by	C. E. WILKINSON	

CASING RECORD			
	Centralized Interval	Scratched Interval	Open Perforations
From	To	From	To
0'	370'	0'	4615'
7/8"	370'		

BORE HOLE RECORD			
Csg. Size	From	To	Wt.
8-5/8"	0'	370'	24
4 1/2"	370'	4635'	9 1/2

REMARKS:  GOOD BOND  INTERMEDIATE BOND  NO BOND  
SERVICE TICKET NO. 71639

When used to provide the accuracy of new information of log data to physical rock information, or information which may be