STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Bldg.
Wichita, Kansas 67202

Form CP-4 Rev. 12-15-80

WELL PLUGGING RECORD

Make Required Affiday	אַדויאו וֹרַר)			DLIO.	~ , ~ · · · · · · · · · · · · · · · · ·	
	Location	as in quar	ters or	footage f	2/ TWP. 16. rom lines:	
		<u> </u>	<u> </u>	/W	<del></del>	
	Lease Own	er THUM	IDER	BIRD	DRILLIN	G Co. I
1	Tease Nan	ne Tow	NISAN		C" Well	No
• 1	Office Ad	ldress Box	97	ELLIN	W00D	KANSAS I
	Character	of Well (	Complet	ed as Oil,	Gas or Dry H	ole): <u>OIL</u>
		. Completed		3/6/7	12	
	•	ion for plu			7	
		commenced_				11 A.M.
		completed_				2:30 P.M.
	Pringging	_obendom	mt of	tap11 or no	coducing forma	
Locate Well			EIIC OI	well of b	Oddenie rome	
correctly on above		PLETED		.1	Di-	dain or it!
Section Plate					nservation Div	ASTOU OF IC S
	Agent's	before plug	ging wa	is commence	ed? $YES$	<u></u>
ame of Conservation	Agent who supe	rvised plug	ging of	this well	1 / DAN	GOODKOW
roducing formation_	LKC	Depth to	top <u>.38</u>	84 bot	tom <u>4260</u> T.	.D. <u>4181</u>
how depth and thick						
-						Casing Reco
IL, GAS OR WATER RE		Encom	То	Size	Put in	Pulled O
ormation	Content	From	10	85/8"	266	0
					14.5	
			<u> </u>	51/2"	4510	
or other plugs were	d the method or used state the	methods use character	ed in u of same	was pluggentroducing and dept	d, indicating it into the l	where the mu hold. If cem
Fluid was placed and or other plugs were tofeet fo	d the method or used, state the or each plug set werme we	methods use character No PIPE TH 450	of same RECOV	was pluggentroducing and dept	d, indicating it into the laced, from Coucas	where the muhold. If cem
Thuid was placed and or other plugs were to feet for the second of the s	the method or used, state the or each plug set was a control of the control of th	methods use character No PISE TH 450	of same RECOV SAX.	was pluggentroducing and dept	d, indicating it into the label from Coulant	where the muhold. If cem f 7 7 2/85
Thuid was placed and or other plugs were to feet for the second of the s	the method or used, state the or each plug set was a constant.	methods use character No PISE TH 450 MIXED	of same RECOV SAX.	was pluggentroducing and dept	d, indicating it into the land from Coulant to the land from the land fr	where the muhold. If cem for for 2/85  4/5, 3056  1/500 Hull
Thuid was placed and or other plugs were to feet for the	the method or used, state the or each plug set was a control of the control of th	methods use character No PIPE TH 450 MIXED SAX COM	of same RECOV SAX. AND SMENT	was pluggentroducing and dept	d, indicating it into the land from Coulant to the land from the land fr	where the muhold. If cem for for 2/85  4/5, 3056  1/500 Hull
Tluid was placed and or other plugs were to feet for the	the method or used, state the or each plug set of the control of t	methods use character No PISE TH 450 MIXED SAX CAM T AT SOC	of same RECOV RECOV SAX. AND COMENT	was pluggentroducing and dept ERY. Some and dept ERY.	d, indicating it into the land from Coulant to the land from the land fr	where the muhold. If cem for fine fine fine fine fine fine fine fine
Thuid was placed and or other plugs were feet for feet for Semented to Semented to Semented to Semented for S	the method or used, state the or each plug set of the control of t	methods use character No PISE TH 450 MIXED SAX COM T AT SON	of same RECOV RECOV SAX. AND COMMENT	was pluggentroducing and dept ERY. Some and dept ERY.	d, indicating it into the land from Coulant Co	where the muhold. If cem  for any 2/85  4.5, 305A  4.5, 305A  4.5, 4044  Refus
Thuid was placed and or other plugs were to feet for the	the method or used, state the or each plug set of the control of t	methods use character No PISE TH 450 YED SAX COM TAX C	of same RECOV RECOV SAX. AND COMENT COMENT	was pluggentroducing and dept ERY.  FRY.  SAN AT 281  HOLE 57	d, indicating it into the land from Coulant Co	where the muhold. If cem  for any 2/85  4.5, 305A  4.5, 305A  4.5, 4044  Refus
Thuid was placed and or other plugs were to feet for the	the method or used, state the or each plug set of the following set of t	methods use character No PISE TH 450 YED O SAX COM T AT SOU TO SUFFE WITH	of same of sam	was pluggentroducing and dept ERY.  FRY.  FUMPED  AT 26  AT 26  HULE 57	d, indicating it into the land the placed, from the placed, from the placed, from the placed of the	where the muhold. If cem  for any 2/85  4/5, 30 56  4/5, 30 56  4/5, 4024  Refund
Fluid was placed and or other plugs were to feet for feet for Schliff Cement 10 5 Cement Was Cement Was	the method or used, state the or each plug set of the control of t	methods use character ho PISE TH 450 MIXED TO SAX COM TO AT SON TO SUCCESS TO IS NOT PUTTED TO SUCCESS TO SU	of same RECOV  SAY.  AND  SMENT  MPED  SSATY,	was pluggentroducing and dept ERY.  FUMPED  AT 20  YO SA  HULE 57  USE BACK O	d, indicating it into the land the placed, from the land the state of this sheet)	where the muhold. If cem  of 2/85  U.S., 30 SA  V.SAX HULL  Refun
Thuid was placed and or other plugs were to feet for the	the method or used, state the or each plug set of the control of t	methods use character ho PISE TH 450 MIXED TO SAX COM TO AT SON TO SUCCESS TO IS NOT PUTTED TO SUCCESS TO SU	of same RECOV  SAY.  AND  SMENT  MPED  SSATY,	was pluggentroducing and dept ERY.  FUMPED  AT 20  YO SA  HULE 57  USE BACK O	d, indicating it into the land the placed, from the placed, from the placed, from the placed of the	where the much old. If cem for the second se
Thuid was placed and or other plugs were to feet for the	the method or used, state the or each plug set of the control of t	methods use character ho PISE TH 450 MIXED TO SAX COM TO AT SON TO SUCCESS TO IS NOT PUTTED TO SUCCESS TO SU	of same RECOV  SAY.  AND  SMENT  MPED  SSATY,	was pluggentroducing and dept ERY.  FUMPED  AT 20  YO SA  HULE 57  USE BACK O	d, indicating it into the land the placed, from the land the state of this sheet)	where the muchold. If cent of the second of
Fluid was placed and or other plugs were to feet for the	the method or used, state the or each plug set of the plug set	methods use character Character No PIPE TH 450 O SAX COM TO AT SOU TO SUCH LON IS NECE TO COLOR TO BARTO	of same RECOV  SAX.  AND  SEMENT  MPED  SSATY,  WENT  WENT  CON  CON  CON  CON  CON  CON  CON  C	was pluggentroducing and dept ERY.  FUMPED 8 SA AT 201  GC4 4  use BACK CACACACACACACACACACACACACACACACACACA	d, indicating it into the land the placed, from the search of this sheet)  Thunder B. Colons of this sheet)	where the much old. If cem for the second se
Thuid was placed and or other plugs were feet for the fee	the method or used, state the or each plug set of the plug set	methods use character No PIPE TH 450 YIXED O SAX COM TAX COM T	of same of sam	was pluggentroducing and dept ERY.  FUMPED 8 SA AT 20 SA	d, indicating it into the land the placed, from the placed of this sheet)  Thunder or open the placed of the placed	where the muchold. If cem  m f  2 AT 2/85  45, 30 5A  / SAX HULL  Refun  (RD DRILL  #5/3/
Fluid was placed and or other plugs were feet for feet feet feet feet feet feet feet fee	the method or used, state the or each plug set of each pl	methods used character  No PIPE TH 450 YED  O SAX COM TO FOR  OF BARTO  Cemplo  duly sworn ein contain	of same of sam	was pluggentroducing and dept ERY.  TUMPED 8 SA AT 28 AT 28 AT 28 AT 28 AT 28 AT 3 AT	d, indicating it into the land	where the muchold. If cemm for any 2/85  45, 30 56  46, 30 56  47,
FLUED 5/2. COMPLETED 2.5  STATE OF KANSA  MAYNAR  above-described welf  for other plugs were feet for	the method or used, state the or each plug set of each pl	methods used character  No PIPE TH 450 YED  O SAX COM TO FOR  OF BARTO  Cemplo  duly sworn ein contain	of same of sam	was pluggentroducing and dept ERY.  TUMPED 8 SA AT 28 AT 28 AT 28 AT 28 AT 28 AT 3 AT	d, indicating it into the land	where the muchold. If cem  of AT 2/85  U.S., 30 SA  U.S.A.X. HULL  Refun  (RD DRILL  #5/3/  erator) of the nowledge of the
FLUED SIZE  CEMENTED TO SOME  CEMENTED TO SOME  CEMENT, 10 SOME  LATE P.M. & B.  STATE OF KANSA  above-described welfacts, statements,  filed and that the  A TREVI	the method or used, state the or each plug set of each matters here same are true and matters here same are true and each plug set of each plu	methods used character  No PIPE TH 450 YED  O SAX COM TO FOR  OF BARTO  Cemplo  duly sworn ein contain	of same of so he same of so he same of so he same of so he same of same of so he same of same of same of same of so he same of	was pluggentroducing and dept ERY.  FUMPEN SERV.  90 SA HOLE ST  Get d  use BACK of the log of the	d, indicating it into the land	where the muchold. If cemm for the second se
The state of the s	the method or used, state the or each plug set of each pl	methods used character  No PIPE TH 450 YED  O SAX COM TO FOR  OF BARTO  Cemplo  duly sworn ein contain	of same of so he same of so he same of so he same of so he same of same of so he same of same of same of same of so he same of	was pluggentroducing and dept ERY.  TUMPED 8 SA AT 28 AT 28 AT 28 AT 28 AT 28 AT 3 AT	d, indicating it into the land	where the muchold. If cemm for the second se
The state of Plugging Constant of Plugging Constant of ANSA MAYNAR above-described well and that the TREVENOTATE OF TREVENOTAT	the method or used, state the or each plug set of each pl	methods used character  No PIPE TH 450 YED  O SAX COM TO FOR  OF BARTO  Cemplo  duly sworn ein contain	of same of so he same of so he same of so he same of so he same of same of so he same of same of same of same of so he same of	was pluggentroducing and dept ERY.  FUMPEN SERV.  90 SA HOLE ST  Get d  use BACK of the log of the	d, indicating it into the land	where the muchold. If cemm for the second se
Thuid was placed and or other plugs were feet for feet feet feet feet feet feet feet fee	the method or used, state the or each plug set of each pl	methods use character No PIPE TH 450 SAX COM TAX COM T	of same of so he (Signal of same of sa	was pluggentroducing and dept ERY.  FUMPED 8 SA 7 20 SA 140 LE 57 Ge4 4 USE BACK ON SA 1 US	d, indicating it into the I h placed, from STAGE COLLAR IN STAGE COLLAR I have known as the above-definite of the above-definite of the collar in th	where the muchold. If cemm for the second se
Thuid was placed and or other plugs were feet for feet feet feet feet feet feet feet fee	the method or used, state the or each plug set of each pl	methods use character No PIPE TH 450 SAX COM TAX COM T	of same of so he (Signal of same of sa	was pluggentroducing and dept ERY.  FUMPED 8 SA 7 20 SA 140 LE 57 Ge4 4 USE BACK ON SA 1 US	d, indicating it into the I h placed, from STAGE COLLAR IN STAGE COLLAR I have known as the above-definite of the above-definite of the collar in th	where the muchold. If cemm for the second se
Thuid was placed and or other plugs were to feet for the feet feet for the feet feet for the fee	the method or used, state the or each plug set of each pl	methods use character No PIPE TH 450 SAX COM TAX COM T	of same of so he (Signal of same of sa	was pluggentroducing and dept ERY.  FUMPED 8 SA 7 20 SA 140 LE 57 Ge4 4 USE BACK ON SA 1 US	d, indicating it into the I h placed, from STAGE COLLAR TO STA	where the muchold. If cemm for the second second well for the seco
The state of Plugging Computer of Naymar above-described well facts, statements, filed and that the  Subscribed A State of State	the method or used, state the or each plug set of each pl	methods use character No PIPE TH 450 SAX COM TAX COM T	of same of so he (Signal of same of sa	was pluggentroducing and dept ERY.  FUMPED 8 SA 7 20 SA 140 LE 57 Ge4 4 USE BACK ON SA 1 US	d, indicating it into the I h placed, from STAGE COLLAR TO STA	where the muchold. If cemm for the second se
Fluid was placed and or other plugs were to feet for feet for other plugs were to feet for feet feet feet feet feet feet feet fee	the method or used, state the or each plug set of each pl	methods use character No PIPE TH 450 SAX COM TAX COM T	of same of so he (Signal of same of sa	was pluggentroducing and dept ERY.  FUMPED 8 SA 7 20 SA 140 LE 57 Ge4 4 USE BACK ON SA 1 US	d, indicating it into the I h placed, from STAGE COLLAR TO STA	where the muchold. If cemm for the second second well for the seco

15-101-20051-00-00

## GREAT GUNS

R. a. Guard Log

FILE NO.	COMPANY THUNDERBIRD DRIG, INC +											
4,	TO THE PERSONNEL STANDARD TO THE PERSONNEL S											
	WELL JENNISON "C" NO.1											
	FIELD											
	COU	NTY_	KANSAS									
	FOCA	TION:	OTHER SERVICES									
ľ	1		U.1.C.									
	i			AMPLITUDE								
ľ	,		w									
	I SEC Z		WP /	67	RGE	29 =						
Permanent Datum GR		Elevations:										
Log Measured from KE	LY BUS	HING.	5 P4	Blev.		64	KB 276	9				
Drilling Measured from	KELLY	et Datum										
,					T		GL 276	4				
Date /-9-73	GAMI		NEU	TRON	GU	ARD	CALIP	ER				
Ren No.	ONE		ONE		OUE		ONE					
Death Driller	4570		4570		4570		4570					
Depth Logger Rettom Logged Interval	4571		4572		4572		4572					
Ten Logged Interval			4571		4567		4560					
Casing — Driller	000		000		3500		3500					
Casing-Logger	( <u>c</u>		<u> </u>		8 VA @ 266		9					
RM Rive			ļ	<del></del>	- 3	66	<del> </del>					
Type Fluid in Hole					77		<del> </del>					
					STA		<del> </del>	<del></del>				
Density and Viscosity					10.0	55	<del> </del>					
pH and Fluid Loss		cc		ce		6.6 cc	<del> </del>					
Source of Sample					PI	$\tau$	<del> </del>	<del>cc</del>				
Rm @ Mess. Temp.	@	•F	@	*F		3 70 IF	g	•P				
Rmf @ Mess, Temp.	@ •F		@ •F			070 P		•P				
Rmc @ Meas. Temp. Source of Rmf and Rmc		•F		oF.	.28	970 P	6	•P				
Rm @ BHT					CHA							
Time Since Circ.	<b>.</b>	•F	<u> </u>	•F	· · ·	9/20 P		٠F				
Max. Rec. Temp. Deg. F.			· <u>·</u>	<del></del>		URS	., ., .	C.:				
Equip. No. and Location		•F	<del></del>	•F		<i>o</i> • P		•P				
Recorded By	·				14	HAKR	0 डिडेंग					
Witnessed By			<del></del>		MUR	JOHO!	MOISHIN TOU	]				
	<del></del>		<del></del> -		MR.	COCKINSERV	ATION THVISION					
						Miči	IIIa. Wateria					