To: STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202			API NUMBER 15- 101-	
			NW SE NW , SEC. 17	!
			feet from N/\$ section	
TECHNICIA	N'S PLUGGING R	EPORT		et from W/E section
•		5399		Well # 2
Name&	American Ener	gies Corp.	CountyLane	e
	575 Fourth Financial Ctr.		Well Total Depth	4500 146.23
	Wichita, KS 67202		Conductor Pipe: Siz	zefeet
		·	Surface Casing: \$1;	ze <u>8 5/8</u> feet 345
Abandoned	011 Well	Gas Well	_ Input WellS	MD WellD&AX
Other wel	l as hereinaft	er Indicated		
Plugging (	Contractor Th	underbird Drilling	Co., Inc.	cense Number5131
Address	7701 East Kel	logg, Wichita, KS 6	7218	
Company to	o plug at: Hou	r: 8:00 am Day:	9 Month: May	Year: 19 84
			Ed Cook	
	•		Id Cook	
•				
were:	to fill hole	with heavy mud and	spot cement through dr	ill pipe
1st plug a	at 2100' with	50 sx cement		
2nd plug a	at 1350' with	50 sx cement		
	at 395' with	50 sx cement		
4th mlng 1	solid bridge hulls – plug a	t 40 cement to	surface with 10 sx cem	ent
6th plug t	to circulate r	athole with 15 sx c	ement osal Received by	10. +
	<del></del>		osal Necelved by Africa	(TECHNICIAN)
Plugging (	Operations att	ended by Agent?: A	Part	None X
			9 Month: May	
			rith 50 sx cement, 2nd	
			ent, 4th & 5th plugs -	· · · · · · · · · · · · · · · · · · ·
	<u> </u>	<del></del>	x cement, 6th plug to	
		o surface with 10 s	A cement, oth prug to	<del></del>
15 sx ceme				STATE CORPORATION COM
Paul Luth:	i gave the ord	ers		- MATION CON
Remarks: 1	Use 60/40 Pozm	nix 2% gel 3% cc by	Allied.	
1 1/ 0 1 /	(If addifī で見れ	onal description is	Allied.  necessary, use BACK of	this for the Kansas
	_ /	ve this plugging.	16.0	
5-14	-84		Signed Stone Inf.	CHNICIAN
1//0	0		, , ,	
10,	5-9-84			FORM CP Rev.0

FORM CP-2/3 Rev.01-84