

2-13

R

To: 1 120376

API NUMBER 15-101-21,541-00-00

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION App. S/2 NW NE, SEC. 31, T 16 S, R 29 W X  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

TECHNICIAN'S PLUGGING REPORT

4290 feet from S section line  
2000 feet from E section line

Operator License # 3988

Lease Name Dickey "I" Well # 2

Operator: Slawson Exploration Company Inc.  
Name &  
Address 104 South Broadway, Suite 200  
Wichita, KS 67202-4165

County Lane 148.85  
Well Total Depth 4580 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 307

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor L.D. Drilling, Inc. License Number 6039

Address RR1, Box 183 B, Great Bend, KS 67530

Company to plug at: Hour: 2:30 a.m. Day: 13 Month: 2 Year: 19 90

Plugging proposal received from Greg Davidson

(company name) L.D. Drilling, Inc. (phone) 316-793-3051

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 2234-64'  
1st plug at 2260' with 50 sx cement, 2nd plug at 1400' with 80 sx cement,  
3rd plug at 350' with 50 sx cement, 4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Duane Rankin (TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 5:30 a.m. Day: 13 Month: 2 Year: 19 90

ACTUAL PLUGGING REPORT 1st plug at 2260' with 50 sx cement,  
2nd plug at 1400' with 80 sx cement,  
3rd plug at 350' with 50 sx cement,  
4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement.

Remarks: Used 60/40 Pozmix 6% gel by Allied (if additional description is necessary, use BACK of this form.)

INVOICED

DATE 2-16-90

INV. NO. 27489

2-13

APR 17 1990

RECEIVED  
02-15-1990  
CONSERVATION DIVISION  
Wichita, Kansas

Signed Duane Rankin (TECHNICIAN)

Handwritten initials