

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1077237

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34586			API No. 15 - 15-091-23647-00-00					
Name: ST Petroleum, Inc.			Spot Description:					
Address 1: 18800 Sunflower	Rd		NE_SW_SE_NE_Sec29 Twp14_S. R22 FEast West					
Address 2:			3080 Feet from North / ✓ South Line of Section					
City: Edgerton	•	66021 +	725 Feet from ✓ East / ☐ West Line of Section					
Contact Person: Rick Single			Footages Calculated from Nearest Outside Section Corner:					
Phone: (913) 980-503	6		□NE □NW ☑ SE □SW					
CONTRACTOR: License #_33	3734		County: Johnson					
Name: Hat Drilling LLC			Lease Name: Thomas A Well #: I-8					
Wellsite Geologist: NA		-	Field Name: Gardner South					
Purchaser:			Producing Formation: Bartlesville					
Designate Type of Completion:			Elevation: Ground: 1035 Kelly Bushing: 20					
✓ New Well			Total Depth: 928 Plug Back Total Depth:					
Oil wsw	☐ SWD	☐ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet					
☐ Gas ☐ D&A	✓ ENHR	☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No					
□ og	☐ GSW	Temp. Abd.	If yes, show depth set: Feet					
CM (Coal Bed Methane)			If Alternate II completion, cement circulated from:					
Cathodic Other (Core, Expl., etc.):			feet depth to: 20 w/ 6 sx cmt					
If Workover/Re-entry: Old Well	Info as follows:							
Operator:			Drilling Fluid Management Plan					
Well Name:			(Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:			Chloride content: 1500 ppm Fluid volume: 80 bbls					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD			Dewatering method used: Evaporated					
	Conv. to 0	GSW	Dewatering method used:					
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled Permit #:			Operator Name:					
Dual Completion Permit #:			Lease Name: License #:					
SWD	Permit #:		· · · · · · · · · · · · · · · · · · ·					
ENHR	Permit #:		Quarter Sec TwpS. R 🗀 East 🗌 West					
☐ GSW	Permit #:	<u></u>	County: Permit #:					
3/1/2012 3/3/2	2012	3/26/2012						
Spud Date or Date I	Reached TD	Completion Date or						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
✓ UIC Distribution
ALT I I II Approved by: Dearwa Garrison Date: 04/12/2012

Side Two



Operator Name: ST I	Petroleum, Inc.			_ Lease	Name: _	Thomas A		Well #:I-8			
Sec. 29 Twp. 14	s. R. <u>22</u>	✓ East		County	_{y:} <u>John</u>	son					
INSTRUCTIONS: Shot time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shues if gas to surface to	it-in pressi est, along v	ures, whether si with final chart(s	hut-in pres	sure read	ched static level,	hydrostatic press	ures, bottom l	hole temp	erature, fluid	
Drill Stem Tests Taken				Log Formation (Top), Depth and Datum				Sample			
Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		☐ Yes		Name Top Datum GammaRay					Datum		
List All E. Logs Run:											
GammaRay/Neutror	n/CCL										
		Pen		RECORD	✓ Ne	w Used ermediate, producti	an ato				
Purpose of String	Size Hole Drilled	Si	te Casing t (In O.D.)	We	ight / Ft.	Setting Depth	Type of Cement	# Sacks Used		e and Percent Additives	
Surface	9	7		10		20	Portland	6	50/50	POZ	
Completion	5.6250	2.8750		8		923	Portland	138 50/50 PO		POZ	
								<u></u>	<u></u>		
		I	ADDITIONAL	CEMENT	ING / SQL	JEEZE RECORD					
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives					
Plug Off Zone	-										
		l		1							
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
3 883.0-890.0						2" DML RTG	<u> </u>			7	
						:					
							<u> </u>				
							· , , , , , , , , , , , , , , , , , , ,				
TUBING RECORD:	Size:	Set At:		Packer A	At:	Liner Run:	Yes No		<u> </u>		
Date of First, Resumed	Production, SWD or EN	IHR.	Producing Meth	nod:	ng 🔲	Gas Lift 🔲 C	ther (Explain)				
Estimated Production Per 24 Hours	Oit	Bbls.	Gas	Mcf	Wate	er B	bls. G	ias-Oil Ratio		Gravity	
DISPOSITIO	ON OF GAS:	T	N	METHOD O	F COMPLE	TION:		PRODUCTION	ON INTER	VAL:	
Vented Sold	_		. –	Perf.	Dually (Submit A		nmingled nit ACO-4)				

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Thomas A #I-8 API # 15-091-23647-00-00 SPUD DATE 3-1-12

Footage	Formation	Thickness	Set 20' of 7"
2	Topsoil	2	TD 928'
15	clay	13	Ran 923' of 2 7/8
44	shale	29	
48	lime	4	
71	shale	23	
94	lime	23	
104	shale	10	
113	lime	9	
122	shale	9	
140	lime	18	
153	shale	13	
175	lime	22	
181	shale	6	
236	lime	55	
256	shale	20	
265	lime	9	
284	shale	19	
293	lime	9	
299	shale	6	
307	lime	8	
350	shale	43	
378	lime	28	
384	shale	6	
407	lime	23	
410	shale	3	
416	lime	6	
420	shale	4	
427	lime	7	
610	shale	183	
623	lime	13	
638	shale	15	
641	lime	3	
738	shale	97	
740	lime	2	
882	shale	142	
886	sand	4	good bleed, little odor
888	black sand	2	little bleed
928	shale	40	

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT

DATE	CUSTOMER#	1	NAME & NUMBER	SEC	TION	TOWNSHIP	RANGE	COUNTY
3/5/12 CUSTOMER	>532	Thomas	'A' I-B	NW	29.	14	72_	70
	Petrole	U-M		TRU	OK#	DRIVER	TRUCK#	DRIVER
ST Poxyoleum MAILING ADDRESS				50		FREMAD	Satety	MA,
18800 Sunflower Rd. CITY STATE ZIP CODE				49		HARBEC	NABO	7
CITY		STATE	ZIP CODE	36		DERMAS	BM	
Edger	ton	KS	66021	50		ASAMIC		OUGAR PC
JOB TYPE Lo	ag stray	HOLE SIZE	<u> </u>		78_	CASING SIZE & V		
CASING DEPTH	953	DRILL PIPE	Baffleihtubing@	211		·	OTHER	
SLURRY WEIGH		SLURRY VOL_	WATER gal/s	sk		CEMENT LEFT in	CASING ZE	Plug of
	<u>5.388C</u>					RATE SBPN		
REMARKS: E	stablish	pump 10	tu. Mix+Pump	100 #	Pica	ion Gel	Flugh.	21.5x.+
Pom	0 1.38 S	KS 50/	50 Por Mix (Concer!	1 2%	Cal 14th Flo	· Seal/s	۷.
Cani		Sultace	Flush pump	Fline	علمج	ou. Disple	e 22'	2 5 her
_ plug_	to baffl	<u> </u>	Pressure +	\$ 800	≠ Psi	· Release	DIESSU/e	10
S=\$-7	flow Value	e. Shuy	Le Carry			<u></u>	<u> </u>	
		- X An	0				···	
Note	Monita	- 800- PS	il for Bomin M	17.		 -		
	<u> </u>					- The		
— Hax	Drilly,						Made	
ACCOUNT	QUANITY	or UNITO	DECONOTION	. OFD: ***				
CODE	QUANITY	OF UNITS	DESCRIPTION o	1 SERVICE	S or PR	DDUCT	UNIT PRICE	TOTAL
5401	<u> </u>		PUMP CHARGE			495		103000
5406		-	MILEAGE					N/C
5402		73	Casing frotogo			<u> </u>		NC
5407	minim		Ton Miles			503		350€
<u>5502C</u>	<i></i>	12 hr	80 BBL Vac	Truc, K	·	369		13500
								
1124		385/45	50/50 facmixle	ment				151120
1118B		332#	Premion Gel					6932
1107	·	35 ⁴⁴ •	Flo-Sal					8225
4402		1	25" Rubber Pl	ייכ				2800
ļ				<u> </u>				
	·			~n~~	,	_ <u>&CA</u>	A I A SECTION	<u></u>
 			142	X'				
			-0.00	<u>\O</u>	.			
								
<u> </u>	·			····				
Ravin 3737			<u> </u>			7.525%	SALES TAX	127 26
	11	<i>'</i>	·				ESTIMATED TOTAL	333333

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this f