KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1 Form Must Be Typed
Form must be Signed
All blanks must be Filled
SE June 2009

OPERATOR: License # 8210	API No. 15 - 031-23202-00-00
Name: Edward E Birk	Spot Description:
Address 1: 302 South 16th	SW_NE_NW_SW Sec. 28 Twp. 22 S. R. 17 V East West
Address 2:	2,145 Feet from ☐ North / ☑ South Line of Section
City: Burlington State: Ks Zip: 66839 +	4,455 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□ne □nw ☑se □sw
CONTRACTOR: License # 8210	County: Coffey
Name: Edward E Birk	Lease Name: West Well #: 32
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1054 est. Kelly Bushing:
☑ New Well ☐ Re-Entry ☐ Workover	Total Depth: 979 Plug Back Total Depth: 979
Oii wsw swd slow	Amount of Surface Pipe Set and Cemented at: 42 Feet
☐ Gas ☐ D&A	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coel Bed Methane)	If Alternate II completion, cement circulated from: 965
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	W. SA CITI.
Operator:	Parities Flyid Blancos and Plan
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Cornv. to ENHR ☐ Cornv. to SWD	
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	Country Country to
GSW Permit #:	RECEIVED
03/08/2012 03/09/2012 03/09/2012 Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	APR 0 5 2012
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or concording to the filed two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	wersion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 Abbunk Hid Till Fuested in writing and submitted with the form (see rule 82-3-107 for confidentill report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and re	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements have n are complete and correct to the best of my knowledge	e. Date: Confidential Release Date:
KALLO (KLIN)	☐ Wireline Log Received
Signature:	Geologist Report Received
Title: Agent Date: 04/03/2012	— ☑ UIC Distribution ALT ☐ I ☑ II ☐ III Approved by: Dì ← Date: 41712

Side Two

Operator Name: Ed	ward E Birk		Lease	Name:	West		Well #: _32			
Sec. 28 Twp.22				r. Coffe						
time tool open and ck	osed, flowing and shi es if gas to surface to	nd base of formations pe ut-in pressures, whether est, along with final char I well site report.	shut-in pres	sure rea	ched static level,	hydrostatic pr	ressures, bottom l	hole temp	perature, fluid	
Drill Stem Tests Taker (Attach Additional		Yes No			_	n (Top), Depth			Sample	
Samples Sent to Geo	logical Survey	☐ Yes 🗸 No			Name Squirrel Sand		Тор 968		Datum 86	
Cores Taken Electric Log Run		☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No	Yes ☑No							
List All E. Logs Run:										
			G RECORD							
Purpose of String	Size Hole	Report all strings set Size Casing	Wei	ght	Setting	on, etc. Type of	# Sacks	Туре	and Percent	
	Drilled	Set (In O.D.)	Lbs	/ Ft.	Depth	Cement	Used 14		Additives	
Surface Casing	9 7/8*		17#		42'	Portland		Calcium		
Long String	6 1/8"	2 7/8"	6.5#		965'	Portland	120	 		
<u></u>		ADDITIONA	U CENENT	NC (SOI	JEEZE RECORD	<u> </u>				
Purpose: Depth Type of Cement Perforate Top Bottom				# Sacks Used Type and Percent Additives						
Protect Casing Plug Back TD Plug Off Zone										
			<u> </u>				<u> </u>			
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/ Specify Footage of Each Interval Perforated					cture, Shot, Cen nount and Kind o	nent Squeeze Reco of Material Used)	rd	Depth	
None	Open hole comp	etion 965-979'								
								DEC		
				<u> </u>					EIVED	
								_APK	0 5 2012	
TUBING RECORD:	Size:	Set At:	Packer A	d:	Liner Run:	Yes	No	KCC	WICHITA	
Date of First, Resumed pending inj. appli	Production, SWD or Effication	NHR. Producing Me	ethod:	1g 🗌	Gas Lift 0	other (Explain)				
Estimated Production Per 24 Hours	Oli	Bb/s. Gas	Mcf	Wat	er B	bts.	Gas-Oll Ratio		Gravity	
Dieboeiti	ON OF GAS:		METHOD OF	COND	ETION:		DDODLOT	ON INTER	N/AI ·	
Vented Sok		Open Hole	Perf.	F COMPLETION: PRODUCTION INTERVAL: Dualty Comp. Commingled				.v/.L.		
	bmit ACO-18.)	Other (Specify)		(Submit	ACO-5) (Subi	nit AČO-4)				

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, safer assumes no responsibility for damages in any manner to sidewalita, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks inner. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at oustomer's request.

NOTICE TO GWNER

Failure of this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

B11/20

8 * 0 COOPERATIVE VENTURES 56 M TO WAYSIDE N 1 MI TO 5TH

north past tanks

BURGINGTON KS

66839

LEASE: WEST #32

	,		to the Profite I	TTIM Service TE surface		and the second s
FORMULA	LOAD SIZE	LOAD SIZE YARDS ORDERED		DRIVER/TRUCK		PLANT/TRAINEREMON #
WELL 12.00 yd 12.00 yd		: CAL 0.00	SB 34	% AIR 0.00	COFCO	
	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
o Date Today	6 1	72.00 yd 12.00 yd	19948	G/yd 0.0	4.00 in	31191
	WFLL o Date	FORMULA LOAD SIZE VELL 12.00 yd LOAD #	FORMULA LOAD SIZE YARDS ORDERED WELL 12.00 yd 12.00 yd LOAD # YARDS DEL O Date 6 72.00 yd	FORMULA LOAD SIZE YARDS ORDERED :: CAL UFILL	FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK ### CAL SB ###################################	FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK CAL SB X ATR CAL SB X ATR

WARNING
IRRIGATING TO THE SKIN AND EYES
Contains Rational Coment. Weer Rübber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BÜTRIS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Rush Thoroughly With Water, it Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CAMPELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' less, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will been interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELINERY TO BE MADE INSIDE CURB LINE)

Deer Customer-The other of this tryck in presenting this RELEASE to you for your signature in a cit the oppoint that the size and weight of his truck may possibly cause demage to the premises and/or adjacent property if it places the material in this foot where you discrete it, the new you have been the code to do this the driver is required that you did not receive to do this the driver is required that you did not receive to do this the driver is required that you did not receive to the premises and/or adjacent property, buildings, adjavable, of the way of the premises and/or adjacent property, buildings, adjavable, of therety, the control of the premises and/or adjacent property which may be claimed by anyone to have said this truck and this supplier for any and at damage to the premises and/or adjacent property which may be claimed by anyone to have signed to delivery of this prode.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
18.00	WELL	WELL (10 SACKS PER UNIT)	12.00	51.00	612.00
17.00	MI (&HAUL	MIXING & HAULING	12.00	25.00	300.00
2.50	TRUCKING	TRUCKING CHARGE	2.50	50.00	125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED], -, , , , , , , , , , , , , , , , , ,		
		2:45	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 6. CITATION	ľ	ibTotal \$ ax % 6.300	1037.00 65.33	
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DÓWN 5. ADDED WATER	9. OTHER	I IIME DUE	htal \$	1102, 33	
1:21	148	第2:00				Truier: \$ Additional Charge 1 _	1102.33	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHÂRGE 2		
						GRAND TOTAL 🦫 🤾	ECEIVED	

APR 0 5 2012

KCC WICHITA