KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210	API No. 15 - 031-23209-00-00
Name: Edward E Birk	Spot Description:
Address 1: _ 302 South 16th	SW_NE_SW_NW Sec. 28 Twp. 22 S. R. 17 East West
Address 2:	3,465 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	4,455 Feet from ▼ East / West Line of Section
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□NE □NW Øse □sw
CONTRACTOR: License #_8210	County: Coffey
Name: Edward E Birk	Lease Name: West Well #: 56
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
	Elevation: Ground: 1060 est. Kelly Bushing:
Designate Type of Completion:	Total Depth: 983 Plug Back Total Depth: 983
New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at: 42 Feet
Oil WSW SWD SIOW	
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coel Bed Methane) Cathodic Other (Core, Expl., etc.):	If Atternate it completion, cement circulated from:
	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	· · · · · · · · · · · · · · · · · · ·
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. REast West
GSW Permit#:	County: Permit #:
03/14/2012 03/16/2012 03/16/2012	APR 0.5 2012
Spud Date or Date Reached TD Completion Date or	, a date
Recompletion Date Recompletion Date	KGC WICHITA
INSTRUCTIONS: An original and two copies of this form shall be filed with	
Kansas 67202, within 120 days of the spud date, recompletion, workover or coof side two of this form will be held confidential for a period of 12 months if req	
tiality in excess of 12 months). One copy of all wireline logs and geologist we	Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	m with all temporarily abandoned wells.
A 27-17 A 3 17	VCC Office Hos ONLY
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and r	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	e. Date:
LANGE / YLITA	Wireline Log Received
Signature: NUM CI GMU	Seologist Report Received
Title: Agent Date: 04/03/2012	UIC Distribution Win 17
	ALT [] I [] III Approved by: 10 Date: 11 [] []

Side Two

Operator Name: <u>Ed</u>	ward E Birk	·	Lease Name	: West		_Well#: _56	3
Sec. 28 Twp.22	s. R. <u>17</u>	. 🗸 East 🗌 West	County: Co	offey			
ime tool open and ck	osed, flowing and sh es if gas to surface t	nd base of formations per ut-in pressures, whether a est, along with final chart al well site report.	shut-in pressure	reached static level	, hydrostatic pres	sures, bottom	hole temperature, fluid
Orill Stem Tests Taker (Attach Additional		Yes No	[Log Formatio	n (Top), Depth a	nd Datum	Sample
•		Yes No Yes No Yes No Yes No	☐ Yes ☑ No ☐ Yes ☑ No			Top Datum 973 +87	
ist All E. Logs Run:							
				New Used Intermediate, product	lon, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9 7/8"	7*	17#	42'	Portland	14	Calcium
Long String	6 1/8"	2 7/8"	6.5#	969'	Portland	120	
		ADDITIONAL	L CEMENTING / S	QUEEZE RECORD	L		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type and I	Percent Additives	•
Shots Per Foot		ION RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cemen mount and Kind of Mi		rd Depth
None	Open hole comp	letion 969-983					
							RECEIVED
TUBING RECORD:	Size:	Set At:	Packer AI:	Liner Run:	Yes No		APR 0 5 201
Date of First, Resumed pending inj. applic	•	HR. Producing Met	hod:	☐ GasLift ☐ C	ther (Explain)		
Estimated Production Per 24 Hours	Oll	Bbts. Gas		Vater BI	ots. (Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease			ally Comp. Con	nmingled nit ACO-4)	PRODUCTIO	ON INTERVAL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to aldewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum stored time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contract can result in the filing of a mechanic's lien on the properly which is the subject of this contract.

Jan. 112

SOLO TO. BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BUPLINGTON KS

56839

B11/20 B & B COOPERATIVE VENTURES 58 W TO WAYSIDE N 1 MI TO 5TH month past tanks

LEAGE: WEST #56

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				S CAL	JF	% AIR	
10:09:24a	WELL	12.00 yd	12.00 yd	ହ. ପହ	35	0.00	COFCO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	11	126.00 yd	-			
03-16-12	oday	1	12.00 yd	1,3482	G/yd 0.0	4.00 in	31220

WARNING

IRITATING TO THE SKIN AND EYES
Contains Portland Coment. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS: Ayold Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Push Thoroughly With Water, If Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IN IN PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT JUYY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED IN the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including resonable attorneys' fees, incurred in collecting any sums overd.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Defivered. All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Does Customer-The driver of this truck in presenting this RELEASE to you for your signature in of the control that the six and weight of his truck may possibly cause damage to the premises endfor adjacent properly if a place the material in this tood where you desire it. It is not with to help you in every way that we can, but in order to do this to driver is requesting that you sign this ReLEASE ratiewing than and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent properly, buddings, deleverable, cheevings, curbs, etc., by the delivery of this material, and that you also agree to help tim remove mud from the wheels of his welder but he will have the public street. Further, as additional consideration, the undestripted agrees to indemy and host harmess the driver of this truck or the truth of public for any and for harmess the driver of this truck or purpose to have existed to delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

LOAD RECEIVED BY:

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
12.00	WELL	WELL (10 SACKS PER UNIT)	10.00	51.00	612.00
12.00	MIX&HAUL	MIXING & HAULING	12.00	25.00	300.00
2.50	TRUCKING	TRUCKING CHARGE	2.50	50.00	125.00

						_
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	NDER TEST TAKEN	TIME ALLOWED	
- /			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN	8. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		ibTotal \$ 1037.00 ax % 6.300 65.33 btal \$ 1102.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	5. ADDED WATER	s. Olner	HME DUE	orden \$ 1102.33
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
						GRAND TOTAL

RECEIVED APR 0 5 2012 **KCC WICHITA**