KCC WICHITA

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

1

| Type Test  | t:      |                      |  |  | (                                     | See Instruct                        | ions on Revi  | erse Side  | <b>∌</b> )  |                  |                                  |                    |   |  |
|--|---------|----------------------|--|--|---------------------------------------|-------------------------------------|---|--|---|------------------|----------------------------------|--------------------|---|--|
| Open Flow Deliverability   |         |                      |  | Test Date:   |                                       |                                     |   |  |   |                  | 20.00                            |                    |   |  |
| Company<br>Noble E   | ,       |                      |  |  | <u> </u>                              |                                     | Lease<br>Lampe  |  | 15-   | 023-20868-0      |                                  | Well Num           | ber   |  |
| County   | nergy   | IIIC                 | Locat  | ion  | Section                               |                                     | TWP   |  | RNG (E  |                  |                                  | Acres Att          | ributed                                       |  |
| Cheyenne   |         |                      | SW-NE  |  | 34                                    |                                     | 3S  |  | 41W   |                  | 70100 7 Milloutou                |                    |   |  |
| Field<br>Cherry C  | Creek   |                      |  |  |                                       | Reservoir<br>Niobrara               |   |  | Gas Gathering Connection Southern Star/Kinder Morgan      |                  |                                  |                    |   |  |
| 2/7/2008   |         | te                   |  |  | Plug Bac<br>1483'                     | k Total Dept                        | h   |  | Packer \$   | Set at           |                                  |                    |   |  |
| Casing Size 7", 4-1/2"   |         |                      | Weigh<br><b>17</b> #,                            | nt<br>10.5#  |                                       | Internal Diameter<br>9-7/8", 6-1/4" |   | Set at<br>206', 1525'  |   | rations<br>3'    | то<br>1374'                      |                    |   |  |
| Tubing Size 2-3/8"   |         |                      | Weight<br>4.7#                                   |  | Internal Diameter<br>1.995            |                                     | Set at<br><b>1409</b>                                       |  | Perforations  |                  | То                               |                    |   |  |
| Type Con   | •       | n (De                |  |  |                                       | d Production                        |   | ·  | Pump Vi   | nit or Traveling | Plunger? Yes                     | / No               |   |  |
| Single (   |         | (Anı                 | nulus / Tubin                                    | g)   |                                       | arbon Dioxi                         | de  |  | % Nitrog  | gen              | Gas Gri                          | avity - G          |   |  |
| Tubing   |         |                      |  |  | · · · · · · · · · · · · · · · · · · · |                                     |   |  |   |                  |                                  |                    |   |  |
| Vertical D   | epth(F  | <del>1</del> )       |  |  |                                       | Pres                                | sure Taps   |  |   |                  | (Meter F                         | Run) (Pro          | ver) Size                                     |  |
| Pressure   | Buildu  | ıp:                  | Shut in 3/3                                      | 1 2  | 0 11 at 1                             | 2:00                                | (AM) (PM)   | Taken  |   | 20               | at                               | (A                 | M) (PM)                                       |  |
| Well on L  | ine:    |                      | Started 4/1                                      | 2  | 0 <u>11</u> at <u>1</u>               | 2:00                                | (AM) PM   | Taken  |   | 20               | at                               | (A                 | M) (PM)                                       |  |
|  |         |                      | ·  |  |                                       | OBSERVE                             | D SURFACE   | DATA   |   |                  | Duration of Shut-i               | n_24               | Hours   |  |
| Static / Orifice Dynamic Size Property (inches)                                  |         | Circle one:<br>Meter | Pressure<br>Differential                         | Flowing  | Well Head                             | Casir<br>Wellhead P                 | •   | Tubing Wellhead Pressure $(P_w) \text{ or } (P_1) \text{ or } (P_4)$ psig psia |   | Duration         | Liquid Produced<br>(Barrels)     |                    |   |  |
|  |         |                      | Prover Pressi<br>psig (Pm)                       |  | Temperature<br>t                      | Temperature<br>t                    | (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> ) |  |   | (Hours)          |                                  |                    |   |  |
| Shut-In  |         |                      |  |  |                                       |                                     | 160   | Pelu   | parg  | pera             | ·                                |                    |   |  |
| Flow   |         |                      |  |  |                                       |                                     |   |  |   |                  | _                                |                    |   |  |
|  |         |                      |  |  |                                       | FLOW STR                            | EAM ATTRI   | BUTES  |   |                  |                                  |                    |   |  |
| Plate<br>Coefficcient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd             |         | Pro                  | Circle one:<br>Meter or<br>over Pressure<br>psia | Press<br>Extension<br>√P <sub>m</sub> xh   | Grav<br>Fac                           | tor                                 | Temperature Factor  |  | viation Metered Flow<br>actor R<br>F <sub>pv</sub> (Mcfd) |                  | W GOR<br>(Cubic Feet/<br>Barrel) |                    | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |  |
|  |         |                      |  | <u> </u>   |                                       |                                     |   |  |   |                  |                                  |                    |   |  |
|  |         |                      |  |  | (OPEN FL                              | ÓW) (DELIV                          | ERABILITY)  | CALCUL   | ATIONS  |                  | (P <sub>a</sub> ) <sup>1</sup>   | = 0.207            | 7   |  |
| (P <sub>e</sub> ) <sup>2</sup> =   |         | <u> </u>             | (P <sub>w</sub> ) <sup>2</sup> =                 | Choose formula 1 or 2  | P <sub>d</sub> =                      | <del></del>                         | % (P <sub>e</sub>   | - 14.4) +  | 14.4 = _  | <del></del> :    | (P <sub>d</sub> ) <sup>2</sup>   | <u>`</u> -         | <del></del> _                                 |  |
| (P <sub>c</sub> ) <sup>2</sup> - (I<br>or<br>(P <sub>c</sub> ) <sup>2</sup> - (I | •       | (F                   | P <sub>e</sub> )² - (P <sub>w</sub> )²           | 1. P <sub>0</sub> <sup>2</sup> - P <sub>0</sub> <sup>2</sup> 2. P <sub>0</sub> <sup>2</sup> - P <sub>0</sub> <sup>2</sup> divided by: P <sub>0</sub> <sup>2</sup> - P <sub>0</sub> | LOG of formula 1, or 2, and divide    | P <sub>2</sub> . P <sub>2</sub>     | Slope<br>Assi   | sure Curve<br>e = "n"<br>origned<br>rd Slope                                   | l n x   | rog              | Antilog                          | Delive<br>Equals F | n Flow<br>erabllity<br>R x Antilog<br>Icfd)   |  |
|  |         |                      |  | · G ·  |                                       |                                     |   |  |   |                  |                                  |                    |   |  |
|  |         |                      |  |  |                                       |                                     |   |  |   |                  | ·                                |                    |   |  |
| Open Flo   | w       |                      |  | Mcfd @ 14.   | 65 psia                               |                                     | Deliverabil   | ity  |   |                  | Mcfd @ 14.65 psi                 | a                  |   |  |
| The  | unders  | igned                | d authority, o                                   | n behalf of the  | Company, s                            | states that h                       | e is duly aut   | horized t  |   | •                | rt and that he ha                |                    | •   |  |
| the facts s  | tated t | herei                | in, and that s                                   | aid report is tru  | and correc                            | t. Executed                         | this the 14   |  | day of  | December         | <del></del>                      | , 20               | 11  |  |
|  |         |                      | Witness (  | if any)  |                                       | <u>_</u>                            | (   | Ke   | ryl   | For C            | Company Company                  | REC                | EIVED   |  |
|  |         |                      | For Comm   | nission  |                                       |                                     | -   |  | V   | Chec             | ked by                           | DEC 2              | 8 201   |  |

| exempt status und<br>and that the foreg<br>correct to the bes<br>of equipment insta<br>I hereby requ | er penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc.  going pressure information and statements contained on this application form are true and tof my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Lampe 32-34 rounds that said well: |
|--|---|
| _  | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.   |
| Date: <u>12/14/2011</u>  | Signature: Ley Johnson  Title: Regulatory Analyst II  |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

DEC 2 8 2011

KCC WICHITA