KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:			G	See Instruc	tions on Rev	erse Side)					
Open Flor	v		Test Date	ı .			ADI A	to. 15				
Deliverabi	itty		2-9-201					24372-000	0			
Company B-C Steel LLC			Lease Sontag			19-			Well Number -2			
County Location Cowley SW-SE-NE		Section 19		TWP 31S			V)		Acres Attrib	uted		
Field Raddiff North East			Reservoir				Gas Gathering Co		ection			
Completion Date 9-26-10	9		Plug Bad 2500	k Total Dep	th	-	Packer Se	at at				
Casing Size Weight 4.5 11.6		Internal Diameter		Set at 2500		Perforations 2292		то 2308				
Tubing Size Weight 2 3/8		Internal Diameter		Set at 2250		Perforations		То				
	Type Completion (Describe)			Type Fluid Production Salt Water			Pump Uni Yes	t or Traveling	Plunger? Yes	/ No		
Producing Thru	(Annulus / Tubing	g)		arbon Diox	ide		% Nitroge	ก	Gas G	ravity - G		
Annulus Vertical Depth(H)			Pres	sure Taps				(Meter	Run) (Prove) Size	
Pressure Buildu	p: Shut in 2-8	2	0 11 at 8	:30	(PM)	Takon 2-	9	20	11 _{at} 9:00	(AM)	(PM)	
Well on Line: Started2		`		_	\sim			11 at 8:30				
				OBSERVE	D SURFACI	DATA		<u>, </u>	Duration of Shur	24.5	_ Hours	
Static / Orific Dynamic Size Property (inches	Meter Differential Prover Pressure in		Flowing Well Head Temperature Temperature t t		Casing Wellhead Pressure (P_w) or (P_1) or (P_2)		Tubing Wellhead Pressure (P _w) or (P _i) or (P _c)		Duration (Hours)	Liquid Pro	Liquid Produced (Barre:s)	
Shul-tn	psig (Pm)	Inches H ₂ 0			psig 600	psia	psig	psia			-	
Flow					70							
				FLOW STE	REAM ATTR	BUTES						
Plato Coeffiecient (F _b) (F _p) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension P _{sp} xh	Grav Fact F ₀	tor .	Flowing Temperature Factor F _{(t}	Fa	iation ctor ; pv	Metered Flow R (McId)	GOR (Cubic F Barrel	eet/ G	owing =ಟ:d ravity G _m	
<u> </u>			(OPEN FL	OW) (DELIV	ERABILITY	CALCUL	ATIONS		(P)2 = 0.207		
(P _c) ² =	_: (P)² =	:	P _d =	· · · · · · · · · · · · · · · · · · ·	% (F	· - 14.4) +	14.4 =	 :) ² =	<u> </u>	
(P _c) ² - (P _a) ² or (P _c) ² - (P _d) ²	(P _c) ² - (P _w) ² (P _c) ² - P _c ² 2. P _c ² - P _d ² divided by P _c ² - P _w ²		LOG of townsta 1, or 2 and divide by:		Backpressure Curve Slope = "rr" 		n x LOG		Antiog	Delivera	Open Flow Deliverability Equals R x Antilog (Mcfd)	
							-					
Open Flow Mcfd @ 14.65 psia					Deliverability			Mcfd @ 14.65 psia				
	gned authority, or nerein, and that sa							abova repo	rt and that he h	as knowledge		
table planed to	und mai de	report to true				B	A		 Z	RECE		
	Witness (i	l erry)			-	77	y 	Fofe	жения	JAN 0		

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator B-C Steel LLC
	going pressure information and statements contained on this application form are true and
	t of my knowledge and belief based upon available production summaries and lease records
	allation and/or upon type of completion or upon use being made of the gas well herein named.
• •	est a one-year exemption from open flow testing for the Sontag 19-2
	rounds that said well:
gas wen on the gr	ouries trait sale wor.
(Check	one)
	is a coalbed methane producer
Ī	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
\	is not capable of producing at a daily rate in excess of 250 mcf/D
	
I further agre	e to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessai	y to corroborate this claim for exemption from testing.
Date: 12-21-11	
Daic.	
	, ,
	Signature:
	Title: General manager
	Tille.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. Recommendates the signed and dated on the front side as though it was a verified report of annual test results.

JAN 03 2012