KANSAS CORPORATION COMMISSION OF GIVE CONSERVATION DIVISION

TO THE ETION FORM

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 8210	API No. 15 - 031-23169-00-00
Name: Edward E Birk	Spot Description:
Address 1: 302 South 16th	NE_NW_SW_SW Sec. 28 Twp. 22 S. R. 17  East West
Address 2:	
City: Burlington State: Ks Zip: 66839 +	4,785 Feet from   ✓ East /   West Line of Section
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	□ne □nw ☑se □sw
9240	County: Coffey
CONTRACTOR: License # _ 62 10  Name: _ Edward E Birk	Lease Name: West Well #: 20
	Field Name: Parmely
Wellsite Geologist: None  Purchaser: Coffeyville Resources	Producing Formation: Squirrel
	Elevation: Ground: 1042 est. Kelly Bushing:
Designate Type of Completion:	1
✓ New Well Re-Entry Workover	Total Depth: 979 Plug Back Total Depth: 979'
☐ oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A 📝 ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 962
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Dalling Physical Manager and Physics
Well Name:	Drilling Fluid Management Ptan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County:Permit #:RECEIVED
02/09/2012 02/10/2012 02/10/2012	
Spud Date or Date Reached TD Completion Date or Recompletion Date	APR 1 1 2012
of side two of this form will be held confidential for a period of 12 months if req	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information puested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDANIT	VCC Office Hee ONLY
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and I	
lations promulgated to regulate the oil and gas industry have been fully complied	with Lotter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	
to the same	Confidential Release Date:
Signature: XWA( ) DAW	Goologist Report Received
Title: Agent Date: 04/09/2012	<del>                                    </del>
Date: United Date:	ALT

## Side Two

Operator Name: <u>Edwa</u>	ard E Birk			_ Lease I	Name: _	West	· · · · · · · · · · · · · · · · · · ·	Well #:20		
Sec. 28 Twp.22 S. R. 17 Fast West			County: Coffey			· · · · · · · · · · · · · · · · · · ·				
NSTRUCTIONS: Showing to the color of the col	ed, flowing and shut if gas to surface te	t-in pressu st, along v	ures, whether si with final chart(s	hut-in pres:	sure rea	ched static level,	hydrostatic press	sures, bottom i	hole temp	erature, fluid
Drill Stem Tests Taken Yes No (Attach Additional Sheets)			es 📝 No	☐Log Formation (T		n (Top), Depth an	Top), Depth and Datum		✓ Sample	
Samples Sent to Geological Survey		s 🗸 No		Name Squirrel Sand			Top 963		Datum +79	
ores Taken Yes No lectric Log Run Yes No lectric Log Submitted Electronically Yes No (If no, Submit Copy)		Squiirei Sanu			503 773					
ist All E. Logs Run:										
		Repo	********	RECORD	No	ew / Used	on, etc.			
Purpose of String	Size Hole Orilled		e Casing I (in O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface Casing	9 7/8"	7"		17#		40'	Portland	14	Calcium	
Long String	6 1/8"	2 7/8"		6.5#		962'	Portland	120		
	<u> </u>		ADDITIONAL	CEMENTIN	IG / SQL	JEEZE RECORD	<u> </u>	1		
Purpose: Depth Typ Perforate Top Bottom Protect Casing Plug Back TD		Туре	of Cement	# Sacks	Used		Type and F	Percent Additives	•	
Plug Off Zone										
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perf						cture, Shot, Cement nount and Kind of Ma		d	Depth
None (	Open hole comple	tion 962	-979'							<del>-10.4</del>
					-				R	ECEIVEL
			· · · · · · · · · · · · · · · · · · ·						ΔΔ	
TUBING RECORD:	Size:	Set At:		Packer At	:	Liner Run:	Yes No		KCC	WICHI
Date of First, Resumed Pr pending inj. applica		HR.	Producing Meth	od:	, 🗆	Gas Lift 🔲 O	ther (Explcin)			
Estimated Production Per 24 Hours	Oil 6	Bbts.	Gas	Mcf	Wat	er Bt	⊅s. (	Gas-Oil Ratio		Gravity
DISPOSITION  Vented Sold	N OF GAS:  Used on Lease if ACO-18.)		_	ETHOD OF	COMPLE Dually (Submit )	Comp. Com	nmingled nit ACO-4)	PRODUCTH	ON INTER	/AL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to eldewalite, neadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test who water is added at customer's request.

water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Salin To:

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BI1/20

B & B COOPERATIVE VENTURES 58 W TO MAYSIDE WILL MY TO STH E IN DIET DE MISE

BURLINGTON KG

68839

LEADL HERT WE V

				4			
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	03 D	PLANT/TRANSACTION #
01:00:55p	WELL.	12.00 yd	12.00 yd	% CAL 0.00	35	% A1R 0.00	COFCO
DATE	7	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
02-10-12	Today	1	12.00 yd	, 19703	6/yd <b>0.0</b>	4.00 in	31048

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes. Flush Thoroughly With Water, If Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEARNING the PLANT ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE REFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSDE CURB UNE)

Dear Customer. The direct of this truck is presenting this RELEASE to you for your signature is of the contain that he size and weight of his truck may possibly cause damage to the premises and/or adjacent property if a passes the material in this load where you death it. It has not wish to help you in every weight at we can, but in order is do this the direct is requested that you can say that we can, but in order is do this to differ its requested that you can strong that you ago, and the supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buckings, sidewalds, otherways, ourst, etc., by the coldward of the wheels of his whick is on that he will not filter the public state! Further, as additional consideration, the undersigned agrees to indemntly and hold harmless the driver of his truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

LOAD RECEIVED BY

X

12.00 WELL WELL (10 SACKS PER UNIT) 12.00 51.00	
12.00 MIXEHAUL MIXING & HAULING & ST. 00 25.00 25.00 25.00 25.00	612.00 300.00 125.00

X

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	4.bTetal \$ 1037.00
			1, JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT	'   Τ	ax # 6.300 65.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	I TIME DUE	ptal \$ 1102.33
<b>1</b> 15	1:42			_	ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

RECEIVED APR 1 1 2012 **KCC WICHITA**