## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form Must Be Typed Form must be Signed All blanks must be Filled

## **WELL COMPLETION FORM** WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210	API No. 15 - 031-23180-00-00
Name: Edward E Birk	Spot Description:
Address 1: 302 South 16th	SW_SE_NW_SW_Sec. 28 Twp. 22 S. R. 17 F East West
Address 2:	1,485 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	4,455 Feet from 🗸 East / West Line of Section
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	□ NE □NW ☑ SE □SW
	County: Coffey
CONTRACTOR: License # 8210	
Name: Edward E Birk	Lease Name: West Well #: 24
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1046 est. Kelly Bushing:
✓ New Well	Total Depth: 984 Plug Back Total Depth: 984
Oil wsw swd slow	Amount of Surface Pipe Set and Cemented at: 42 Feet
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 968
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	38 dill.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	·
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Names
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County. Permit w.
03/06/2012 03/07/2012 03/07/2012	APR 1 1 2012
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if required tality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- II report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and r	1 1 1 attende Confidentiality Beaching
lations promutgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge	widi
( )	Confidential Release Date:
Signature: TITIA OF A ATT.	Wircline Log Received
Signature: WW W	Geologist Report Received  UIC Distribution
Title: Agent Date: 04/09/2012	ALT   I   II Approved by: Date: 429   2

## Sido Two

Operator Name: Ed	ward E Birk		Lease N	Name: _	West	· · · · · · · · · · · · · · · · · · ·	Well #:24	<u> </u>	
Sec. 28 Twp. 22	s. R. <u>17</u>	✓ East   West	County						
time tool open and ck	osed, flowing and shu es if gas to surface te	nd base of formations pe ut-in pressures, whether est, along with final chart I well site report.	shut-in press	sure rea	ched static level,	hydrostatic į	ressures, bottom	hole tem	perature, fluid
Drill Stem Tests Taker (Attach Additional		☐ Yes 📝 No			og Formatio	n (Top), Dep	th and Datum	<b>Ø</b>	Sample
Samples Sent to Geo	logical Survey	Yes 🗹 No	Nam South		ne rel Sand		Top 973		Datum 73
Cores Taken		Yes No	:	Squirei Sano			370		, 0
List All E. Logs Run:									
		CASING Report all strings set	G RECORD	Ne	_	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig	ht	Setting Depth	Type of Cement			and Percent Additives
Surface Casing	9 7/8"	7"	17#		42'	Portland	14	Calciu	m
Long String	6 1/8"	2 7/8"	6.5#		968'	Portland	120	<u> </u>	
		ADDITIONA	L CEMENTIN	IG / SQL	EEZE RECORD			<u></u>	
Purpose: Depth Type		Type of Cement			Type and Percent Additives				
Plug Back TD Plug Off Zone						···		<del></del>	
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe					ment Squeeze Reco	rd	Depth
None	Open hote comple	etion 968-984'							
			· · · · · · · · · · · · · · · · · · ·					RE(	CEIVED
							····	APR	
TUBING RECORD:	Size:	Set At:	Packer At	:	Liner Run:	Yes [	] No	NGG	WICHITA
Date of First, Resumed pending inj. applic	•	HR. Producing Me	thod:		Gas Lift □ O	ther (Explc!n)			
Estimated Production Per 24 Hours	Oll	Bbis. Gas	Mcf	Wate	er Bb	ts.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:	I — .	METHOD OF	_,	_		PRODUCTI	ON INTER	VAL:
Vented Sold (If vented, Sub		Open Hole Other (Specify)	Perf	Dually (Submit A		mingled htrACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the fling of a mechanic's tien on the property which is the subject of this contract.

Comments.

BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

RIJ 720

R / P (THE TUNNIUM VENTURES) 58 W TO MAYSIDE N I MI TO 5TH

month goet teaks

AURLINGTON RC

66859

I YOUR - Mr OF REEL

WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS, Avoid Contact With Eves and Prolonged Contact With Skin. In Case of			PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Deer Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the option that the site and weight of his truck may possibly cause durage to the cremase and/or actioent		Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By GAL X		
03-07-10	Today	i	12.00 yd	19927	6/yd 6.0	4.00 in	31183
DATE	o Date	LOAD #	YARDS DEL 48. ØØ yd	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
Ø∂:15:29p	WELL	12.00 yd	12.00 yd	% CAL 0.00	5A 24	% AIR 0.00	פחפמם
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
		the contract	,	LAG de la	i ≈1 1.1 He i		

Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical Attention, KEEP CHILDREN AWAY

CONCRETE 3 & PERISHABLE COMMODITY and BECOMES THE PROPERTY of the PURCHASER UPON LEAVING THE PLANT AMY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' less, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Cualty. No Claim Allowed United Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Charles. Excess Delay Time Charged 3 \$50,1/1.

truck may possibly cause damage to the crembes and/or adjoint properly if a paices the materially this load where you doesn't. It is now with to help you in every way that we can, but in order to do this the diver is requesting that you sign this RELEASE retowing his and his supplier from any respons by from any damage that may occur to the premises and/or adjacent properly. Buddings, claseraty or developed the state of the premises and/or adjacent properly. Buddings, claseraty out also agree to help him remove much from the wheets of his white so that he will not filter the public street. Further, as additional commission, the undersigned agrees to indemnity and half harmises the other of this truck and this subjet in the regional policy premises and/or adjacent property which may be claimed by anyone to have signed.

WEIGHMASTER

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 12,00 WELL WELL (10 SACKS PER UNIT) 12.00 51.00 612.00 12.00 MIXEHAUL MIXING & HAULING 12.60 25.00 300.00 2.50 TRUCKING TRUCKING CHARGE 2.50 50.00 125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	1 7 1 7 4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		3:56	1. JOB NOT READY     2. SLOW POUR OR PUMP     3. TRUCK AHEAD ON JOB     6. CITATION	1	5tbTotal \$ 1037.00       6x \$ 6.300     65.33
LEFT PLANT	ARRIVED JOS	START UNLOADING	CONTRACTOR BROKE DOWN	I HIME DUE	ptal \$ 1102.33
2,30	2:56	3:02	<u> </u>		ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
	3r .			-	GRAND TOTAL

RECEIVED APR 1 1 2012 KCC WICHITA