

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210	API No. 15 - 031-23204-00-00				
Name: Edward E Birk	Spot Description:				
Address 1: 302 South 16th	NE_NE_NW_SW Sec. 28 Twp. 22 S. R. 17 FEast West				
Address 2:	2,475 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 +	4,125 Feet from 🗹 East / 🗌 West Line of Section				
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 364-1311	□ne □nw Øse □sw				
CONTRACTOR: License # 8210	County: Coffey				
Name: Edward E Birk	Lease Name: West Well #: 34				
Wellsite Geologist: None	Field Name: Parmely				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel				
Designate Type of Completion:	Elevation: Ground: 1054 est. Kelly Bushing:				
	Total Depth: 980 Plug Back Total Depth: 980				
☐ oil ☐ wsw ☐ swp ☐ slow	Amount of Surface Pipe Set and Cemented at: 42 Feet				
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet				
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 965				
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.				
If Workover/Re-entry: Old Weil Info as follows:					
Operator:	Politics Child Management Plan				
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls				
Deepening Re-perf. Conv. to ENHR Conv. to SWD					
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	QuarterSecTwpS. R 🗆 EaREVELVED				
☐ ENHR Permit #:	On the second se				
GSW Permit #:	APR 1 2 2012				
Spud Date or Date Reached TD Completion Date or	The state of the s				
Recompletion Date Recompletion Date	KCC WICHITA				
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if req tiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, priversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentil report shall be attached with this form. ALL CEMENTING TICKETS MUST				
AEFIRAND	V00 0#1-2 U 000V				
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and n	KCC Office Use ONLY				
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received				
and the statements herein are complete and correct to the best of my knowledg	e. Date: Confidential Release Date:				
Jarim White	☐ Wireline Log Received				
Signature: WWW (1904)	Geologist Report Received				
Title: Agent Date: 04/10/2012	UIC Distribution ALT [I [II] Approved by: Date: 4 24 12				

Side Two

Operator Name: Edward E Birk			Lease N	_ Lease Name: West			Well #: 34		
Sec. 28 Twp.22	s. R. <u>17</u>		County:	Coffey					
ime tool open and clos	sed, flowing and sh s if gas to surface t	nd base of formations pout- ut-in pressures, whether est, along with final char al well site report.	shut-in pressi	ure reached stati	c level, hydrostatic p	ressures, bottom	n hole tem	perature, fluid	
Drill Stem Tests Taken			Log Formation (Top), I		, Depth and Datum		✓ Sample		
Samples Sent to Geological Survey			Name Squirrel Sand		Top 964		Datum 90		
Cores Taken Yes No				Squirer Sand		904			
Electric Log Run Electric Log Submitted (If na, Submit Copy)	•	Yes No							
ist All E. Logs Run:									
			G RECORD	New 🗸 Us					
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weigh					and Percent Additives	
Surface Casing	9 7/8"	7°	17#	Ft. Dep 42'	th Cement Portland	Used 14	Calci		
Long string	6 1/8*	2 7/8"	6.5#	965'	Portland	120			
		ADDITION	CEMENTING	C (SOUFEZE DE	record.				
Purpose:	Depth Top Rottom	Type of Cement	# Sacks U	G / SQUEEZE RE		nd Percent Additive	es		
Perforate Top Bottom Protect Casing		- 							
Plug Back TD Plug Off Zone									
Shots Per Foot		ION RECORD - Bridge Pti Footage of Each Interval Pt		A	cid, Fracture, Shot, Cer (Amount and Kind o		ord	Depth	
None	Open hole comp	letion 965-980'							
		 		<u></u>				RECEN	
							·	APR 12	
								KCC WIC	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Ru		No	-	 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Date of First, Resumed P pending inj. applica		NHR. Producing Me	ethod:	Gas Lift	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbts.	Gas-Oil Ratio		Gravity	
DISPOSITIO	N OF GAS:		METHOD OF C	COMPLETION:		PRODUCT	TON INTER	RVAL:	
Vented Sold	Used on Lease	Open Hole		Dually Comp. (Submit ACO-5)	Commingled (Submit ACO-4)				
(If vented, Subn	nlt ACO-18.)	Other (Specify)	· · · · · · · · · · · · · · · · · · ·						

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Oue to delivery at owner's or intermediary's direction, safer assumes no responsibility for damages in any manner to activating, roadways, driveways, buildings, trees, shrubbery, etc., which are at outcomer's risk. The maximum allotted time for unloading trucks to 5 minutes per yard. A charge will be made tor holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at outsomer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the flang of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:

BB001

B & B COOPERATIVE VENTURES

900 S. FOURTH ST.

BI1/20

B & B COOPERATIVE VENTURES 58 W TO WAYSIDE N 1 MI TO THE THE THE

north past tanks

BURLINGTON KS

BURLINGTON AS			LEASE:	WEST #34			
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	5.00	DAVERTRUCK	7 7	BANG BASING
				% CAL	MK	% AIR	
01:04:03p	WELL.	12.00 yd	12.00 yd	0.00	35	0.00	COFCO
DATE		LOAD #	YARDS DEL.	BÀTCH#	WATER TRIM	SLUMP	TICKERNYMEER
	To Date	3	36.00 yd	,			
04-09-12	today	1	12.00 yd	20131	G/yd 0.0	4.00 in	31313

WARNING

TATINGSTORTHE SKIN AND EYES

Contain Replace Charles Was reprose Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURKS. Avoid. 66th of the Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flash Thoroughly With Water, if Infrastor Park 1985 and Attention. KEEP CHILDREN AWAY.

CONCRETE IN A PERISHABLE COMMODITY AND ECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT, ANY CHANGES OF CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED IN THE OFFICE REFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collarly auto owed.

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quelity. No Claim Allowed Unless Made at Time Materiel is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY CAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Der Customer-The other of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property it is placed the material in this load where you desare it. It is our wish to help you in every very that we can, but in order to do this to their property is appeared to you give the RELEASE releving him and its supplier from any responsibility from any damage that may occur.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

LOAD RECEIVED BY

QUANTITY UNIT PRICE NA CODE DESCRIPTION 12.00 WELL WELL (10 SACKS PER UNIT) 12.00 51.00 612.00 12.00 25.00 300.00 12.00 MIX&HAUL MIXING & HAULING 50.00 125.00 2.50 TRUCKING TRUCKING CHARGE 2.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED		
	.,		2. SLOW POUR OR PUMP	6. TRUCK SROKE DOWN 7. ACCIDENT 8. CITATION		SubTotal \$ [ax % 6.300	1037.00 65.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN S. ADDED WATER	9. OTHER	TIME DUE	Tptal \$	1102.33
1.71	1(11/			Ī		Jrder \$	1102, 33
[[\ \ \ \ \]	1,41					ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
						and the second second second second second	
		<u>.</u>				GRAND TOTAL	<u> </u>

RECEIVED APR 1 2 2012 KCC WICHITA