

STATE OF KANSAS  
 STATE CORPORATION COMMISSION  
 200 Colorado Derby Bldg.  
 Wichita, Kansas 67202

Form CP-4  
 Rev. 12-15-80

WELL PLUGGING RECORD

Give All Information Completely  
 Make Required Affidavit

15101-20556-0000

COUNTY Lane SEC. 24 TWP. 19S RGE. 28W E/W  
 Location as in quarters or footage from lines:  
 NW NW NE


Lease Owner Abercrombie Drilling, Inc.  
 Lease Name METHODIST CHURCH Well No. 1  
 Office Address 801 Union Center, Wichita, KS 67202  
 Character of Well (Completed as Oil, Gas or Dry Hole): Dry Hole  
 Date Well Completed August 16, 1981  
 Application for plugging filed August 16, 1981  
 Plugging commenced August 16, 1981  
 Plugging completed August 16, 1981

Locate Well  
 correctly on above  
 Section Platt.

Reason for abandonment of well or producing formation No commercial quantity of oil or gas encountered.  
 Was permission obtained from the Conservation Division or it's Agent's before plugging was commenced? YES

Name of Conservation Agent who supervised plugging of this well Gilbert Balthazar  
 Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ bottom T.D. 4650'  
 Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

Casing Record

Formation	Content	From	To	Size	Put in	Pulled Out

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Set 1st plug @ 900' with 60 sx.  
Set 2nd plug @ 270' with 40 sx.  
Set 3rd plug @ 40' with 10 sx.  
5 sx. in Rathole. 50-50 posmix. 6% Ge  
Plug was down @ 6:15 p.m., 8/16/81.

RECEIVED  
 STATE CORPORATION COMMISSION  
 CONSERVATION DIVISION  
 Wichita, Kansas  
 8-20-81


(If additional description is necessary, use BACK of this sheet)  
 Name of Plugging Contractor Abercrombie Drilling, Inc.

STATE OF Kansas COUNTY OF Sedgwick, ss.  
Jack L. Partridge, Vice Pres. (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Jack L. Partridge  
801 Union Center, Wichita, KS  
 (Address) 67202

SUBSCRIBED AND SWORN TO before me this 17th day of August, 19 81

My Commission expires: 7-13-85

Elizabeth G. Terry  
 Elizabeth G. Terry Notary Public  


KANSAS

WELL COMPLETION REPORT AND  
DRILLER'S LOG


S. 24 T. 19S R. 28W E  
W

API No. 15 — 101 — 20,556-6860'  
County Number

Loc. NW NW NE

County Lane

640 Acres  
N



Locate well correctly

Elev.: Gr. 2742'  
DF 2745' KB 2747'

Operator  
Abercrombie Drilling, Inc.

Address  
801 Union Center, Wichita, KS 67202

Well No. 1 Lease Name  
METHODIST CHURCH

Footage Location  
330 feet from X (S) line 2310 feet from X (W) line

Principal Contractor Abercrombie Drilling Geologist Orlin Phelps

Spud Date 8/08/81 Date Completed 8/16/81 Total Depth 4650' P.B.T.D.

Directional Deviation Oil and/or Gas Purchaser

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12½"	8 5/8"	20#	273.05'	common	180	2% gel, 2% c.c.

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

RECEIVED  
STATE CORPORATION COMMISSION  
AUG 19 1981  
CONSERVATION DIVISION  
Wichita, Kansas

INITIAL PRODUCTION

Date of first production Producing method (flowing, pumping, gas lift, etc.)

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbis.	MCF	bbis.	CFPB

Disposition of gas (vented, used on lease or sold) Producing interval(s)

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator **Abercrombie Drilling, Inc.**

DESIGNATE TYPE OF COMP.: OIL, GAS,  
DRY HOLE, SWDW, ETC.:  
**Dry Hole**

Well No.

**1**

Lease Name

**METHODIST CHURCH**

S 24 T 19S R 28W  
W

**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,  
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
			<b>SAMPLE TOPS:</b>	
Sand & Shale	0	690	Anhydrite	2074' (+673)
Shale, Sand, & Lime	690	1835	B/Anhydrite	2122' (+625)
Sand & Shale	1835	2550	Heebner	3965' (-1218')
Shale, Lime & Sand	2550	2720	Toronto	3979' (-1232)
Shale & Lime	2720	4650	Lansing	4003' (-1256)
Rotary Total Depth		4650		
<p>DST #1: (4216' - 4235') 30-60-30-60.                      Rec. 134' watery mud. (160' zone)                      IFP 20-20, FFP 70-70, IBHP 1179,                      FBHP 1179.</p> <p>DST #2: (4313' - 4343') 30-45-30-45,                      IBHP 665, FBHP 50, IFP 10-10, FFP                      20-20, Rec. 10' SOCM.</p>				

RECEIVED  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
Wichita, Kansas

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

*Charles R. Porter*  
Signature

Vice President

Title

August 17, 1981

Date