

To: 1 040896  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

10-13

API NUMBER 15- 135-23,832-00-00  
App. E/2 NE NW, SEC. 12, T. 7 S. R. 24 W.  
660 feet from N & section line  
2200 feet from W & section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 5005  
Operator: Sunburst Exploration Co., Inc.  
Name & Address 224 E. Douglas, Ste. 520  
Wichita, KS 67202

Lease Name Blocksome Well # 1  
County Ness  
Well Total Depth 4550 147.87 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 319

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X  
Other well as hereinafter indicated \_\_\_\_\_  
Plugging Contractor Blue Goose Drilling, Inc. License Number 5104

Address P.O. Box 1413, Great Bend, KS 67530-1413  
Company to plug at: Hour: 10:30 a.m. Day: 13 Month: 10 Year: 1994

Plugging proposal received from Martin Miller  
(company name) Blue Goose Drilling, Inc. (phone) 316-792-5633  
purpose: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1851-83'

- 1st plug at 1883' with 50 sx cement, 2nd plug at 1075' with 80 sx cement,
- 3rd plug at 520' with 30 sx cement, 4th plug at 330' with 50 sx cement,
- 5th plug at 40' with 10 sx cement,
- 6th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Steve Pfeifer  
(TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X  
Operations Completed: Hour: 2:30 p.m. Day: 13 Month: 10 Year: 1994

- ACTUAL PLUGGING REPORT
- 1st plug at 1883' with 50 sx cement,
  - 2nd plug at 1075' with 80 sx cement,
  - 3rd plug at 520' with 30 sx cement,
  - 4th plug at 330' with 50 sx cement,
  - 5th plug at 40' with 10 sx cement,
  - 6th plug to circulate rathole with 15 sx cement.

Remarks: Used 60/40 Pozmix 6% gel 1/2# floseal by Allied.  
(If additional description is necessary, use BACK of this form.)

**INVOICED** observe this plugging.

DATE 10-26-94  
INV. NO. 41521

Signed Steve Pfeifer  
(TECHNICIAN)

STATE RECEIVED  
OCT 18 1994  
COMMISSION  
WICHITA, KANSAS

DISTRICT # 4  
SEAT Yes  No

NOTICE OF INTENTION TO DRILL

15-135-23,832-0000  
FORM MUST BE SIGNED  
ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date October 1, 1994  
month day year

OPERATOR: License # 5005 ✓  
Name: Sunburst Exploration Company, Inc.  
Address: 224 E. Douglas, Suite 520  
City/State/Zip: Wichita, KS 67202  
Contact Person: Ron Irion  
Phone: 262-3041

CONTRACTOR: License #: 5104 ✓  
Name: Blue Goose Drilling, Inc.

Well Drilled For: Well Class: Type Equipment:  
X. Oil ... Enh Rec ... Infield X. Mud Rotary  
... Gas ... Storage ... Pool Ext. ... Air Rotary  
... OWDG ... Disposal X Wildcat ... Cable  
... Seismic; ... # of Holes ... Other  
If OWDG: old well information as follows:  
Operator: .....  
Well Name: .....  
Comp. Date: ..... Old Total Depth .....

Directional, Deviated or Horizontal wellbore? .... yes .... no  
If yes, true vertical depth: .....  
Bottom Hole Location: .....

Exp. 3/16/95

AFFIDAVIT

240' Alt. II Req.

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.  
It is agreed that the following minimum requirements will be met:

660 feet from South / North line of Section  
2200 feet from East / West line of Section  
IS SECTION  REGULAR  IRREGULAR?  
(NOTE: Locate well on the Section Plat on Reverse Side)  
County: Ness  
Lease Name: Blocksome Well #: 1  
Field Name: .....  
Is this a Prorated/Spaced Field? .... yes X. no ✓  
Target Formation(s): Mississippian ✓  
Nearest lease or unit boundary: 440' ✓  
Ground Surface Elevation: 2485' feet MSL  
Water well within one-quarter mile: .... yes X. no ✓  
Public water supply well within one mile: .... yes X. no ✓  
Depth to bottom of fresh water: 900' Dakota  
Depth to bottom of usable water: 1025' Cheyenne  
Surface Pipe by Alternate: .... 1 X. 2  
Length of Surface Pipe Planned to be set: 300' 240'  
Length of Conductor pipe required: NONE ✓  
Projected Total Depth: 4600' ✓  
Formation at Total Depth: Mississippian ✓  
Water Source for Drilling Operations:  
... well .... farm pond X. other ✓  
DWR Permit #: .....  
Will Cores Be Taken? .... yes X. no ✓  
If yes, proposed zone: .....

MAR 10 11 1994  
Pusher Conrad  
SPUD DATE 10-6-94 INIT. SR  
LENGTH SURFACE PLANNED 240 f.

RESERVE PIT STATUS- REMOVE FLUID LINED  
after salt sect. bbls. when done bbls.  
RATHOLED AHEAD? Y N SIZE HOLE  
SURFACE PIPE 3 7/8 @ 319 CONDUCTOR  
ANHYDRITE T- 1857 B- 1883 ELEVATION  
(450)  
TD 4550 FORMATION  
RAN PIPE @ DV TOOL ALT II DONE  
SX Y N  
Arbuckle Plug @ Ft. W/ SX  
Hug./Council @ Ft. W/ SX  
Anhydrite Base @ 1883 Ft. W/ 50 SX  
1/2 Base Anhy. @ 1025 Ft. W/ 80 SX  
1/2, 1/2 Plug @ 520 Ft. W/ 30 SX  
Bottom Surface @ 330 Ft. W/ 50 SX  
40' Plug @ 40 Ft. W/ 10 SX  
RAT HOLE CIRC/W 15 SX MOUSE HOLE W/ SX

WATER WELLS RECEIVED  
TECHNICIAN SR DATE 10-12-94  
TYPE OF CEMENT 60/40 per 6" x 1/4" of low red.  
STARTING TIME 10:30 (AM/PM) DATE 10-13  
COMPLETION TIME 2:30 (AM/PM) DATE 10-13  
CEMENT COMPANY Phillips  
10-13-1994