



KANSAS CORPORATION COMMISSION 1080040
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710
Name: Laymon Oil II, LLC
Address 1: 1998 SQUIRREL RD
Address 2:
City: NEOSHO FALLS State: KS Zip: 66758 + 7124
Contact Person: Michael Laymon
Phone: (620) 963-2495
CONTRACTOR: License # 32710
Name: Laymon Oil II, LLC
Wellsite Geologist: None
Purchaser:

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:
Operator:
Well Name:
Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: Plug Back Total Depth
 Commingled Permit #:
 Dual Completion Permit #:
 SWD Permit #:
 ENHR Permit #:
 GSW Permit #:

04/12/2012	04/16/2012	04/18/2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-207-28058-00-00
Spot Description:
NE NE SE SW Sec. 17 Twp. 24 S. R. 16 East West
1155 Feet from North / South Line of Section
2805 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Woodson
Lease Name: Shepard Well #: 28-12
Field Name:
Producing Formation: Squirrel
Elevation: Ground: 1060 Kelly Bushing: 1065
Total Depth: 1100 Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from: 0
feet depth to: 40 w/ 10 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: 0 ppm Fluid volume: 90 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. East West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garrison Date: 05/02/2012



1080040

Operator Name: Laymon Oil II, LLC Lease Name: Shepard Well #: 28-12

Sec. 17 Twp. 24 S. R. 16 East West

County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Log Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name Attached	Top Datum Attached
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Electric Log Run	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Electric Log Submitted Electronically <i>(If no, Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
List All E. Logs Run:			
Gamma Ray Neutron			

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.2500	8.6250	24	40	portland	10	
Production	6.1250	2.8750	7	1085	common	150	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Perforate				
Protect Casing				
Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR: _____ Producing Method: Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i>	PRODUCTION INTERVAL: _____
---	---	-------------------------------

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Shepard 28-12
Doc ID	1080040

Tops

Soil	0	12
Shale	12	200
Lime	200	460
Lime & Shale	460	660
Shale	660	838
Lime	838	860
Shale	860	900
Lime & Shale	900	950
Shale	950	953
Lime & Shale	953	990
Black Shale	990	992
5' Lime	992	997
Shale	997	1015
Upper Squirrel Sand	1015	1035
Shale	1035	1046
Cap Rock	1046	1047
Shale	1047	1049
Cap Rock	1049	1050
Lower Squirrel Sand	1050	1054
Shale	1054	1100

THE NEW KLEIN LUMBER COMPANY
 231 W. MADISON
 P.O. BOX 235
 IOLA, KS 66749
 PHONE: (620) 355-2281

PAGE NO 1

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH	BE	2/ 1/12	3:50

S
O
L
D

T
O

LAYMONI DILL IT
 1998 SQUIRREL RD

 NEOSHO FALLS KS 66758

S
H
I
P

T
O

DEL. DATE: 2/ 1/12 TERM# 1

DOC# 250872

* ORDER *

TAX : 001 IOLAL IOLA

ORDR 250872

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNITS	PRICE/PER	EXTENSION
	300	EA	PC	PORTLAND CEMENT		300	9.45 /EA	2,835.00
	Rice 4-12	10	20	Wilson 1-12	- 10	sacks		
	Rice 7-12	10	20	Cedar Point 2-12	10	sacks		
	Rice 6-12	10	20	Wright B 8-12	10	sacks		
	Rice 5-12	10	20	Wright B 9-12	10	sacks		
	Rice 8-12	10	20	Shepard 27-12	10	sacks		
	Rice 9-12	10	20	Shepard 28-12	10	sacks		
	M. Kramer 2	10	20					
	M. Kramer 1	10	20					
	Rice 10-12	10	20					
	Dave Kramer 1-12	10	20					

** ORDER ** ORDER ** ORDER ** ORDER ** ORDER ** ORDER *

** DEPOSIT AMOUNT **

** BALANCE DUE **

** PAYMENT RECEIVED **

TAXABLE 2835.00

NON-TAXABLE 0.00

SUBTOTAL 3,077.39

TAX AMOUNT 0.00

TOTAL AMOUNT 3077.39

X

RECEIVED BY

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, I.N.C.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAYMON OIL, L.L.C.
1938 SQUIRREL RD.

LAYMON OIL WELLS
SHEPARD 20-12
34 W TO QUAIL N TO 160TH
W-17-NT NSD

NEOSHO FALLS, KS
66750

WATER CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YARDS DEL	DRIVER/TRUCK	PLANT/TRANSACTION #
08:21:30a	WELL	15.00 yd	15.00 yd		35	W0000
DATE	LOAD #	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
04-18-12	1	28231	6 yd	4.00 in	31371	

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED _____

X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X _____

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
15.00	WELL	WELL (10 BAGS PER UNIT)	51.00	765.00
2.00	TRUCKING	TRUCKING CHARGE	50.00	100.00
15.00	MIXSHALL	MIXING & HOLDING	25.00	375.00

M. R.

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
				TIME DUE
8-39	9:08			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

Subtotal	1240.00
Tax @ 7.300	90.52
Total	1330.52
Order #	1330.52
ADDITIONAL CHARGE 1	_____
ADDITIONAL CHARGE 2	_____
GRAND TOTAL	▶ _____