

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
October 2008
Form Must Be Typed

4/27/12

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5254
Name: MIDCO Exploration, Inc.
Address 1: 414 Plaza Drive, Suite 204
Address 2: _____
City: Westmont State: IL Zip: 60559 + 1265
Contact Person: Earl J. Joyce, Jr.
Phone: (630) 655-2198
CONTRACTOR: License # 5822
Name: VAL Energy, Inc.
Wellsite Geologist: N/A
Purchaser: DCP / NCRA

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW
 Gas ENHR SIGW
 CM (Coal Bed Methane) Temp. Abd.
 Dry Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr. Conv. to SWD
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Docket No.: _____
 Dual Completion Docket No.: _____
 Other (SWD or Enhr.?) Docket No.: _____
1/25/2010 2/12/2010 3/22/2010
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 025-21494-00-00
Spot Description: NW SE NE SE
NW SE NE SE Sec. 18 Twp. 33 S. R. 25 East West
1800 Feet from North / South Line of Section
500 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Clark
Lease Name: Theis Well #: 3-18
Field Name: Wildcat
Producing Formation: Viola
Elevation: Ground: 2089 Kelly Bushing: _____
Total Depth: 7252 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 885 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.


Drilling Fluid Management Plan ATTN 5570
(Data must be collected from the Reserve Pit)
Chloride content: 32,000 ppm Fluid volume: 600 bbls
Dewatering method used: Vacuum all available fluids
Location of fluid disposal if hauled offsite:
Operator Name: Bulldog Disposal, Inc.
Lease Name: _____ License No.: 225070
Quarter _____ Sec. 28 Twp. 25N S. R. 25 East West
County: Harper Co., OK Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: Vice-President Date: 4/27/2010

Subscribed and sworn to before me this 27TH day of APRIL
20 10
Notary Public: Nancy L. Macyunas
Date Commission Expires: _____



KCC Office Use ONLY
 Letter of Confidentiality Received
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
MAY 03 2010

KCC WICHITA

Operator Name: MIDCO Exploration, Inc. Lease Name: Theis Well #: 3-18
 Sec. 18 Twp. 33 S. R. 25 East West County: Clark **APR 27 2010**

CONFIDENTIAL

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Collected - not yet filed	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Heebner	4200	-2101
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Toronto	4218	-2119
List All E. Logs Run:			Douglas	4258	-2159
Borehole Compensated Sonic Log, Dual Compensated Porosity Log, Dual Induction Log, Cement Bond Log - All filed electronically			Lansing	4375	-2276
			Base KC	4963	-2864
			Marmaton	4977	-2878
			Cherokee	5146	-3047
			Chester	5395	-3296
			St. Gen	5670	-3571
			Viola	6836	-4737
			Arbuckle	7179	-5080

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor		20"		95'			
Surface	12 1/4"	8 5/8"	24#	885'	Common A	415	Flo seal + 3% cc
Production	7 7/8"	5 1/2"	15.5#	7234'	H	325	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing	6850	Common A	150 + 100	3% cc (squeeze down twice)
<input type="checkbox"/> Plug Back TD	6738	Common A	75	3% cc
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
5	6837-42' below behind squeeze cement	2000 gal 15% INS	
4	6850-53' ; 6858-61'	1000 gallons 15% INS	
4	6869-72' ; 6876-84'	1500 gallons INS Double FE	

**RECEIVED
MAY 03 2010**

TUBING RECORD:	Size: <u>2 7/8"</u>	Set At: <u>6786'</u>	Packer At:	Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
----------------	---------------------	----------------------	------------	--

KCC WICHITA

Date of First, Resumed Production, SWD or Enhr. <u>4/5/10</u>	Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls. <u>100</u>	Gas Mcf <u>50</u>	Water Bbls. <u>150</u>	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input checked="" type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	---	--

ALLIED^{LC} CEMENTING CO. (58), LLC. 042699

TO P.O. BOX 31
RUSSELL, KANSAS 67665

APR 27 2010
CONFIDENTIAL

SERVICE POINT:
Medicine Lodge, KS

DATE 1-26-10	SEC. 20	TWP. 33S	RANGE 25W	CALLED OUT 10:00PM	ON LOCATION 1:00AM	JOB START 6:00AM	JOB FINISH 6:30AM
LEASE Heis	WELL # 1-20	LOCATION 160+283 Jct 13, 6W			COUNTY Clark	STATE KS	
OLD OR <u>NEW</u> (Circle one)				S/E INTO			

CONTRACTOR Val #1
TYPE OF JOB Surface
HOLE SIZE 12 1/4 T.D. 885 FT
CASING SIZE 8 5/8 DEPTH 884.41
TUBING SIZE DEPTH
DRILL PIPE 4 1/2 DEPTH 885 FT
TOOL DEPTH
PRES. MAX MINIMUM —
MEAS. LINE SHOE JOINT 39 FT
CEMENT LEFT IN CSG. 39 FT
PERFS.
DISPLACEMENT Fresh Water

OWNER Midco Exploration
CEMENT
AMOUNT ORDERED 265sx 65:35:6+3%
CC+ 1/4# Flo-seal 150sx "A"+3%
2% Gel

EQUIPMENT
PUMP TRUCK CEMENTER David W.
471/302 HELPER Scot P.
BULK TRUCK
363/314 DRIVER Matt T.
BULK TRUCK
DRIVER

COMMON 150sx	@ 15.45	2,317.50
POZMIX	@	
GEL 4sx	@ 20.80	83.20
CHLORIDE 14sx	@ 58.20	814.80
ASC	@	
1:Te weight 265sx	@ 14.80	3,922.00
Flo-seal 66#	@ 2.50	165.00
	@	
RECEIVED	@	
MAY 03 2010	@	
KCC WICHITA	@	
	@	
HANDLING 125sx	@ 2.40	300.00
MILEAGE 125sx X 25X.10 =		312.50
TOTAL		7,915.00

REMARKS:

Pipe on Bottom Break Circ
Pump 265sx 65:35:6+3% CC+ 1/4#
Flo-seal Tail with 150sx Class "A"+
3% CC+2% Gel Shut Down Release
Plug Displace with 53 BBIs. Fresh
Water Bump Plug. ~~Flt~~ Shut in
Cement did circ

SERVICE

DEPTH OF JOB 884 FT		
PUMP TRUCK CHARGE		950.00
EXTRA FOOTAGE	@	
MILEAGE 25	@ 7.00	175.00
MANIFOLD N/C	@	
Rubber Plug	@ 113.00	113.00
	@	
TOTAL		1,238.00

CHARGE TO: Midco Exploration
STREET _____
CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

8 5/8		
1-Baffle Plate	@ 152.00	152.00
2-Baskets	@ 221.20	442.40
3-Centrifuges	@ 44.80	134.40
	@	
	@	
TOTAL		728.80

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
TOTAL CHARGES ~~_____~~
DISCOUNT ~~_____~~ IF PAID IN 30 DAYS

PRINTED NAME x David H Mayfield

SIGNATURE x David H Mayfield

Thank You!

ALLIED CEMENTING CO., LLC. 044481

BOX 31
RUSSELL, KANSAS 67665

APR 27 2010
CONFIDENTIAL

SERVICE POINT:
Medicine Lodge
2-13-10

DATE 12-10	SEC. 18	TWP. 35S	RANGE 25W	CALLED OUT	ON LOCATION 11:00am	JOB START 6:30am	JOB FINISH 7:30am
LEASE Thies	WELL # 3-18	LOCATION Hwy 160 + 283-15-6 1/2 W			COUNTY Clark	STATE KS	
OLD OR NEW (Circle one) <u>NEW</u>				S in			

CONTRACTOR <u>Ual #1</u>	OWNER
TYPE OF JOB <u>Production</u>	CEMENT
HOLE SIZE <u>7 7/8</u>	T.D. <u>7252</u>
CASING SIZE <u>5 1/2 15.5</u>	DEPTH <u>7234'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>42 04</u>
CEMENT LEFT IN CSG.	<u>42 04</u>
PERFS.	
DISPLACEMENT <u>171.16 BBL</u>	

COMMON CLASS <u>H 325</u>	<u>1625</u>	<u>5443.25</u>
POZMIX	@	
GEL	@	
CHLORIDE	@	
GYPSUM Gypsum	<u>30 SK @ 29.20</u>	<u>876.00</u>
Salt	<u>35 SK @ 12.00</u>	<u>420.00</u>
Kal Seal	<u>1625 # @ .89</u>	<u>1446.25</u>
Gas Block	<u>77 # @ 11.10</u>	<u>854.70</u>
DeFoamer	<u>45 # @ 8.90</u>	<u>400.50</u>
FL-160	<u>183 # @ 13.20</u>	<u>2415.60</u>
Mud Clean	<u>500 gal @ 1.00</u>	<u>500.00</u>
Cl. Pro	<u>12 gal @ 31.25</u>	<u>375.00</u>
HANDLING	<u>325 @ 1.40</u>	<u>456.00</u>
MILEAGE	<u>150 @ .10</u>	<u>15.00</u>
		TOTAL <u>13776.10</u>

EQUIPMENT

PUMP TRUCK	CEMENTER <u>70224 - (0)</u>
# <u>372</u>	HELPER <u>Damm - (M)</u>
BULK TRUCK	
# <u>363-314</u>	DRIVER <u>Maso - (L)</u>
BULK TRUCK	
#	DRIVER

REMARKS:

Pump 500gal mud clean. 10 SKS MH
15 SKS RH. mix 300 SKS cement down
5 1/2 csg. Washout pump lines. Drop
Plus and displace to batchdown with
1200 # liq. - 1800 # sand.
Clat hold Plus down 7:15 AM

Thanks Fitzzy crew

SERVICE

DEPTH OF JOB	<u>7234'</u>	
PUMP TRUCK CHARGE		<u>2185.00</u>
EXTRA FOOTAGE	@	<u>W/C</u>
MILEAGE	<u>30 @ 7.00</u>	<u>210.00</u>
MANIFOLD	@	
	@	
	@	
		TOTAL <u>2395.00</u>

CHARGE TO: Midco
STREET _____
CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

1. AFO Float shoe		<u>205.00</u>
1. batchdown Assy	@	<u>144.30</u>
10. Cent	@ <u>30.00</u>	<u>300.00</u>
10. Turbo	@ <u>37.80</u>	<u>378.00</u>
	@	
	@	
		TOTAL <u>1036.30</u>

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME David H Mayfield
SIGNATURE David H Mayfield

SALES TAX (If Any) _____
TOTAL CHARGES _____
DISCOUNT _____ IF PAID IN 30 DA

RECEIVED
MAY 03 2010
KCC WICHITA

ALLIED CEMENTING CO., LLC. 037105

P.O. BOX 31
RUSSELL, KANSAS 67665

KCC
APR 27 2010

SERVICE POINT:
Medicine Lodge

DATE <u>3/2/10</u>	SEC. <u>18</u>	TWP. <u>33S</u>	RANGE <u>25W</u>	ON LOCATION <u>9:00 AM</u>	JOB START <u>10:30</u>	JOB FINISH <u>1:30 PM</u>
LEASE <u>Theis</u>	WELL # <u>8-18</u>	LOCATION <u>160+283 1S, 6.2W,</u>		COUNTY <u>Clark</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>Old</u>			<u>Clinto</u>			

CONFIDENTIAL
CALLED OUT

CONTRACTOR Superior
 TYPE OF JOB Squeeze
 HOLE SIZE 7 7/8 T.D.
 CASING SIZE 5 1/2 DEPTH
 TUBING SIZE 2 7/8 DEPTH 6738'
 DRILL PIPE DEPTH
 TOOL Packer DEPTH 6738
 PRES. MAX 1800 # MINIMUM
 MEAS. LINE SHOE JOINT -
 CEMENT LEFT IN CSG.
 PERFS. 6850-53
 DISPLACEMENT 40 1/4 BBS fresh H2O

OWNER midco Exploration
 CEMENT
 AMOUNT ORDERED 1005x A + 390cc
505x A Next.

EQUIPMENT
 PUMP TRUCK CEMENTER m. Coley
 # 372 HELPER D. Franklin
 BULK TRUCK
 # 363-314 DRIVER B. Gilley
 BULK TRUCK
 # DRIVER

COMMON	<u>A 150 SX @ 15.45</u>	<u>2317.50</u>
POZMIX	@	
GEL	@	
CHLORIDE	<u>4 SX @ 58.00</u>	<u>232.00</u>
ASC	@	
HANDLING	<u>150 / @ 2.40</u>	<u>360.00</u>
MILEAGE	<u>150 / .10 / 30</u>	<u>450.00</u>
TOTAL		<u>3360.00</u>

REMARKS:

Pump 15 fresh, Load Ann. taking
 rate, 3 1/2 @ 800psi. mix 1005x
 A + 390cc mix 505x A. Disp. 40 BBS
 @ 1600psi. stage 15 min. pressure
 to 1800 w/ 1/4 BBS. wait 5 min. preb.
 pressure back to 1800. release. reverse
 out w/ 40 BBS. pull 45 ft. pressure
 to 1000psi.

SERVICE

DEPTH OF JOB	<u>4850'</u>	
PUMP TRUCK CHARGE	<u>2011.00</u>	
EXTRA FOOTAGE	@	
MILEAGE	<u>30 @ 7.00</u>	<u>210.00</u>
MANIFOLD	@	

CHARGE TO: midco Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 2221.00

PLUG & FLOAT EQUIPMENT

	@	
<u>none</u>	@	
	@	
	@	

TOTAL _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME David H Mayfield
 SIGNATURE David H Mayfield

SALES TAX (If Any) _____
 TOTAL CHARGES [scribble]
 DISCOUNT [scribble] IF PAID IN 30 DAYS

RECEIVED
MAY 03 2010

KCC WICHITA

ALLIED CEMENTING CO., LLC. 30719

REMIT TO: P.O. BOX 31
RUSSELL, KANSAS 67665

KCC
APR 27 2010

SERVICE POINT: Liberal

DATE <u>3-09-10</u>	SEC. <u>18</u>	TWP. <u>33s</u>	RANGE <u>25w</u>	CALLED OUT <u>CONFIDENTIAL</u>	ON LOCATION	JOB START	JOB FINISH <u>5:30 PM</u>
LEASE <u>Theis</u>	WELL # <u>3-18</u>	LOCATION <u>Vec Ashland Ks.</u>			COUNTY <u>Chack</u>	STATE <u>K.S.</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Superior Servicing OWNER _____

TYPE OF JOB Squeez

HOLE SIZE 7 1/8 T.D. _____

CASING SIZE 5 1/2 DEPTH _____

TUBING SIZE 2 7/8 DEPTH 6738

DRILL PIPE DEPTH _____

TOOL Packer DEPTH 6738

PRES. MAX MINIMUM _____

MEAS. LINE SHOE JOINT _____

CEMENT AMOUNT ORDERED 100^{SK} Common

3% CC

CEMENT LEFT IN CSG. _____

PERFS. 6850

DISPLACEMENT 23 1/2 BBL

COMMON <u>100</u>	@ <u>15.45</u>	<u>1545.00</u>
POZMIX _____	@ _____	_____
GEL _____	@ _____	_____
CHLORIDE <u>3</u>	@ <u>58.20</u>	<u>174.60</u>
ASC _____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>103</u>	@ <u>2.40</u>	<u>247.20</u>
MILEAGE _____		<u>309.00</u>
TOTAL		<u>2275.80</u>

EQUIPMENT

PUMP TRUCK CEMENTER Kenny

366 HELPER Cesar

BULK TRUCK DRIVER Mark

381-290 DRIVER _____

REMARKS:

THANK YOU!!

SERVICE

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>1185.00</u>
EXTRA FOOTAGE _____	@ _____	_____
MILEAGE <u>30</u>	@ <u>7.00</u>	<u>210.00</u>
MANIFOLD <u>1</u>	@ <u>100</u>	<u>100.00</u>
_____	@ _____	_____
_____	@ _____	_____
TOTAL		<u>1495.00</u>

CHARGE TO: Midco Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

N/A

_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
TOTAL		<u>0</u>

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME David H Mayfield

SIGNATURE David H Mayfield

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
MAY 03 2010
KCC WICHITA

ALLIED CEMENTING CO., LLC. 042708

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

APR 27 2010

SERVICE POINT:

Medicine Lodge KS

CONFIDENTIAL

DATE <u>3-13-10</u>	SEC. <u>18</u>	TWP. <u>33S</u>	RANGE <u>25W</u>	CALLED OUT <u>6:30 A.M.</u>	ON LOCATION <u>9:00 A.M.</u>	JOB START <u>10:30 AM</u>	JOB FINISH <u>11:30 AM</u>
LEASE <u>Theis</u>	WELL # <u>3-18</u>	LOCATION <u>160 + 283 Jct 15, 6.2W</u>			COUNTY <u>Clark</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>OLD</u>			<u>S/INTO</u>				

CONTRACTOR Superior W/S

TYPE OF JOB Squeeze

HOLE SIZE	T.D.
CASING SIZE <u>5 1/2</u>	DEPTH <u>6086</u>
TUBING SIZE <u>2 7/8</u>	DEPTH <u>6738</u>
DRILL PIPE	DEPTH
TOOL <u>Packer</u>	DEPTH <u>6738</u>
PRES. MAX <u>2700 PSI</u>	MINIMUM <u>—</u>
MEAS. LINE	SHOE JOINT <u>—</u>
CEMENT LEFT IN CSG. <u>—</u>	
PERFS.	
DISPLACEMENT <u>Fresh Water 4 1/2 BBLs</u>	

EQUIPMENT

OWNER Midea Exploration

CEMENT

AMOUNT ORDERED 75 sx Class A + 3% CC

COMMON <u>75 sx</u>	@ <u>15.45</u>	<u>1,158.75</u>
POZMIX	@	
GEL	@	
CHLORIDE <u>2 sx</u>	@ <u>58.20</u>	<u>116.40</u>
ASC	@	
	@	
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING <u>75 sx</u>	@ <u>2.40</u>	<u>180.00</u>
MILEAGE <u>75 sx X 30 X .10 =</u>		<u>312.00</u>
		TOTAL <u>1,767.15</u>

PUMP TRUCK CEMENTER David W.

360/30265 HELPER Scott P.

BULK TRUCK

363/314 DRIVER Bryan S.

BULK TRUCK

DRIVER

REMARKS:

load Backside with 8 BBLs, water take
LNJR. at 1100 PSI 2 1/2 BBLs, Min Mix 75sx
Class A + 3% CC Shut Down Wash Pump &
lines, Displace 4 BBLs, Fresh water shut in
for 20 min PSI 2000 Release PSI Revers
out with 4 BBLs, pull 3 Joint of Tubing PSI
To 750 shut in washup Rig Down

SERVICE

DEPTH OF JOB <u>6738 FT.</u>		
PUMP TRUCK CHARGE		<u>2011.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>30</u>	@ <u>7.00</u>	<u>210.00</u>
MANIFOLD	@	
	@	
		TOTAL <u>2221.00</u>

CHARGE TO: Midea Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	
		TOTAL _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME X David H Mayfield

SIGNATURE X David H Mayfield

SALES TAX (If Any) _____

TOTAL CHARGES ~~2221.00~~

DISCOUNT ~~2221.00~~

IF PAID IN 30 DAYS RECEIVED

MAY 03 2010

KCC WICHITA

Thank You