For KCC Use: 6-19-2012. Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| i om no | ONA-1, Certification of Compliance w | vith the Kansas S | ourrace Owner Nourication Act, MOST be Submitted | with this form. |
|--|--|---|--|---|
| Expected Spud Date: | September 22, 2012 | | Spot Description: | |
| | month day | year | C _ E/2 _ NW Sec17 _ Twp2 | 25 6 0 16 0 - 17 14 |
| | 31000 | | | |
| OPERATOR: License# | | | icet ilolli | N / X S Line of Section |
| Name: Prater Oil & Gas C | | | —————————————————————————————————————— | X E / W Line of Section |
| Address 1: 906 William W | | | Is SECTION: Regular Irregular? | |
| Address 2: | | 4205 | (Note: Locate well on the Section Pla | nt on reverse side) |
| City: Pratt Contact Person: Ron Pra | State: Ks Zip: 67124 | _ + _1205 | County: Edwards | |
| 000 070 0504 | | | Lease Name: Johnson | Well #: B #5 |
| THORIC: | | · · · · · · · · · · · · · · · · · · · | Field Name: Wil | |
| CONTRACTOR: Licenset | _‡ 5142 | | Is this a Prorated / Spaced Field? | Yes XNo |
| Name: Sterling Drilling Con | npany | | Target Formation(s): Kinderhook | المالكي المالكي |
| Well Drilled For: | Well Class: / Type Equip | amant. | Nearest Lease or unit boundary line (in footage): | 330 |
| | | 1 | Ground Surface Elevation: 2082' Estimated | feet MSL |
| X Oil ☐Enh | | - | Water well within one-quarter mile: | ∑Yes No |
| Gas Stora | | • | Public water supply well within one mile: | |
| Disp | | • | Depth to bottom of fresh water: 180 | ☐Yes X No |
| | of Holes Other | | Depth to bottom of fresh water: 200 | A CONTRACT OF THE PARTY OF THE |
| Other: | | | | |
| If OWWO: old wel | ll information as follows: | | Surface Pipe by Alternate: | |
| | | | Length of Surface Pipe Planned to be set: 270' 4 | |
| • | | | Length of Conductor Pipe (if any): | |
| | | | Projected Total Depth: 4500 | 1 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - |
| Original Completion D | ate: Original Total Depth | :: | Formation at Total Depth: Kinderhook | |
| Directional Deviated or He | orizontal wellbare? | _Yes⊠No | Water Source for Drilling Operations: | |
| Directional, Deviated or He | <u></u> | | Well Farm Pond XOther: | |
| | | | DWR Permit #: | |
| | | | (Note : Apply for Permit with I | DWR (1) |
| NOO DICT #. | | | Will Cores be taken? | RECEIVEDIXINO |
| | | | If Yes, proposed zone: | - COLIVED |
| | | AFF | IDAVIT | MAY 1 7 2012 |
| The undersigned hereby | *** | | gging of this well will comply with K.S.A. 55 et. seq. | |
| | affirms that the drilling, completion a | and eventual plug | gging of this well will comply with N.S.A. 33 et. seq. | |
| It is agreed that the follow | | | gging of this well will comply with N.S.A. 33 et. seq. | KCC MICHITA |
| <u> </u> | wing minimum requirements will be n | net: | gging of this well will comply with N.S.A. 33 et. Seq. | KCC WICHITA |
| Notify the appropri | wing minimum requirements will be n iate district office <i>prior</i> to spudding o | net: of well; | | KCC WICHITA |
| Notify the appropr A copy of the appr | wing minimum requirements will be n iate district office prior to spudding or roved notice of intent to drill shall be | net: of well; posted on each | drilling rig; | |
| Notify the appropr A copy of the appr The minimum amount | wing minimum requirements will be no iate district office prior to spudding of roved notice of intent to drill shall be bount of surface pipe as specified belo | net: of well; posted on each ow s hall be set b | drilling rig; by circulating cement to the top; in all cases surface | |
| Notify the appropr A copy of the appr The minimum amount through all uncons | wing minimum requirements will be no iate district office prior to spudding of roved notice of intent to drill shall be bount of surface pipe as specified belo solidated materials plus a minimum of | net: of well; posted on each ow shall be set b f 20 feet into the | drilling rig; by circulating cement to the top; in all cases surface underlying formation. | pipe shall be set |
| Notify the appropr A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di | wing minimum requirements will be made district office prior to spudding or oved notice of intent to drill shall be punt of surface pipe as specified belowed to a material splus a minimum or ple, an agreement between the operal istrict office will be notified before well | net: of well; posted on each ow shall be set b f 20 feet into the ator and the distr ll is either plugge | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessar ed or production casing is cemented in; | pipe shall be set y prior to plugging; |
| Notify the appropr A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE | wing minimum requirements will be made district office prior to spudding or oved notice of intent to drill shall be punt of surface pipe as specified belowed to a material splus a minimum or ole, an agreement between the operal strict office will be notified before well COMPLETION, production pipe shall be made to specified before shall complete the complete shall complete the complete shall complete the complete shall complete the complete shall be notified before well complete shall complete shall complete shall be notified before well complete shall complete shall be notified before the complete shall be notified before well complete shall be notified before the comp | net: of well; posted on each ow shall be set b f 20 feet into the ator and the distr ll is either plugge nall be cemented | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessar ed or production casing is cemented in; I from below any usable water to surface within 120 | pipe shall be set y prior to plugging; DAYS of spud date. |
| Notify the appropr A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate | wing minimum requirements will be maiate district office prior to spudding or coved notice of intent to drill shall be pount of surface pipe as specified below to solidated materials plus a minimum or oble, an agreement between the operalistrict office will be notified before well COMPLETION, production pipe shapendix "B" - Eastern Kansas surface | net: of well; posted on each ow shall be set be f 20 feet into the ator and the distr ll is either plugge nall be cemented casing order #13 | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessar ed or production casing is cemented in; from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing |
| Notify the appropr A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate de | wing minimum requirements will be made it is district office prior to spudding of coved notice of intent to drill shall be pount of surface pipe as specified below solidated materials plus a minimum of ole, an agreement between the operatistrict office will be notified before well COMPLETION, production pipe shappendix "B" - Eastern Kansas surface district of the spud date or t | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; I from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prio | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing |
| Notify the appropr A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate de | wing minimum requirements will be maiate district office prior to spudding or coved notice of intent to drill shall be pount of surface pipe as specified below to solidated materials plus a minimum or oble, an agreement between the operalistrict office will be notified before well COMPLETION, production pipe shapendix "B" - Eastern Kansas surface | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; I from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prio | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed I hereby certify that the second | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be pount of surface pipe as specified below solidated materials plus a minimum or ole, an agreement between the operatistrict office will be notified before well COMPLETION, production pipe shapendix "B" - Eastern Kansas surface district within 30 days of the spud date or the statements made herein are true and | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phowledge and belief. | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. |
| Notify the appropr A copy of the appr The minimum amore through all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appropriate de | wing minimum requirements will be made it is district office prior to spudding of coved notice of intent to drill shall be pount of surface pipe as specified below solidated materials plus a minimum of ole, an agreement between the operatistrict office will be notified before well COMPLETION, production pipe shappendix "B" - Eastern Kansas surface district of the spud date or t | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessar ad or production casing is cemented in; if from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prio | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the completed | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be pount of surface pipe as specified below solidated materials plus a minimum or ole, an agreement between the operatistrict office will be notified before well COMPLETION, production pipe shapendix "B" - Eastern Kansas surface district within 30 days of the spud date or the statements made herein are true and | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phowledge and belief. | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate be completed. I hereby certify that the s Date: May 15, 2012 For KCC Use ONLY | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved notice of intent to drill shall be count of surface pipe as specified belowed to be an agreement between the operal istrict office will be notified before well COMPLETION, production pipe shapendix "B" - Eastern Kansas surface district within 30 days of the spud date or the statements made herein are true and signature of Operator or Agental size. | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; if from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior y mowledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Si | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the completed | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be count of surface pipe as specified below the folial determinant of surface pipe as specified below the surface pipe as specified below the surface of the surface of the surface of the surface will be notified before we strict office will be not | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; I from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate be completed. I hereby certify that the s Date: May 15, 2012 For KCC Use ONLY | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved notice of intent to drill shall be count of surface pipe as specified below solidated materials plus a minimum or oble, an agreement between the operalistrict office will be notified before well COMPLETION, production pipe shapendix "B" - Eastern Kansas surface divithin 30 days of the spud date or the statements made herein are true and signature of Operator or Agentical Complex of the spud date or the statements made herein are true and complex of the spud date or the statements made herein are true and complex of the spud date or the statements made herein are true and complex of the spud date or the statements made herein are true and complex of the spud date or the statements made herein are true and complex of the spud date or the statements made herein are true and complex of the spud date or the statements made herein are true and complex of the spud date or the | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; I from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the example of the exa | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved notice of intent to drill shall be count of surface pipe as specified belowed to solidated materials plus a minimum or oble, an agreement between the operalistrict office will be notified before well COMPLETION, production pipe ship pendix "B" - Eastern Kansas surface divithin 30 days of the spud date or the statements made herein are true and signature of Operator or Agentical Complete | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr il is either plugge hall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; I from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; and date; |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the expension of the expension | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be solidated materials plus a minimum or oble, an agreement between the operal istrict office will be notified before well COMPLETION, production pipe ship pendix "B" - Eastern Kansas surface do within 30 days of the spud date or the statements made herein are true and signature of Operator or Agentical Signature of Operator Ope | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge nall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; I from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prores. | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; and date; tion orders; |
| 1. Notify the approprion 2. A copy of the apprion 3. The minimum amount through all unconsists. If the well is dry hours of the appropriate displayed in the second of th | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved in the superal strict office will be notified before we strict office will be notified before we ll COMPLETION, production pipe shall pendix "B" - Eastern Kansas surface divithin 30 days of the spud date or the statements made herein are true and signature of Operator or Agenticated Signature of Operator Opera | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr il is either plugge hall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; if from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specification of the program | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; and date; wittion orders; orkover or re-entry; proleted (within 60 days): |
| 1. Notify the approprion 2. A copy of the appropriate of the well is dry howard for the well is dry howard for pursuant to Appropriate of the well is dry howard for pursuant to Approve the well is dry howard for pursuant to Approve the well is dry howard for pursuant to Approve the well is dry howard for pursuant to Approve the well is dry howard for the well is dry how | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved in the superal strict of superal strict office will be notified before we strict office will be notified before we strict office will be notified before we ll COMPLETION, production pipe shall predict the superal strict office will be notified before we strict office will be notified before we ll COMPLETION, production pipe shall complete the superal strict office will be notified before we ll COMPLETION, production pipe shall complete the superal strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we like the complete strict of the strict office will be notified before we like the open strict of the strict office will be notified before we like the open strict of the st | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge hall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; I from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prores. | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; and date; tion orders; orkover or re-entry; upleted (within 60 days); |
| 1. Notify the approprion 2. A copy of the appropriate of the well is dry howard for the well is dry howard for pursuant to Appropriate of the well is dry howard for pursuant to Approve the well is dry howard for pursuant to Approve the well is dry howard for pursuant to Approve the well is dry howard for pursuant to Approve the well is dry howard for the well is dry how | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved in the superal strict office will be notified before we strict office will be notified before we ll COMPLETION, production pipe shall pendix "B" - Eastern Kansas surface divithin 30 days of the spud date or the statements made herein are true and signature of Operator or Agenticated Signature of Operator Opera | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge hall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is cor | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; and date; stion orders; orkover or re-entry; npleted (within 60 days); g salt water. |
| 1. Notify the approprion 2. A copy of the appropriate of the well is dry howard for the well is dry howard for pursuant to Approve the completed of the well is dry howard for pursuant to Approve the completed of the well is dry howard for pursuant to Approve the completed of the well is dry howard for pursuant to Approve the completed of the well is dry howard for the w | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved in the specific office will be notified before we statict office will be notified before we statict office will be notified before we statict office will be notified before we state of the specific office will be notified before we state of the specific of t | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge hall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior plugged. In all cases, NOTIFY district office | pipe shall be set y prior to plugging; PDAYS of spud date. alternate II cementing r to any cementing. Int Prill; and date; ation orders; orkover or re-entry; inpleted (within 60 days); g salt water. authorized expiration date) ess below. |
| 1. Notify the approprion 2. A copy of the appropriate of the well is dry howard for the well is dry howard for pursuant to Appropriate of the well is dry howard for pursuant to Approve the completed of the well is dry howard for pursuant to Approve the completed of the well is dry howard for pursuant to Approve the well is dry howard for the well in the second of the well is dry howard for the well in the well is dry howard to be well in the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well is dry howard to approve the well is dry howard to approve the well in the well is dry howard to approve the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well in the well is dry howard to approve the well in the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well is dry howard to approve the well in the well in the well is dry howard to | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved in the superal strict of superal strict office will be notified before we strict office will be notified before we strict office will be notified before we ll COMPLETION, production pipe shall predict the superal strict office will be notified before we strict office will be notified before we ll COMPLETION, production pipe shall complete the superal strict office will be notified before we ll COMPLETION, production pipe shall complete the superal strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we ll COMPLETION, production pipe shall complete strict office will be notified before we like the complete strict of the strict office will be notified before we like the open strict of the strict office will be notified before we like the open strict of the st | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge hall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; if from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior phoweledge and belief. Title: Age Remember to: File Certification of Compliance with the Kansas Stact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spenses are age attribution plat according to field proration. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is cordinating to the drilled or permit has expired (See: please check the box below and return to the additional contents. | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; and date; attion orders; orkover or re-entry; npleted (within 60 days); g salt water. authorized expiration date) authorized expiration date) |
| 1. Notify the appropr 2. A copy of the appr 3. The minimum amounth through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve the completed I hereby certify that the s Date: May 15, 2012 For KCC Use ONLY API # 15 - Q 47 Conductor pipe required Minimum surface pipe re Approved by: Low Control of the c | wing minimum requirements will be make the district office prior to spudding or coved notice of intent to drill shall be coved in the specific office will be notified before we statict office will be notified before we statict office will be notified before we statict office will be notified before we state of the specific office will be notified before we state of the specific of t | net: of well; posted on each w shall be set b f 20 feet into the ator and the distr Il is either plugge hall be cemented casing order #13 the well shall be to the best of m | drilling rig; by circulating cement to the top; in all cases surface underlying formation. ict office on plug length and placement is necessared or production casing is cemented in; if from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prior mowledge and belief. File Certification of Compliance with the Kansas Struct (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spile acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is cordinal control of the well will not be drilled or permit has expired (See: | pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. Int Drill; and date; tion orders; orkover or re-entry; npleted (within 60 days); g salt water. authorized expiration date) ess below. |

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY
API # 15 - 0 47-2/606-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: Prater Oil & Gas Operations, Inc | | l: County: Edwards | |
|---|---|--|-----------------------------------|
| Lease: Johnson | 3,960 | feet from N / | S Line of Section |
| Well Number: B #5 | 3,300 | | feet from X E / W Line of Section |
| Field: Wil | Sec. <u>17</u> | Twp. 25 S. R. 16 | _ E ⊠ w |
| Number of Acres attributable to well: | Is Section: | Regular or Irregular | |
| QTR/QTR/QTR/QTR of acreage:C E/2 | NW | Trogular or megalar | |
| | | egular, locate well from nearest colused: NE NW SE S | rner boundary. SW |
| | PLAT | | |
| Show location of the well. Show footag | | ry line. Show the predicted locations o | of |
| lease roads, tank batteries, pipelines and elec | | • | |
| Yo | u may attach a separate plat if desire | d. | |
| 73. 30.000.00.00.00.00.00.00.00.00.00.00.00. | | | |
| | | | |
| | | LEGEND | |
| : : : | : : : | O Well Location | ~ - |
| | 3300' | Tank Battery L | ocation RECEIVEL |
| lease Road | . :3300 . | | |
| امريد. | | Electric Line Lo | ocation 17 20 |
| | | Lease Road Lo | ocation *** |
| | | | ocation 7 201 KCC WICHIT |
| | | | -, ,, ,, |
| | | EXAMPLE | |
| 3460- | | | |
| | | : : | : |
| | | | |
| | | | : |
| | | | : |
| | **** ******** ************************* | | 1980' FSL |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT 15つ4フース/しつしつひつつ

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (| Cathodic Protection Borehole Intent) T-1 (Transfer) | CP-1 (Plugging Application) | |
|--|---|---|--|
| OPERATOR: License # 31000 Name: Prater Oil & Gas Operations, Inc | Well Location:CE/2_NW_Sec17_Twp25_S | R 16 FactX Most | |
| Address 1: 906 William Way | County: Edwards | | |
| Address 2: | Lease Name: Johnson | Moll #. B #5 | |
| City: Pratt State: Ks Zip: 67124 + 1205 | | | |
| Contact Person: Ron Prater | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: | | |
| Phone: (620) 672-3501 Fax: () | | | |
| Email Address: rprater@cox.net | | | |
| Surface Owner Information: Name: See Attached Sheet Address 1: Address 2: City: State: Kansas Zip: + Zip: | When filing a Form T-1 involving multiple surfa sheet listing all of the information to the left fo owner information can be found in the records county, and in the real estate property tax reco | r each surface owner. Surface of the register of deeds for the | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathor the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: | k batteries, pipelines, and electrical lines. The | locations shown on the plat | |
| I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a | ocated: 1) a copy of the Form C-1, Form CB- being filed is a Form C-1 or Form CB-1, the pi | 1, Form T-1, or Form | |
| I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface ownersk, I acknowledge that I am being charged a \$30.00 handling | vner(s). To mitigate the additional cost of the | KCC performing this | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received v 1 will be returned. | RECEIVED: vith this form, the KSONA-1 MAY 1 7 2012 | |
| I hereby certify that the statements made herein are true and correct to | the best of my knowledge and belief. | KCC WICHITA | |
| Date: May 15, 2012 Signature of Operator or Agent: | Title: Agent | | |

15-047-21606-00-00

Well: Johnson B 1, 2 & 3

Clinton Russell

1704 270 Ave

Belpre, KS 67519

RECEIVED
MAY 1 7 9012
KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Prater Oil & Gas Operations, Inc | | | License Number: 31000 | | |
|--|---|--|--|--|--|
| Operator Address: 906 William Way | | | Pratt Ks 67124 | | |
| Contact Person: Ron Prater | | Phone Number: 620-672-3501 | | | |
| Lease Name & Well No.: Johnson | B #5 | | Pit Location (QQQQ): | | |
| Pit dimensions (all but working pits): | Pit is: X Proposed Existing If Existing, date constructed: | | Sec17 _ Twp25R16 East _ X West | | |
| Distance to nearest water well within one-mile of pit: 3 (feet | | Depth to shallo Source of infor | | | |
| leet Depth of Water Well | feet | Theasured well owner electric log KNDVR | | | |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: | | Type of materia | well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Mud & Fresh Water king pits to be utilized: Remove Free Fluids after Salt Section and after | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Abandonment procedure: completion of drilling and allow to dry and backfill. Drill pits must be closed within 365 days of spud date. RECEIVED | | | |
| hereby certify that the above statements are true and correct to the best of my knowledge and belief. MAY 1 7 2012 | | | | | |
| Date Received: 5-17-12 Permit Number: Permit Date: 6-14-12 Lease Inspection: Yes No | | | | | |

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 14, 2012

Prator Oil & Gas Operations, Inc. 906 William Way
Pratt, KS 67124-1205

RE: Drilling Pit Application

Johnson Lease Well No. B 5 NW/4 Sec. 17-25S-16W Edwards County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes Kathy Haynes Department of Environmental Protection and Remediation

cc: File