

To: 1 020460 S-1  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15-135-23,660-00-00 208  
100' N of  
SE NE SE, SEC. 24, T. 16 S, R. 22 W

TECHNICIAN'S PLUGGING REPORT  
Operator License # 6040  
Operator: Bankoff Oil Company  
Name & Address: 155 N. Market, Suite 1050A  
Wichita, KS 67202

1750 feet from S section line  
330 feet from E section line  
Lease Name Linden Well # 6  
County Ness 141.05  
Well Total Depth 4340 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 300 feet 8 5/8

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_  
Plugging Contractor Duke Drilling Company License Number 5929  
Address 310 W. Central, Wichita, KS 67202

Company to plug at: Hour: 6:30 a.m. Day: 1 Month: 5 Year: 19 92

Plugging proposal received from Jay Snider  
(company name) Duke Drilling Company (phone) 316-267-1331

were: to fill hole with heavy mud and spot cement through drill pipe. Anhydrite 1610-56'  
1st plug at 1650' with 50 sx cement, 2nd plug at 900' with 50 sx cement,  
3rd plug at 340' with 50 sx cement, 4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement,  
6th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Glenn Barlow (TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 8:30 a.m. Day: 1 Month: 5 Year: 19 92

ACTUAL PLUGGING REPORT 1st plug at 1650' with 50 sx cement,  
2nd plug at 900' with 50 sx cement,  
3rd plug at 340' with 50 sx cement,  
4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement,  
6th plug to circulate mousehole with 10 sx cement.

Remarks: Used 60/40 Pozmix 6% gel by Allied.

(If additional description is necessary, use BACK of this form.)

INVOICED  
I (XXX) did not observe this plugging.

DATE 6-5-92

Signed Glenn R Barlow (TECHNICIAN)

INV. NO. 35414

JUL 08 1992

RECEIVED  
STATE CORPORATION COMMISSION  
05-04-1992  
MAY 4 1992  
CONSERVATION DIVISION  
Wichita, Kansas

EFFECTIVE DATE: 4-1-92

DISTRICT # 1

SSAT Yes  No

State of Kansas

NOTICE OF INTENTION TO DRILL <sup>15</sup> 135-23,660-00-00 ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

FORM MUST BE TYPED

FORM MUST BE SIGNED

Expected Spud Date 4 1 92 100' N SE NE SE SW SW Sec 24 Twp 16 S, Rg 22 East  West

OPERATOR: License # 6040  
Name: Bankoff Oil Company  
Address: 155 N. Market, #1050A  
City/State/Zip: Wichita, KS 67202  
Contact Person: Frank S. Mize  
Phone: 316-262-2784

1750 feet from South North line of Section  
330 feet from East West line of Section  
IS SECTION  REGULAR  IRREGULAR?

(NOTE: Locate well on the Section Plat on Reverse Side)

County: Ness  
Lease Name: Linden Well #: 6  
Field Name: Brownell

CONTRACTOR: License #: 5929  
Name: Duke Drilling

Is this a Prorated/Spaced Field? ... yes  no

Target Formation(s): Cherokee

Nearest lease or unit boundary: 330'

Ground Surface Elevation: n/a feet MSL

Water well within one-quarter mile: ... yes  no

Public water supply well within one mile: ... yes  no

Depth to bottom of fresh water: 150'

Depth to bottom of usable water: 500' 950'

Surface Pipe by Alternate: ... 1  2

Length of Surface Pipe Planned to be set: 300'

Length of Conductor pipe required: 4400'

Projected Total Depth: 4400'

Formation at Total Depth: Mississippian

Water Source for Drilling Operations: ... well  farm pond ... other

DWR Permit #: contractor will provide

Will Cores Be Taken?: ... yes  no

If yes, proposed zone: 200' Alt. II Req.

Well Drilled For: Well Class: Type Equipment:  
 Oil ... Enh Rec ... Infield  Mud Rotary  
... Gas ... Storage  Pool Ext. ... Air Rotary  
... OWWO ... Disposal ... Wildcat ... Cable  
... Seismic; ... # of Holes ... Other

If OWWO: old well information as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date: \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Directional, Deviated or Horizontal wellbore? ... yes  no

If yes, true vertical depth: \_\_\_\_\_

Bottom Hole Location: \_\_\_\_\_

Exp. 9/27/92

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.

It is agreed that the following minimum requirements will be met:

Pusher Jay Schude  
SPUD DATE 4-23-92 INIT. SD  
LENGTH SURFACE PLANNED 300 f  
RESERVE PIT STATUS- REMOVE FLUID LINED  
after salt sect. bbls. when done bbls.  
RATHOLED AHEAD? Y N SIZE HOLE \_\_\_\_\_  
SURFACE PIPE @ \_\_\_\_\_ CONDUCTOR \_\_\_\_\_  
ANHYDRITE T- 160 B- 1656 ELEVATION \_\_\_\_\_  
TD 4340 FORMATION \_\_\_\_\_  
RAN PIPE @ \_\_\_\_\_ DV TOOL \_\_\_\_\_ ALT II DONE \_\_\_\_\_  
\_\_\_\_\_ SX \_\_\_\_\_ Y \_\_\_\_\_ N \_\_\_\_\_  
Arbuckle Plug @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
Hug./Council @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
Anhydrite Base @ 1650 Ft. W/ 50 SX  
1/2 Base Anhy. @ 200 Ft. W/ 50 SX  
1/2, 1/2 Plug @ 340 Ft. W/ 50 SX  
Bottom Surface @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
40' Plug @ 40 Ft. W/ \_\_\_\_\_ SX  
RAT HOLE CIRC/W 15 SX MOUSE HOLE W/ 10 SX  
WATER WELL \_\_\_\_\_ SX (Irr. Well \_\_\_\_\_ Pond   
TECHNICIAN \_\_\_\_\_ DATE 4.8 Hauling \_\_\_\_\_  
TYPE OF CEMENT \_\_\_\_\_  
STARTING TIME 6:30 (AM/PM) DATE 5-1-92  
COMPLETION TIME 8:30 (AM/PM) DATE 5-1-92  
CEMENT COMPANY Allied