2 - 10

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210	API No. 15
Name:Edward E Birk	Spot Description:
Address 1: 302 South 16th	NE_SE_NW_SW Sec. 28 Twp. 22 S. R. 17 ▼ East West
Address 2:	1,815 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	4,125 Feet from ✓ East / ☐ West Line of Section
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	□ne □nw □se □sw
CONTRACTOR: License #_8210	County: Coffey
Name: Edward E Birk	Lease Name: West Well #: 26
	Field Name: Parmely
Wellsite Geologist: Nne Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1045 est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 978' Plug Back Total Depth: 978'
	Amount of Surface Pipe Set and Cemented at: 42 Feet
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ SIGW ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
Gas GSW Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 964
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ sx cmt.
If Workover/Re-entry: Old Well Info as follows:	leet depth to sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	,
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. REast West
GSW Permit #:	County: Permit #:RECEIVED
04/10/2012 04/11/2012 04/11/2012	MAY 4 4 and
Spud Date or Date Reached TD Completion Date or	MAY 9 1 2012
Recompletion Date Recompletion Date	KCC MICUS
INSTRUCTIONS: An original and two copies of this form shall be filed with t	· · · · · · · · · · · · · · · · · · ·
Kansas 67202, within 120 days of the spud date, recompletion, workover or conform of side two of this form will be held confidential for a period of 12 months if requ	
tiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	•
BE ATTACHED. Subtrit CF-4 form with all plugged wells. Subtrit CF-111 for	ii with an temporarily abandoned wens.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and re	Letter of Confidentiality Received
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge	widi — _
	Confidential Release Date:
Signature: XXXXX	Wireline Log Received
4000 00 0	Geologist Report Received  UIC Distribution
Title: Agent Date: 05/09/2012	ALT I I III Approved by: Date: 5/22/12

## Side Two

Operator Name: Edv	vard E Birk		Lease Nam	ne: West		_ Well #:26	<u> </u>	
Sec. 28 Twp.22	s. R. <u>17</u>	✓ East  ☐ West	County: Coffey			· · · · · · · · · · · · · · · · · · ·		
ime tool open and clo	sed, flowing and shues if gas to surface to	nd base of formations pe	shut-in pressure	reached static leve	l, hydrostatic pres	sures, bottom	hole temp	erature, fluid
Orill Stem Tests Taken		☐ Yes 🗸 No		Log Formati	on (Top), Depth a	nd Datum	<b>V</b> :	Sample
Samples Sent to Geol				Name Squirrel Sand		Top 965		Datum 30
Electric Log Run Electric Log Submitted (If no, Submit Copy)		☐ Yes   ✓ No ☐ Yes   ✓ No						
ist All E. Logs Run⊷		, entropy to the second second second	÷ .			<u> </u>		
				New Used e, intermediate, produc	tion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface Casing	9 7/8"	7"	17#	42'	Portland	14	Calcium	
Long String	6 1/8"	2 7/8"	6.5#	964'	Portland	120		
		ADDITIONA	AL CEMENTING /	SQUEEZE RECORI	)		1	
Purpose: Depth Top Bottom		Type of Cement # Sacks Used		ed	Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone								
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe			acture, Shot, Cemer Amount and Kind of M		rd	Depth
None	Open hole compl	etion 964-978			······			
					***************************************		RI	CEIVE
							MA	1 1 20
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No	<b>D</b>	KCC	WICH!
Date of First, Resumed I Pending Inj. Applic		HR. Producing Me	ethod:	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oll	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio		Gravity
DISPOSITIO	<b></b>	Open Hole	METHOD OF CO	_	ommingled	PRODUCTI	ION INTER	VAL:
Vented Sold		Other (Specify)			bmit ACO-4)			

802 N. Industrial Rd P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

T 3 . 18



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owners or intermediarys direction, seller assumes no responsibility for damages in any manner to sidewalks roadways, driveways, buildings, trees, shrubbery, etc. which are at customers, insk: The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks, longer. This connected contains correct water contents for strength or-mix indicated. We do not assume responsibility for strength east when water is added at customer's request.

NOTICE TO OWNER

Fallure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic silen on the property which is the subject of this contract.

ż	SOLD	TO:
	and Control of Table	

BEGOT

H, & B COOPERQUIVE VENTURES 

**BURLINGTON** KS

1 4 B COOPERATIVE VENTURES. SS W TO WAYSIDE NOT MIX TO STHE

dorth past tanks .....

TIME YARDS ORDERED YARDS ORDERED	DRIVER/TRUCK PLANT/TRANSACTION #
	* CAL: NK * AIR * AIR **
01:02:12p WELL To 12.00 yd 12.00 yd	0.00 35°. 0.00 COFCO
DATE YARDS DEL	BATCH# SLUMP TICKET NUMBER
04-11-12 Today 1 12.00 yd	2016B G/yd 0.0 4.00 An 3133

WARNING:

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Bodts and Cloves -PROLONGED-CONTACT-MAY
CAUSE BURNS 4 Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Wester, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasona any sums owed.

any sums owed.

All accounts not peld within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate of Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. The first of the first

MIX8HAUL.

TRUCKING

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB INNE)

Dear, Customer-Tae driver of this fruck in presenting this RELEASE to you for your signature is, of the opinion that the size and weight of his intick may possibly cause damage to the premises and/or adjacent, properly if it places the material in this load where you desire it. It is or wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occult to the premises and/or adjacent properly. buildings, sidewalks, drivways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud-from the wheels of his vehicle so that he will not lifter, the jubilic street. Further, as additional consoligention, the undersigned agrees to Indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the permises and/or adjacent, property, which may be claimed by anyone to have

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER F 7 3 3 3

12.00 12.00

2,50

OTAL ROUND TRIP.

WELL

WELL (10 SACKS PER UNIT)

MIXING & HAULING TRUCKING CHARGE

DESCRIPTION \* V

UNLOADING TIME

12.00 12.00 2.50

DELAY TIME

51.00 25.00 612.00 300.00

50.00

125.00

D TO PLANT LEFT JOB FINISH UNLOADING ARRIVED JOB LEFT PLANT START UNLOADING

TOTAL AT JOB

DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 1. JOB NOT READY 2. SLOW POUR OR PUMP 7. ACCIDENT CITATION

3. TRUCK AHEAD ON JOB 4" CONTRACTOR BROKE DOWN 5. ADDED WATER

North L

TIME DUE

abTotal \$ Tax % 6.300 Tital \$

1037.00 65.433 TIOR

**ADDITIONAL CHARGE 1** 

**ADDITIONAL CHARGE 2** 

GRAND TOTAL KECEIVED

MAY 1 1 2012

KCC WICHITA