KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 09267	API No. 15 - 003-25081-0060
Name: JRC Oil Company, Inc.	Spot Description:
Address 1; P. O. Box 426	NW_NW_NE_NW Sec. 4 Twp. 21 S. R. 21 FEest West
Address 2: 24110 NE Vermont Road	
City: Garnett State: Kansas Zip: 66032 + 0426	1,577 Feet from East / West Line of Section
Contact Person: Mike Colvin	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 785 ) 448-8112	□ne ☑nw □se □sw
CONTRACTOR: License # 33734	County: Anderson
Name: Hat Drilling	Lease Name: Daniel Well #:
Wellsite Geologist: None	Field Name: Bush City Shoestring
Purchaser: Pacer	Producing Formation: Squirrel and Cattleman Sandstones
Designate Type of Completion:	Elevation: Ground: 998' Kelly Bushing: NA
✓ New Well	Total Depth: 845' Plug Back Total Depth: 841'
[7] Oil □ wsw □ swb □ slow	Amount of Surface Pipe Set and Cemented at: 20' Feet
Gas D&A DENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methans)	If Alternate II completion, cement circulated from: 842
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 90 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	V. O. V.
Operator:	Brillian Fluid Management Dien
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name: JRC Oil Company, Inc.
Dual Completion Permit #:	Lease Name: Kretchmer License #: 09267
SWD Permit #:	Quarter NW Sec. 33 Twp. 20 S. R. 21 Fast West
ENHR Permit #:	5 00050
GSW Permit #:	County: Anderson Permit #: E-00852 RECEIVED
June 10, 2011         June 11, 2011         October 19, 2011           Spud Date or         Date Reached TD         Completion Date or	
Recompletion Date  Recompletion Date	MAY 0 2 2012
of side two of this form will be held confidential for a period of 12 months if req	the Kansas Corporation Commission, 130 S. Market Company McLindonversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply: Information puested in writing and submitted with the form (see rule 82-3-107 for confidently report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and I	KCC Office Use ONLY
tam the amant and interesty certify that air requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complied	The state of Confidentially, Described
and the statements herein are complete and correct to the best of my knowledge	! = .
Signature: Michael of Colvin	Wireline Log Received
Signature: 1 / KARLY J. Cotton	Geologist Report Received

Date: April 28, 2012

Title: Vice President

·			Lease Name	Lease Name: Daniel W			J-16	
Sec. 4 Twp.21 S. R. 21 Fast West			County:	Andersor	<u>)                                    </u>			
INSTRUCTIONS: Shot time tool open and clos recovery, and flow rate fine Logs surveyed. At	sed, flowing and shut-i es if gas to surface test.	n pressures, whether s , along with final chart(	hut-in pressure r	eached static level,	hydrostatic pre	ssures, bottom i	nole tempe	erature, fluid
Drill Stern Tests Taken (Attach Additional S		Yes 🗸 No		Log Formatio	n (Top), Depth	and Datum	s	Sample
Samples Sent to Geolo	ogical Survey	Yes No		ame attached driller's	log	Тор	C	Datum
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No		, unusited dimer s	ivg.			
List All E. Logs Run:	No							
Gamma Ray a	nd Neutron							
	<del></del>	CASING Report all strings set-	RECORD   conductor, surface,	New Used intermediate, product	ion, etc.		<u> </u>	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	10-1/4"	7"	20	20'	Portland A	6	None	
Production	5-5/8"	2-7/8"	6.5	842'	Portland A	90	None	
						<u> </u>		
	<del></del>	ADDITIONAL	CEMENTING / S	QUEEZE RECORD				
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone								
Ting on zono		<u>.</u>	<u> </u>					
Shots Per Foot		NRECORD - Bridge Plug otage of Each Interval Per			cture, Shot, Ceme	ent Squeeze Recor Material Used)	ď	Depth
2 598'-643' OA 95 holes				Fractured pe	erforations w/ 4	1000 lbs of 12/2	20 sand	
				in 153 bbls o	of gelled salt w	vater.		
2 746'-756' OA 21 holes Fractured perforations w/ 1200 lbs of 12/20 sand								
	· · · · · · · · · · · · · · · · · · ·			in 66 bbls of	lease crude.			
TUBING RECORD:	Size: .315" 1.7 lb/ft	Set At: 779'	Packer At: None	Liner Run:	Yes 📝 N	ło		
Date of First, Resumed F October 19, 2011	Production, SWD or ENH	R. Producing Meth	nod: Pumping	Gas Lift (	Other (Explain)			
Estimated Production Per 24 Hours	Oil 8b	ls. Gas Trace	Mcf \	Vater B	bis.	Gas-Oil Ratio TSTM	·	Gravity 35.0
	NA OF CAS:	1	AETHOD OF OCC	DI ETION.		0000	211112	
DISPOSITIO		1	_ `	ETHOD OF COMPLETION: PRODUCTION  Perf. Dually Comp. Commingled 598'-643' '			UN INTERV	AL:
Vented Sold (If vented, Subi	✓ Used on Lease mit ACO-18.)	Other (Specify)			mit ACO-4)	746'-756'		
1		,			r			

## HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

## Daniel #DJ-16 API # 15-003-25081-00-00 SPUD DATE 6-10-11

Footage	Formation	Thickness	Set 20' of 7'	
2	Topsoil	2	TD 845'	
14	clay	12	Ran 842' of 2 7/8	
28	shale	14		
55	lime	27		
65	shale	10		
84	lime	19		
105	shale	21		•
108	lime	3 .		
134	shal <del>e</del>	26		
141	lime	7		
146	shale	5		
232	lime	<b>8</b> 6	•	
240	sandy shale	8		
400	shale	160		
403	lime	3		
410	red bed	7		
420	shal <del>e</del>	10		
426	lime	6		
465	shale	39		
468	oil sand	3		
479	shale	11		
488	lime	9		
495	shale	7		
498	lime	3		
504	shale	6		
512	lime	8		_
530	shale	18		RECEIVED
540	lime	10		AAAW
561	shale	21		MAY 0 2 2012
568	lime	7		MAY 0 2 2012 KCC WICHITA
598	shale	30		NCC WICHITA
644	sand	46	good odor & good bleed	
743	shale	99		
748	sand(gas)	5	good odor & no bleed	
759	sand	11	good odor & good bleed	
760	coal	1	•	
845	sly	85		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under fruck's own power. Due to delivery at owner's or intermediary's direction, salier assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

\* TR002 I.R.C. DIL COMPANY, INC.

JR11/24 169 N to 1400 E TO TEE N 1 MI

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION
07:27:58a	· NELL	9. 00 yd	9.00 yd	% CAL.	DI4 31	% RIR 3.60	AMDCO
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
06-20-11	o pare	6	9.80 yd	17147	679d -78.8	4.00 in	29353

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves, PROLONGED/CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF PELVERY TO BE MADE RISIDE CURB LINE)
Dear Cautioner-The diese of this truck is presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this tout where you desire it. It is
not within to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving tim and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
clineways, could, etc., by the dollvery of this material, and that you
also agree to help him nemove mud from the wheels of his swhick so
that he will not filter the public street. Further, as additional considerafion, the undersigned agrees to indemnity and hold-harmless the diverof his truck and this supplier for any and all durange to the premises
and/or adjacent property which may be claimed by anyone to have
asis out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
9.00	MELL	WELL (10 SACKS PER UNITY	9.80 2.50	76.00 50.00	584.00 -125-00
2.00					100°C

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	7784		
9:39	8:58		JOB NOT READY     SLOW POUR OR PUMP     TRUCK BROKE DOWN     TRUCK AHEAD ON JOB     CITATION		Tac 7 - 800 5 64-10		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     S. OTHER     ADDED WATER	TIME DUE	Total V G1 472-10-		
7:42	8:25				ADDITIONAL CHARGE 1		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2		
11					GRAND TOTAL		

RECEIVED MAY 0 2 2012 KCC WICHITA