Form G-2 (Rev. 7/03)

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test (See Instructions on Reverse Side)

Open I	Flow			T 4 D - 4				0// Reverse 2011	3 Side)	ADIA		4 5 4 7 5		70000
Deliver	rability			Test Dat	.			LVII		API No.		19175	21627	
Company <mark>OXY USA I</mark> I	nc					Lease HAR		DER C 1					Well	Number
County Location Seward 660 FEL & 1980 FNL				Section 21		TWP 31S			RNG (E/W) 32W		Acres Attributed 640			
ield	ıF				Reservoir Atoka					Gas Gathering	g Conne	ction		
Completion D					Plug Back 5,445 '	Total Dep	th			Packer Set at				
Casing Size Weight 5 1/2" 15.5#				Internal Diameter Set at 4.950" 5,858'					Perforations			To		
ubing Size					Internal Diameter			Set at	et at Perforations		ns	5,397' To		
Type Completion (Describe)					1.995" 5,404' Type Fluid Production					Pump Unit or Traveling Plunger? Yes / No			Yes / No	
Producing Thru (Annulus / Tubing)				<u> </u>	% Carbon Dioxide					Yes - Beam Pump % Nitrogen Gas Gravity - Gg			•	
Vertical Depth (H)				0.133% Pressure Taps					5.047%			-	(Prover) Size	
5,396' Pressure Buil	lduo:	Shut in	10/1		20 11	at 9:00	ange	•	Taken	10/12	20	11 at	9:0	68" n
Vell on Line:		Shut in	10/1	<u> </u>	20 11	at	-		Taken		20	at		<u> </u>
VOII OII LIIIO.	· · · · · · · · · · · · · · · · · · ·					•	ED.	SURFACE		***************************************		of Shut-i		- 24 Hours
Static / Dynamic	Orifice Size	Mete Prover Pre	Circle one: Press Meter Differe rover Pressure in		tial Flowin	ng Well fature Tempe	lead rature	Car Wellhead (P _w) or (F	sing Pressure P _i) or (P _c)	Tubing e Wellhead Pres		ssure Duration		Liquid Produced
Property Shut-In	(inches)	psig (Pm) Inches		Inches H	<u>2</u> 0 [t	t		psig 500.0	psia 514.		psia		lours) 24	(Barrels)
Flow			Ī		1						<u> </u>	- 		1
		L	<u>-</u>			FLOW S	TRE	AM ATTRIE	UTES		J.,	I		
Plate Coefficient (F _b) (F _p) Mcfd	ent Meter or Extension p) Prover Pressure		sion	Gravity Factor F _g	Tem	owing peratu actor F _{ft}	Deviation Factor F _{pv}		Metered Flow R (Mcfd)		GOR (Cubic Feet/Barrel)		Flowing Fluid Gravity G _m	
	<u> </u>				(OPEN FL	.OW) (DEI	IVE	RABILITY)	CALCL	LATIONS			(Pa) ²	= 0.207
P _c) ² =	 :	(P _w) ² =	0.0	:_	P _d =		_%	(P _c - 14	1.4) + 14	4.4 =	:		(P _d) ²	= 0
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$	or (P _a) ² (P _a) ² - (P _w) ²		noose Formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$		LOG of formula 1. or 2. and divide by:	P _c ² - P _w ²		Backpressure Curve Slope = "n"		n×LOG		Antilog		Open Flow Deliverability Equals R x Antilog (Mcfd)
					· .									
Open Flow 0 Mcfd @ 14.65 psia			5 psia	sia Deliverability					Mcfd @ 14.65 psia					
e facts stated the						nny, states that ecuted this the		A=	to make	the above report an	d that he ha	as knowledge	of ,	2011
											OXY U			
	•	Witn	iess							David	For Co Ogden	Oxy USA	A Inc.	(<u>)</u> ,
		For Com	mission								RECE			7

OCT 2 7 2011

KCC WICHITA

K.A.R. 82-3-304 on behalf of the operator contained on this application form are true and cor	laws of the state of Kansas that I am authorized to request exempt status under Rule OXY USA Inc. and that the foregoing pressure information and statements rect to the best of my knowledge and belief based upon available production summaries upon type of completion or upon use being made of the gas well herein named. For the gas well on the grounds that
(Ohashara)	
(Check one)	
is a coalbed methane producer	·
is cycled on plunger lift due to water	
is a source of natural gas for injection in	nto an oil reservoir undergoing ER
is on a vacuum at the present time; KC	C approval Docket No.
is not capable of producing at a daily ra	ate in excess of 250 mcf/D
corroborate this claim for exemption from testing.	ty any and all supporting documents deemed by Commission staff as necessary to
Date: October 25, 2011	
	David Øgden Signature: OXY USA Inc

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

OCT 2 7 2011

KCC WICHITA