## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# Form ACO-1 June 2009 Form Must Be Typed Form must be Signed A Jolanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 - 003-24904 - 0000
Name:JRC Oil Company, Inc.	Spot Description:
Address 1: P. O. Box 426	NW_SE_NE_NW Sec. 4 Twp. 21 S. R. 21 V East West
Address 2: 24110 NE Vermont Road	825 Feet from V North / South Line of Section
City: Garnett State: Kansas Zip: 66032 + 0426	2,145 Feet from East / West Line of Section
Contact Person: Mike Colvin	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 785 ) 448-8112	□ne Ønw □se □sw
CONTRACTOR: License #33734	County: Anderson
Name: Hat Drilling	Lease Name: Daniel Well #: DN-12
Wellsite Geologist: None	Field Name: Bush City Shoestring
Purchaser: Pacer	Producing Formation: Squirrel and Cattleman Sandstones
Designate Type of Completion:	Elevation: Ground: 985' Kelly Bushing: NA
✓ New Well Re-Entry Workover	Total Depth: Plug Back Total Depth: 774'
	Amount of Surface Pipe Set and Cemented at: 22' Feet
Oil	Multiple Stage Cementing Collar Used? Yes No
GSW Temp. Abd.	
CM (Coal Bed Methane)	If yes, show depth set:Feet
Cathodic Other (Core, Expl., etc.):	if Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to: Surface w/ 90 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name: JRC Oil Company, Inc.
Dual Completion Permit #:	
SWD Permit #:	Lease Name: Kretchmer License #: 09267
ENHR Permit #:	Quarter NW Sec. 33 Twp. 20 S. R. 21 V East West
GSW Permit #:	County: Anderson Permit #: E-00852
August 22, 2010 August 23, 2010 November 10, 2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requitality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	unversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentil report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and re	egu-
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge.	Augus   —
	Confidential Release Date:
Signature: Michael S. Colvin	Attention Fod Kecsived
	Geologist Report Received   Geologist Report Received   UIC Distribution   KCC WICHITA
Title: Vice President Date: April 28, 2012	ALT [   VII   III Approved by: Dla Date: 5/27   7

#### Side Two

Operator Name:J	RC Oil Company,	Inc.	Lease	Name: _	Daniel	=	_Well #:D	N-12	
Sec. 4 Twp.21	s. R. <u>21</u>	✓ East	Count	y:	Anderson	<u> </u>			
time tool open and clo	osed, flowing and shu es if gas to surface te	d base of formations pe i-in pressures, whether st, along with final chart well site report.	shut-in pre	ssure read	hed static level,	hydrostatic pres	sures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		Yes / No		La		n (Top), Depth a			Sample
Samples Sent to Geological Survey				Nam See at	e tached driller's l	loa.	Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)		☐ Yes ☑ No ☑ Yes ☐ No ☐ Yes ☑ No							
List All E. Logs Run:									
Gamma Ray a	and Neutron								
		CASIN	DECORD		[7]				
		Report all strings set	GRECORD -conductor, s	Ne [] Ne surface, inte		on, etc.			
Purpose of String	Size Hole Drilled	Size Cesing Set (In O.D.)		eight . / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	10-1/4"	6-5/8"		17	22'	Portland A	6	None	
Production	5-5/8"	2-7/8"	6	.5	774'	Portland A	90	None	
				<u> </u>		]		<u> </u>	
<b>D</b>		ADDITIONA	L CEMENT	ING / SQL	EEZE RECORD				
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sack	s Used		Type and	Percent Additives	·	
Protect Casing Plug Back TD Plug Off Zone									·- <u>-</u> -
Flag On Zone			1						
Shots Per Foot		ON RECORD - Bridge Plu		•	Acid, Fra	cture, Shot, Cemen	t Squeeze Recor	d	D45
2	584'-611' OA 55	ootage of Each Interval Pe	errorated			rforations w/ 25		20 sand	Depth
						of gelled salt wa			
2	2 729'-736' OA 15 holes Fractured perforations w/ 1000 lbs of 12/20 sand								
					in 69 bbls of	lease crude.			
TUBING RECORD:	Size: 1.315" 1.7 lb/ft	Set At: <b>742'</b>	Packer : None	At:	Liner Run;	]Yes [√]No	,		
Date of First, Resumed November 10, 2	Production, SWD or EN	HR. Producing Me	thod:	ing 🗌	Gas Lift □ C	other (Explain)			
Estimated Production Per 24 Hours	Oil I	Bbls. Gas Trace	Mcf	Wate	er Bl Trace		Gas-Oil Ratio		Gravity 35.0
DISPOSITIO	ON OF GAS:		METHOD O	F COMPLE	TION:		PRODUCTION	ON INTER	 /AL:
Vented Sold	_	Open Hole	✓ Perf.	Dually		nmingled	584'-611'		
	bmit ACO-18.)	Other (Specify)	<u>-</u>	(Submit A	(Subi	mit ACO-4) —	729'-736'		

#### HAT DRILLING 12371 KS HWY 7 MOUND CITY; KS 66056 LICENSE # 33734

### Daniel #DN-12 API # 15-003-24904-00-00 SPUD DATE 8-22-10

Footage	Formation	Thickness	Set 22' of 6"	
	Topsoil	2	TD 777'	
2 8	clay	6	Ran 774' of 2 7/8	
10	shale	2		
38	lime	28		
58	shale	20		
64	lime	6		
86 .	shale	22		
97	lime	11		
115	shale	18		
124	lime	9		
129	shale	5		
168	lime	39		
178	shale	10		
226	lime	48		
254	shale	28		
260	sand	6	•	
387	shale	127		
392	lime	5		
394	Red bed	2		
420	lime	6		
448	shale	28		
458	sand	10		
462	shale	4		
463	lime	1		
465	shale	2		
494	lime	29		
515	shale	21		
528	lime	13		
544	shale	16		
548	lime	4		
549	coal	1		
560	shale	11		
566	lime	6		
582	shale	16		
584	sandy shale	2	good odor & bleed	
607	sand oil	23	good oddi de bisse	
609	shale	2 3	good odor & bleed	
612	sand		good oddir on oncom	
729	shale	117	good odor	RECEIVE
<b>7</b> 31	sandy shale	2	good odor	RECEIVED
736	sand	5 2	8000 000	MAY"D 7 2010
738	black sand	2 39		- Was 0 / 2012
<i>777</i>	shale	27		MAY 0 7 2012 KCC WICHITA
				WITH JAN

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

## Payless Concrete Products, Inc.

DN-12

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewallas, roadways, driveways, buildings, rees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	ar 21 V P	PLANT/TRANSACTION
		1		4-1 A-1 A-1	121.5	- 18 HIN	
	Section 1	4.50 yd	9.00 yd	D. 80	39	0.00	
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	n Nuec		12 WW YES				
08-27-18 . :	Puday	1	4.58 yd	14993		4.00-10	27359

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

QUANTITY

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Custome-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly it it please the marisfall in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewallox,
chiveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove must from the wheels of its welfules so
that he will not filter the public setter. Further, as additional considera-tion, the undersigned agrees to indiamity and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent properly which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

UNIT PRICE EXTENDED PRICE

DESCRIPTION WELL (IN EACKS PER LINIT)

4.58

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	Invotat to Taxan
00;c1	9/14		JOB NOT READY     SLOW POUR OR PUMP     T. ACCIDENT     TRUCK AHEAD ON JOB     CITATION	WN .	0 7 800 24 1 803 42
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     OTHER     ADDED WATER	TIME DUE	Ider 4 Edd-43
8.01	61.63			- 57	
	017/			100	ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
764		1 1 1 1 1 1		A SECTION AND ASSESSMENT	7 VI-V .IX
			1 1		GRAND TOTAL

RECEIVED

MAY 1 7 2012

KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

## Payless Concrete Products, Inc.

X

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

TIME	FORMULA	E LOAD SIZE	YARDS ORDERED	W 500	DRIVER/TRUCK	# OIR	PLANT/TRANSACTION #
<b>67:50:46</b> a	NELL.	4.50 yd	9.00 yd.	0.00	24	0.00	
DATE	To Date	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
08-27-10	faday	2	9.00 yd	14994	A	4.00 in	27370

WARNING

IRRITATING TO THE SKIN AND EYES

ritand Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY Contains Portland Cement. Wear Rubber Boots and Gloves. PROLICINGED CONTACT MAY CAUSE BURNIS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and SECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly it is places the material in this load where you depire it. It is
cur with 10 help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving that and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
chiveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove must from the wheels of his vehicle so
that he will not littler the public sheet. Further, as additional consideration, the undersigned agrees to indemly and hold harmless the chiver
of his truck and this supplier for any and all damage to the premises
and/or adjacent, properly which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

LOAD RECEIVED BY

WEIGHMASTER

X

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 4,50 WELL WELL (18 GADKS PER UNIT)

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	abTotal 4 342,000		
\$0;c1	9,14		JOB NOT READY     G. TRUCK BROKE DOWN     SLOW POUR OR PUMP     T. ACCIDENT     TRUCK AHEAD ON JOB     G. CITATION     CITATION		ax 1 7.808 26268		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	otal 5 368.68 rdar 1 828744		
K 91	8 5 2				ADDITIONAL CHARGE 1		
TOTAL ROUND TRIP TOTAL AT JOB	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2		
		****			GRAND TOTAL		

KCC WICHITA