KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:		OIL	FOINT ST			ctions on Re			LNADILII	7 1231		
_ :	n Flow verabilty	Test Date: 10/25/10				API No. 15 15-077-21406 - (**)						
Company McCoy Petroleum Corporation			Lease Muir "P"			pu			2-21	Well Number		
County Location Harper C NW			on	Section 21		TWP 31S			RNG (E/W) 9W		Acres Attributed 320	
Field Spivey-Grabs				Reservoir			•	Gas Gathering Connecti People's Natural G				
Completion Date 9/10/01					k Total Dep	oth		Packer Set at None				
asing Size Weight 1/2" 17#		:	Internal [Diameter	Set at 4600 '		Perforations 4422'		то 4450'			
bing Size Weight 3/8 6.7#		:	Internal D	Diameter		Set at 4478		rations	То			
Type Completion (Describe) Single				Type Fluid Production Water				Pump Unit or Traveling Plum Pump			/ No	
Producing Thru (Annulus / Tubing) Casing)	% Carbon Dioxide				% Nitrogen 1.318		Gas Gravity - G		
Vertical Depth(H) 1600'			•	Pressure Taps Flange						(Meter	(Meter Run) (Prover) Size Meter Run	
ressure Bu										10 at 9:00 A		
Vell on Line	e: 	Started	20	at		. (AM) (PM)	Taken		20	at	(AM) (PM)	
		Circle one:	Brassina		OBSERVI	D SURFAC		· ·		Duration of Shut	1-in 24 Hou	
Static / Orifice Me. ynamic Size Prover P		Meter Prover Pressur psig (Pm)	Pressure Differential in inches H ₂ 0	Temperature Temp		Head Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P_w) or (P_1) or (P_c) psig psia		Duration Liquid Produce (Hours) (Barrels)		
Shut-In						200#	psia	psig	рыа	24		
Flow												
Dist		Circle one:		1	FLOW STI	REAM ATTE	RIBUTES]				
Plate Coefficient (F _b) (F _p) Mcfd		Meter or over Pressure psia	Press Extension ✓ P _m xh	Grav Fact F _e	tor	Flowing Temperature Factor F _{rt}		oviation Metered Flow factor R F _{pv} (Mcfd)		GOR (Cubic Fr Barrel	eet/ Fluid	
(a)2 =	:	(P _w) ² =_	:	(OPEN FLO	, ,	/ERABILITY % (1	/) CALCUL P _e - 14.4) +) ² = 0.207) ² =	
$(P_a)^2 - (P_a)^2$ or $(P_a)^2 - (P_a)^2$		P _e)²- (P _u)²	1. P _c ² - P _s ² 2. P _c ² - P _s ² (wided by: P _c ² - P _s ²)	LOG of formula 1, or 2, and divida by:	P. 2 - P. 2	Backpressure Curve Slope = "n" or Assigned Standard Slope		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
pen Flow	en Flow 46 Mcfd @ 14.65 psia				Deliverability			Mcfd ② 14.65 psia				
The und	dersigne	d authority, on		Company, s	tates that I	ne is duly a	uthorized to				as knowledge of	
		Witness (if	any)					،لحر	foll f	drapery -	RECEI	
		For Commis	ssion		· · · · · · · · · · · · · · · · · · ·				Chec	ked by	DEC 2	

	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator McCoy Petroleum Corporation							
	going pressure information and statements contained on this application form are true and							
correct to the bes	st of my knowledge and belief based upon available production summaries and lease records							
of equipment inst	allation and/or upon type of completion or upon use being made of the gas well herein named.							
l hereby requ	lest a one-year exemption from open flow testing for the Muir "P" #2-21							
	rounds that said well:							
(2)								
(Checi	•							
is a coalbed methane producer								
<u> </u>	is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER							
	is on vacuum at the present time; KCC approval Docket No.							
✓	is not capable of producing at a daily rate in excess of 250 mcf/D							
I further agre	ee to supply to the best of my ability any and all supporting documents deemed by Commission							
_	ry to corroborate this claim for exemption from testing.							
	1							
Date: /2/	28/10							
	Signature: Scott Hampel							
	Title: Vice President - Production							
	Tiug.							

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.