



KANSAS CORPORATION COMMISSION 1074266
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33514
Name: Jo-Allyn Oil Co., Inc.
Address 1: PO BOX 446
Address 2: _____
City: LAVERNE State: OK Zip: 73848 + 0446
Contact Person: ALLEN BARBY
Phone: (580) 921-3366
CONTRACTOR: License # 33549
Name: Landmark Drilling, LLC
Wellsite Geologist: TIM PRIESE
Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
08/13/2011 08/22/2011 08/22/2011
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 15-101-22299-00-00
Spot Description: _____
W2 NE SE SE Sec. 1 Twp. 17 S. R. 30 East West
990 Feet from North / South Line of Section
335 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Lane
Lease Name: JENNISON Well #: 1-3
Field Name: _____
Producing Formation: none
Elevation: Ground: 2840 Kelly Bushing: 2844
Total Depth: 4631 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 300 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 8497 ppm Fluid volume: 664 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garcia Date: 05/25/2012



1074266

Operator Name: Jo-Allyn Oil Co., Inc. Lease Name: JENNISON Well #: 1-3
 Sec. 1 Twp. 17 S. R. 30 East West County: Lane

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Attached	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: left;">Top</th> <th style="text-align: left;">Datum</th> </tr> </thead> <tbody> <tr> <td>ARRAY INDUCTION</td> <td>990'</td> <td>2838</td> </tr> <tr> <td>MICRORESISTIVITY LOG</td> <td>990'</td> <td>2838</td> </tr> <tr> <td>COMPACT PHOTO DENSITY</td> <td>990'</td> <td>2838</td> </tr> </tbody> </table>	Name	Top	Datum	ARRAY INDUCTION	990'	2838	MICRORESISTIVITY LOG	990'	2838	COMPACT PHOTO DENSITY	990'	2838
Name	Top	Datum											
ARRAY INDUCTION	990'	2838											
MICRORESISTIVITY LOG	990'	2838											
COMPACT PHOTO DENSITY	990'	2838											

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE PIPE	12.25	8.62	23	307	CLASS A COMMON	185	NA

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	-			
	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--

Form	ACO1 - Well Completion
Operator	Jo-Allyn Oil Co., Inc.
Well Name	JENNISON 1-3
Doc ID	1074266

All Electric Logs Run

ARRAY INDUCTION
MICROESISTIVITY LOG
DRILLING TIME AND SAMPLE LOG
COMPACT PHOTO DENSITY

ALLIED CEMENTING CO., LLC. 040011

REMIT TO P.O. BOX 31
 RUSSELL, KANSAS 67665

SERVICE POINT:

Osage, KS

DATE <i>8/13/11</i>	SEC. <i>1</i>	TWP. <i>17</i>	RANGE <i>30</i>	CALLED OUT	ON LOCATION	JOB START <i>12:30</i>	JOB FINISH <i>1:00 pm</i>
LEASE <i>Jones</i> WELL # <i>1-3</i>				LOCATION <i>High 2E 14 S W into</i>	COUNTY <i>Osage</i>	STATE <i>KS</i>	
OLD OR NEW (Circle one)							

CONTRACTOR *land mark*

TYPE OF JOB *Surface*

HOLE SIZE *8 7/8* T.D. *307*

CASING SIZE *8 7/8* DEPTH *307*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15'*

PERFS.

DISPLACEMENT *18.6*

OWNER *Same*

CEMENT AMOUNT ORDERED *185 (am) 370 cc*

270 gal

COMMON	<i>185</i>	@ <i>16.25</i>	<i>3006.25</i>
POZMIX		@	
GEL	<i>4</i>	@ <i>21.25</i>	<i>85.00</i>
CHLORIDE	<i>7</i>	@ <i>58.00</i>	<i>407.00</i>
ASC		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<i>196.3K</i>	@ <i>2.25</i>	<i>441.00</i>
MILEAGE	<i>14.524 mile</i>	@	<i>102.50</i>
			TOTAL <i>5017.75</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Alan*

422 HELPER *Wayne*

BULK TRUCK

404 DRIVER *Chris*

BULK TRUCK

DRIVER

REMARKS:

Drill hole, Run casing, complete, and cement. Replace plug w/ 60' H2O

Cement did NOT complete

Thank You
Wayne Chris

SERVICE

DEPTH OF JOB	<i>307'</i>	
PUMP TRUCK CHARGE	<i>1125.00</i>	
EXTRA FOOTAGE	@	
MILEAGE	<i>SDX 2</i>	@ <i>2.00</i> <i>200.00</i>
MANIFOLD	@	<i>200.00</i>
<i>1/2 vehicle SDX 2</i>	@ <i>2.00</i>	<i>400.00</i>
	@	
TOTAL <i>2425.00</i>		

CHARGE TO: *JO-Allyn Oil Co Inc*

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<i>8 7/8 Wood Plug</i>	@	<i>92.00</i>
	@	
	@	
	@	
	@	
TOTAL <i>92.00</i>		

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME *[Signature]*

SIGNATURE _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

7/31/11 580-921-5824

ALLIED CEMENTING CO., LLC. 037346

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Cement Trucks

DATE	SEC	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
8-22-11	1	17	30			4:30 PM	8:00 AM
LEASE/CONTRACT		WELL# 1-3		LOCATION <u>Hwy 25 1/2 East of water</u>		COUNTY <u>Lane</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

KS-05 TAX!!

CONTRACTOR Landmark Ry #2
 TYPE OF JOB 2 1/2" hole plug
 HOLE SIZE 17 1/2" O.D. 4630
 CASING SIZE 9 5/8" DEPTH
 TUBING SIZE DEPT
 DRILL PIPE 4 1/2" DEPTH 2320
 TOOL DEPT
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. all
 PERFS.
 DISPLACEMENT Fresh water / Reg mud
 EQUIPMENT

OWNER Go-Allyn Oil Co. Inc. 6.3%

CEMENT AMOUNT ORDERED 280 SA CO 142 4%
gel 1/4 flo

PUMP/TRUCK CEMENTER Bob A. 3
 # 398 HELPER Doug ?
 BULK TRUCK
 # 482-188 DRIVER Jacob 3
 BULK TRUCK
 # DRIVER

COMMON	168	@ 16.25	2730.00
POZMIX	112	@ 8.50	952.00
GEL	10	@ 21.25	212.50
CHLORIDE		@	
ASC		@	
<u>7000 Plowall</u>		@ 2.70	189.00
HANDLING	299	@ 2.25	659.25
MILEAGE	<u>238/102 50 x 1.1</u>		1,611.00 50

REMARKS:

1st plug at 2320ft with 50sa
2nd plug at 1430ft with 80sa
3rd plug at 750ft with 50sa
4th plug at 350ft with 50sa
5th plug at 60ft with 20sa
 Rod hole 2 1/2" with 80sa.

4083.50
 32.23 SERVICE
 TOTAL 6,354.36

2711.50
(1898.05)

DEPTH OF JOB	2320		
PUMP TRUCK CHARGES			1250.00
EXTRA FOOTAGE		@	
MILEAGE H/m	100	@ 7.00	700.00
MANIFOLD		@	
H/m	100	@ 4.00	400.00

5992.75
(1198.55)

CHARGE TO: Go-Allyn Oil Co. Inc.
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 2350.90

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL _____

SALES TAX (If Any) 548.36
 TOTAL CHARGES 8764.25
 DISCOUNT 3,096.50
5,667.75 IF PAID IN 30 DAYS


RECEIVED
 SEP 01 PAID
 BY: 6071

To Allied Cementing Co., LLC
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Rogelia Hdez

SIGNATURE Rogelia Hdez

Thank you!



ALLIED CEMENTING CO., LLC. 040011

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Okla Hwy K1

DATE <i>8/13/11</i>	SEC <i>1</i>	TWP <i>17</i>	RANGE <i>30</i>	CALLED OUT	ON LOCATION	JOB START <i>12:30p</i>	JOB FINISH <i>1:30p</i>
LEASE <i>Tennison</i>	WELL # <i>1-3</i>	LOCATION <i>Healy 2E 14 S W into</i>				COUNTY <i>land</i>	STATE <i>KS</i>
OLD OR NEW (Circle one)							

CONTRACTOR *Landmark*

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *307*

CASING SIZE *8 7/8* DEPTH *307*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15'*

PERFS.

DISPLACEMENT *181b*

OWNER *Same*

CEMENT AMOUNT ORDERED *185 (ann 390 cc)*

270 gal

EQUIPMENT

PUMP TRUCK CEMENTER *Alan*

412 HELPER *Wayne*

BULK TRUCK

404 DRIVER *Chris*

BULK TRUCK

DRIVER

COMMON	<i>185</i>	@ <i>16²⁵</i>	<i>3006²⁵</i>
POZMIX		@	
GEL	<i>4</i>	@ <i>21²⁵</i>	<i>85²⁵</i>
CHLORIDE	<i>7</i>	@ <i>58²⁵</i>	<i>407³⁰</i>
ASC		@	
		@	
		@	
		@	
		@	
		@	
		@	
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING <i>196.5K</i>		@ <i>2²⁵</i>	<i>441⁰⁰</i>
MILBAGE <i>14.54/mile</i>		@	<i>1028⁰⁰</i>
			TOTAL <i>5017⁶⁵</i>

REMARKS:

Drill hole by con complete, pipe cement. Displace plug w/ H₂O

Cement did not circulate

Thompson

Alan Wayne Chris

CHARGE TO: *JO-Allen Oil Co Inc*

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	<i>307'</i>		
PUMP TRUCK CHARGE			<i>1125⁰⁰</i>
EXTRA FOOTAGE	@		
MILBAGE <i>50X2</i>	@ <i>2⁰⁰</i>		<i>700⁰⁰</i>
MANIFOLD	@		<i>200⁰⁰</i>
<i>with vehicle 50X2</i>	@ <i>2⁰⁰</i>		<i>400⁰⁰</i>
	@		
			TOTAL <i>2425⁰⁰</i>

PLUG & FLOAT EQUIPMENT

<i>8 7/8 Wood Plug</i>	@	<i>92⁰⁰</i>
	@	
	@	
	@	
	@	
TOTAL <i>92⁰⁰</i>		

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME *David A. Allen*

SIGNATURE _____

SALES TAX (if Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

7/31/11 580-921-5824

ALLIED CEMENTING CO.. LLC. 037346

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Crest Bank

DATE 8-22-11	SEC 7	TWP. 17	RANGE 30	CALLED OUT	ON LOCATION	JOB START 4:30 PM	JOB FINISH 10:00 AM
LEASEE <u>Jonathan</u>	WELL # 1-3	LOCATION <u>Healy 25 1 1/2 East R into</u>	COUNTY <u>Lane</u>	STATE <u>KS</u>			

KS-05 TAX 11

CONTRACTOR Landmark Rig #2 OWNER Co-Allied Oil Co. Inc 6.3%

TYPE OF JOB 2 3/8" plug

HOLE SIZE 17 1/2 CD. 4630

CASING SIZE 9 5/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 DEPTH 2320

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. all

PERFS.

DISPLACEMENT Fresh water / Rig mud

CEMENT	AMOUNT ORDERED	<u>280</u> SA <u>60</u> / <u>42</u> 4%
GEL	<u>10</u>	
CHLORIDE		
ASC		
70# <u>Closeal</u>		
COMMON	<u>168</u>	@ <u>16.25</u> <u>2730.00</u>
POZ MIX	<u>117</u>	@ <u>8.50</u> <u>997.50</u>
GEL	<u>10</u>	@ <u>21.25</u> <u>212.50</u>
70# <u>Closeal</u>		@ <u>2.70</u> <u>189.00</u>

PUMP TRUCK CEMENTER Bob # 898 HELPER Doug

BULK TRUCK # 482-198 DRIVER Jacob

BULK TRUCK DRIVER

HANDLING	<u>299</u>	@ <u>2.25</u> <u>672.75</u>
MILEAGE	<u>223</u>	@ <u>5.00</u> <u>1115.00</u>
TOTAL <u>6354.25</u>		

REMARKS:

2 3/8" plug at 2320ft with Boss

2 3/8" plug at 1430ft with Boss

2 3/8" plug at 750ft with Boss

2 3/8" plug at 350ft with Boss

2 3/8" plug at 60ft with Boss

Rot hole Oil with Boss

DEPTH OF JOB	<u>2320</u>	
PUMP TRUCK CHARGES		<u>1250.00</u>
EXTRA FOOTAGE		@
MILEAGE Hum	<u>100</u>	@ <u>7.00</u> <u>700.00</u>
MANIFOLD	<u>100</u>	@ <u>4.00</u> <u>400.00</u>

CHARGE TO: Co-Allied Oil Co. Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
TOTAL _____	

SALES TAX (If Any)	<u>548.36</u>
TOTAL CHARGES	<u>8704.25</u>
DISCOUNT	<u>3096.00</u>
IF PAID IN 30 DAYS	
<u>5,607.25</u>	

RECEIVED
SEP 01 PAID
BY: 6071

To Allied Cementing Co., LLC
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Rogelia Hdez

SIGNATURE Rogelia Hdez

Thank you!

09873

2711.50
(1898.05)

5992.75
(1198.55)