

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

(See Instructions on Reverse Side)

Type Test:

Open Flow **SI**
 Deliverability

Test Date:
6/8/2011

API No. 15
023-20638-00 - 00

| | | | | | |
|---|--------------------|---|------------------------|--|------------------------------------|
| Company Rosewood Resources, Inc. | | Lease Alvin | | Well Number 33-08 | |
| County Cheyenne | Location NESE/4 | Section 8 | TWP 3S | RNG (E/W) 41W | Acres Attributed 80 |
| Field St. Francis | | Reservoir Niobrara | | Gas Gathering Connection Branch Systems Inc. | |
| Completion Date 1-15-2006 | | Plug Back Total Depth 1614" | | Packer Set at | |
| Casing Size 4 1/2" | Weight 10.5# | Internal Diameter 4.052 | Set at 1613 1430' | Perforations 1430' | To 1460' |
| Tubing Size NONE 2 3/8" | Weight | Internal Diameter | Set at 1490' | Perforations | To |
| Type Completion (Describe) Single (Conventional) | | Type Fluid Production Saltwater | | Pump Unit or Traveling Plunger? <input checked="" type="checkbox"/> Yes / No Pumping Unit | |
| Producing Thru (Annulus / Tubing) Annulus | | % Carbon Dioxide | | % Nitrogen | Gas Gravity - G _g .6 |
| Vertical Depth(H) 1430' | | Pressure Taps Flange | | (Meter Run) (Prover) Size 2" | |
| Pressure Buildup: Shut in 6-7 | | 20 11 at 10:25 | | (AM) (PM) Taken 6-8 | |
| Well on Line: Started 6-8 | | 20 11 at 10:40 | | (AM) (PM) Taken 6-9 | |
| | | | | 20 11 at 10:40 (AM) (PM) | |
| | | | | 20 11 at 11:25 (AM) (PM) | |

OBSERVED SURFACE DATA

Duration of Shut-in 24 Hours

| Static / Dynamic Property | Orifice Size (Inches) | Circle one: Meter or Prover Pressure psig (P _m) | Pressure Differential in Inches H ₂ O | Flowing Temperature t | Well Head Temperature t | Casing Wellhead Pressure (P _w) or (P _i) or (P _e) | | Tubing Wellhead Pressure (P _w) or (P _i) or (P _e) | | Duration (Hours) | Liquid Produced (Barrels) |
|---------------------------|-----------------------|---|--|-----------------------|-------------------------|--|------|--|------|------------------|---------------------------|
| | | | | | | psig | psia | psig | psia | | |
| Shut-In | | | | | | 35 | 49.4 | | | | |
| Flow | | | | | | 39 | 53.4 | | | 24 | |

FLOW STREAM ATTRIBUTES

| Plate Coefficient (F _p) (F _s) Mcfd | Circle one: Meter or Prover Pressure psia | Press Extension $\sqrt{P_m \times h}$ | Gravity Factor F _g | Flowing Temperature Factor F _t | Deviation Factor F _{dv} | Metered Flow R (Mcfd) | GOR (Cubic Feet/ Barrel) | Flowing Fluid Gravity G _s |
|--|---|---------------------------------------|-------------------------------|---|----------------------------------|-----------------------|--------------------------|--------------------------------------|
| | | | | | | 10 | | |

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_e)² = _____ : (P_w)² = _____ : P_d = _____ % (P_e - 14.4) + 14.4 = _____ : (P_w)² = 0.207
(P_d)² = _____


| (P _e) ² - (P _w) ² or (P _e) ² - (P _d) ² | (P _w) ² - (P _d) ² | Choose formula 1 or 2: 1. P _e ² - P _w ² 2. P _e ² - P _d ² divided by: P _e ² - P _w ² | LOG of formula 1. or 2. and divide by: $\frac{P_e^2 - P_w^2}{P_e^2 - P_d^2}$ | Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope | n x LOG [] | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) |
|--|---|---|---|---|-------------|---------|--|
| | | | | | | | |

Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 28 day of December, 20 11.

Witness (if any)

For Commission


For Company

Checked by

RECEIVED

APR 24 2012

KCC WICHITA

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.

and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the Alvin 33-08 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 12/28/11

Signature: 
Title: Production Assistant

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
APR 24 2012
KCC WICHITA

W361

Alvin 08

St. Francis

St. Francis

Pumping Unit/elec

June-11

| DATE | Tubing Casing | | STATIC | MCF | SPM | CYCLE | HRS | DOWN | Water | REMARKS |
|-----------|---------------|-----|--------|-----|-----|-------|-----|------|-------|-------------------------|
| | PSI | PSI | | | | | | | | |
| 6/1/2011 | | 48 | 59 | 11 | 6.5 | 1 | 0 | 1 | | |
| 6/2/2011 | | 37 | 59 | 11 | 6.5 | 1 | 0 | 1 | | |
| 6/3/2011 | | 37 | 50 | 11 | 6.5 | 1 | 0 | 1 | | |
| 6/4/2011 | | 36 | 49 | 11 | 6.5 | 1 | 0 | 1 | | |
| 6/5/2011 | | 37 | 49 | 11 | 6.5 | 1 | 0 | 2 | | |
| 6/6/2011 | | 37 | 50 | 11 | 6.5 | 1 | 0 | 1 | | |
| 6/7/2011 | | 36 | 50 | 11 | 6.5 | 0 | 0 | 0 | 0 | pu off squeezed well |
| 6/8/2011 | | 35 | 48 | 0 | 6.5 | 0 | 24 | 0 | 0 | re open well restart pu |
| 6/9/2011 | | 35 | 50 | 12 | 6.5 | 1 | 0 | 2 | | |
| 6/10/2011 | | 36 | 49 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/11/2011 | | 37 | 49 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/12/2011 | | 36 | 50 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/13/2011 | | 37 | 50 | 10 | 6.5 | 1 | 0 | 2 | | |
| 6/14/2011 | | 37 | 50 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/15/2011 | | 36 | 50 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/16/2011 | | 35 | 60 | 9 | 6.5 | 1 | 0 | 1 | | |
| 6/17/2011 | | 40 | 53 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/18/2011 | | 39 | 52 | 10 | 6.5 | 1 | 0 | 2 | | |
| 6/19/2011 | | 39 | 52 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/20/2011 | | 39 | 52 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/21/2011 | | 39 | 52 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/22/2011 | | 40 | 52 | 10 | 6.5 | 1 | 0 | 2 | | |
| 6/23/2011 | | 61 | 80 | 8 | 6.5 | 1 | 1 | 1 | 1 | 6 min bt greased |
| 6/24/2011 | | 40 | 58 | 10 | 6.5 | 1 | 0 | 1 | | |
| 6/25/2011 | | 39 | 52 | 10 | 6.5 | 1 | 0 | 2 | | |
| 6/26/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 | | |
| 6/27/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 2 | | |
| 6/28/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 1 | | |
| 6/29/2011 | | 40 | 52 | 9 | 6.5 | 1 | 0 | 1 | | |
| 6/30/2011 | | 36 | 53 | 9 | 6.5 | 1 | 0 | 1 | | |
| 7/1/2011 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |

Total

291

35

RECEIVED
APR 24 2012
KCC WICHITA

W361

Alvin 3308

St. Francis

St. Francis

Pumping Unit/elec

July-11

| DATE | Tubing PSI | Casing PSI | STATIC | MCF | SPM | HRS CYCLE DOWN | Water BBLs | REMARKS (Maximum length 110 characters) |
|-----------|---------------|---------------|--------|-----|-----|-------------------|---------------|--|
| 7/1/2011 | | 41 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/2/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/3/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/4/2011 | | 40 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/5/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/6/2011 | | 41 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/7/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/8/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 2 |
| 7/9/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/10/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/11/2011 | | 39 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/12/2011 | | 38 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/13/2011 | | 33 | 51 | 9 | 6.5 | 1 | 1 | 1 10 min bt greased |
| 7/14/2011 | | 39 | 51 | 9 | 6.5 | 1 | 0 | 1 |
| 7/15/2011 | | 40 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/16/2011 | | 40 | 52 | 9 | 6.5 | 1 | 0 | 1 |
| 7/17/2011 | | 44 | 58 | 9 | 6.5 | 1 | 0 | 1 |
| 7/18/2011 | | 41 | 54 | 9 | 6.5 | 1 | 0 | 1 |
| 7/19/2011 | | 44 | 63 | 9 | 6.5 | 1 | 2 | 1 |
| 7/20/2011 | | 41 | 55 | 9 | 6.5 | 1 | 0 | 1 |
| 7/21/2011 | | 51 | 64 | 9 | 6.5 | 1 | 0 | 1 |
| 7/22/2011 | | 35 | 57 | 10 | 6.5 | 1 | 0 | 1 |
| 7/23/2011 | | 37 | 49 | 9 | 6.5 | 1 | 0 | 1 |
| 7/24/2011 | | 40 | 49 | 9 | 6.5 | 1 | 0 | 1 7 min bt |
| 7/25/2011 | | 37 | 49 | 9 | 6.5 | 1 | 0 | 1 |
| 7/26/2011 | | 36 | 49 | 9 | 6.5 | 1 | 0 | 1 |
| 7/27/2011 | | 37 | 49 | 9 | 6.5 | 1 | 0 | 1 |
| 7/28/2011 | | 38 | 50 | 9 | 6.5 | 1 | 0 | 1 |
| 7/29/2011 | | 53 | 66 | 8 | 6.5 | 1 | 0 | 1 |
| 7/30/2011 | | 53 | 59 | 10 | 6.5 | 1 | 0 | 2 |
| 7/31/2011 | | 51 | 54 | 9 | 6.5 | 1 | 0 | 1 |

Total

280

33

RECEIVED
APR 24 2012
KCC WICHITA

W361

Alvin 33-08

St. Francis

St. Francis

Pumping Unit/elec

August-11

| DATE | Tubing PSI | Casing PSI | STATIC | MCF | SPM | HRS CYCLE DOWN | Water BBLs | REMARKS (Maximum length 110 characters) |
|-----------|---------------|---------------|--------|-----|-----|-------------------|---------------|--|
| 8/1/2011 | | 39 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/2/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 0.5 20 min bt |
| 8/3/2011 | | 37 | 50 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/4/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/5/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/6/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/7/2011 | | 38 | 52 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/8/2011 | | 37 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/9/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 0.5 20 min bt greased |
| 8/10/2011 | | 35 | 49 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/11/2011 | | 80 | 61 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/12/2011 | | 80 | 78 | 8 | 6.5 | 0.5 | 0 | 0 shut pumping unit off hfp |
| 8/13/2011 | | 66 | 81 | 9 | 6.5 | 0 | 0 | 0 |
| 8/14/2011 | | 75 | 84 | 9 | 6.5 | 0 | 0 | 0 |
| 8/15/2011 | | 74 | 88 | 9 | 6.5 | 0 | 0 | 0 |
| 8/16/2011 | | 39 | 70 | 9 | 6.5 | 0 | 0 | 0 |
| 8/17/2011 | | 137 | 66 | 7 | 6.5 | 0 | 5 | 0 |
| 8/18/2011 | | 42 | 80 | 10 | 6.5 | 0.5 | 4 | 0.5 restart pu |
| 8/19/2011 | | 54 | 64 | 9 | 6.5 | 1 | 1 | 0.5 |
| 8/20/2011 | | 38 | 55 | 10 | 6.5 | 1 | 0 | 0.5 |
| 8/21/2011 | | 37 | 50 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/22/2011 | | 36 | 50 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/23/2011 | | 69 | 49 | 9 | 6.5 | 1 | 0 | 0.5 20 min bt |
| 8/24/2011 | | 38 | 52 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/25/2011 | | 40 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/26/2011 | | 37 | 57 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/27/2011 | | 40 | 50 | 9 | 6.5 | 1 | 0 | 1 |
| 8/28/2011 | | 39 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/29/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/30/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 0.5 |
| 8/31/2011 | | 38 | 51 | 9 | 6.5 | 1 | 0 | 1 7.5 min bt |

Total

278

13.5

RECEIVED
APR 24 2012
KCC WICHITA