KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

type test	:					•	See mstruci	ions on he	iverse side	7)						
_ :	en Flo liverab					Test Date 3/24/20					lo. 15 77-21305 .	$\mathcal{C}^{\mathcal{C}}$	か ろ			
Company PINTAIL		ROL	EUM, LTD			0/24/20		Lease HARRI	SON B		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Vell Nur	nber	
County Location							TWP 33S				Acres Attributed					
HARPER SW SW Field			v	22 Reservoir			333		6W Gas Gath	ering Conn	ection					
STOHR						MISSIS				ATLAS						
7/27/199		e				Plug Bac	k Total Dept	ih		Packer Se	t at					
Casing Size Weight			Internal Diameter				Set at Perfora 4479 4437			To 4447						
4 1/2" 10.5# Tubing Size Weight			Internal Diameter						Perforations			To				
2 3/8"								440	0	<u> </u>						
Type Con PERF/A	(CID/	FR/	AC			WATE				PUMPII	or Traveling	Plunger				
Producing Thru (Annulus / Tubing) TUBING			% Carbon Dioxide ,274			de		% Nitroge 5.1369	Gas Gravity - G _a .688							
Vertical Depth(H)					sure Taps	·	3.1309			(Meter Run) (Prover) Size						
4480		•						,							•	
Pressure	Buildu	p: :	Shut in	23	20	11 at 8	:00	(PM)	Taken_3/	24	20	11 at	8:00		AMD(PM)	
Well on L	ine:	1	Started		20	at		(AM) (PM)	Taken		20	at .		(AM) (PM)	
							OBSERVE	D SURFAC	E DATA		,	Duration	n of Shut-i	in_24	Hours	
Static / Orif		ice Circle one:			Differential		Well Head	Mollboad Proceuro		Tubing Wellhead Pressure		Dur	Duration		Liquid Produced	
Dynamic Property		Size Prover Pressi		- 1	in	Temperature t	Temperature t	erature (P) or (P)			P ₁) or (P _c)	1	(Hours)		(Barrols)	
Shut-In	1/2"		psig (Fili)	\dashv	Inches H ₂ 0			175#	psia	psia psig 40#		24 HR		60 BWPD		
Flow				\dashv				1								
				!			FLOW STR	EAM ATT	RIBUTES	1,	<u> </u>			L		
Plate			Circle one:		Press	Grav	vity _	Flowing	Dev	riation .	Metered Flo	w	GOR		Flowing	
Coeffiecient (F _b) (F _b)		Meter or Prover Pressure			✓ P _m xh	Fac F	tor	Factor		actor F _{pv}	R (Mcfd)		(Cubic For Barrel)		Fluid Gravity	
Mcfd			psia		ν Γ _m Δ11	- '	, F ⁴			' pv					G _m	
				<u>L</u> .												
(D.)2 _			(D.)2.	_		-	OW) (DELIV		•				(P _a)² (P _a)²	2 = 0.20	07	
(P _c) ² =		<u>=</u> :	(P _w) ² =	Choc	se formula 1 or 2:	P _e =	$\overline{\Box}$	1	essure Curve	+ 14.4 =	:_	T	(, 9)	1	en Flow	
$(P_e)^2 - (P_a)^2$ or $(P_e)^2 - (P_a)^2$		(P _c)²-(P _w)²			P2-P2	LOG of formula		Slope = "n"		n x LOG		An	Antilog		Deliverability	
(P _e) ² - (I	P _a)²				2. P _e ² -P _e ² ad by: P _e ² -P _e ²	1. or 2. and divide by:	P _c ² - P _x ²	A:	ssigned dard Slope						A x Antilog Mcfd)	
		_				<u></u>		<u></u>			· · · · · · · · · · · · · · · · · · ·			<u> </u>		
Open Flo	w 50				Mcfd @ 14.6	55 psia		Delivera	bility OU			Mcfd @	14.65 psi	a		
		•	d authority, o					· .		to make the	above repo	ort and th	nat he ha		-	
the facts s	tated t	herei	n, and that s	said r	report is true	and correc	t. Executed	this the _		day of	· \\				<u>0 11 </u>	
			Witness	(if any)			نــ	Au	e Du	Lla-For	Company				
			For Com	nissio	n						CM	cked by		Ark	0 4 20	
			i di Colli		••						C/A					

		the laws of the state of Kansas that I am authorized to request behalf of the operator PINTAIL PETROLEUM, LTD
		and statements contained on this application form are true and
correct to the bes	at of my knowledge and belief	of based upon available production summaries and lease records
	• •	completion or upon use being made of the gas well herein named. om open flow testing for the HARRISONB #1-22
	rounds that said well:	·
I further agre	is on vacuum at the presen is not capable of producing	ue to water for injection into an oil reservoir undergoing ER int time; KCC approval Docket No ig at a daily rate in excess of 250 mcf/D ig ability any and all supporting documents deemed by Commission
Date: 4/1/2011		RECEIVED
		APR 0 4 201
		KCC WICHIT
	Sign	gnature: Sur Saula
		Title: PRODUCTION & COMPLIANCE MANAGER

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.