KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	ı:				((See Instruc	tions on Rev	erse Side)				
Ор	en Flo	w										
√ De	liverab	ilty			Test Date:		4.4/0040			No. 15	= (7(7(7)	\nearrow
C					02/13/2	2012 - 02/			15	-047-20,33		(all Niverbook
Company F.G. Ho		mn	any, L.L.C.				Lease G.D. W	HITE			1-12	/ell Number
County	J	,,,,,	Locatio	n	Section		TWP	·····	RNG (E	W)		cres Attributed
Edward	is			W NW	12		248		18W	,		
Field				•	Reservoir				Gas Gatl	nering Connec	ction	
Wildcat			Kinderl	nook								
02/22/1		•			Plug Back	Total Depth	l		Packer S	et at		
Casing Size Weight		Internal Diameter		Set at 4444'		Perforations 4346' - 4350'		То				
4-1/2"			10.5#									
Tubing Si 2-3/8"	28		Weight		Internal D	lameter	Set at	i	Perio	rations	То	
Type Con Single			scribe)		Type Fluid	d Production			Pump Ur Yes	nit or Traveling	Plunger? Yes /	No
			ulus / Tubing)		% Carbon	Dioxide			% Nitrog	en	Gas Gra	vity - G
Tubing					,, 02,00				,			, o _g
Vertical D	epth(F	1)					ire Taps				•	n) (Prover) Size
						Flan					2"	
Pressure	Buildu	p: 5	Shut in02/	13/2012 19	at <u>8:</u>	00	(AM) (PM)	Taken 02/	/13/201	12 19	at 8:00	(AM) (PM)
Well on L	ine:	s	started 02/1	4/2012 ₁₉	at <u>9</u> :	00	(AM) (PM)	Taken 02	2/14/20	12 19	et 9:00	(AM) (PM)
						OBSERVE	D SURFACE	DATA			Duration of Shut-in	24 Hours
Static /	Orif	сө	Circle one:	Pressure	Flowing	Well Head	Casi	ng		Tubing		
Dynamic Property	Siz inch		Malar or Differential Tempe		Temperature t	nperature Temperature		Wellhead Pressure (P_) or (Pt) or (Pt)		ad Pressure r (P _t) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)
			psig	Inches H ₂ 0			psig	psia	psig	psia		· · · · · · · · · · · · · · · · · · ·
Shut-In				_			300				24	
Flow												
	 -				T	FLOW STR	EAM ATTR	BUTES				
Plate			Circle one: Meter or	Press	Grav	rity	Flowing	Devis	ation	Metered Flow	, GOR	Flowing
Coeffiec (F _b) (F		Pro	weter of ver Pressure	Extension	Fact	lor	emperature Factor	Fac		R (41.41)	(Cubic Fee	V Fluid Gravity
Mcfd			psia	Š P _m x H _w	F.		F _{f1}	F,	PY	(Mcfd)	Barrel)	G _a
					•		ERABILITY)				-	= 0.207
(P _c) ² =	<u> </u>	<u>-:</u>	(P _*) ² =	Choose formule 1 or 2	P _d =		% (P	- 14.4) +	14.4 =	 :	(P _d) ²	= <u></u>
(P _c)²-(I	P_)2	(F) ₂)²- (P_)²	1, P _c ² -P _a ²	LOG of	Γ		sure Curve e = "n"		[Open Flow
or (P _c) ² - (I	-		• •	2. P. 2. P. 2	formula 1. or 2.			or	n x	LOG	Antilog	Deliverability Equals R x Antilog
((((((((((((((((((((ا "ره"		1.	ilvided by: P ₂ - P ₂	and divide by:	P. 2 - P. 2		igned ard Slope		LJ		Mcfd
					1							
												
Open Flor	~~~~ <u>.</u>		<u></u>	Mcfd @ 14.6	5 psia		Deliverabili	ty	l	······································		
		ionac	l nutharity a-			tee that he :-		-	ka tha		-	ndge of the factor
		-	•	s true and corre			·			ove report and	that he has knowl	, 19
อเดเซบ แายเ	un, di	.u (1)	a sala report i	s add dild colle	Joi. Execute	una ule		day of				
			Witness (if	eny)			-			For (Company	RECEIVED
			For Comm	ission			_			Chec	ked by	FEB 2 2 201

exemp	leclare under penalty or perjury under the laws of the state of Kansas that I am authorized to reques of status under Rule K.A.R. 82-3-304 on behalf of the operator F.G. Holl Company, L.L.C.
the beation an	at the foregoing information and statements contained on this application form are true and correct to st of my knowledge and belief based upon gas production records and records of equipment installand/or of type completion or upon use of the gas well herein named. ereby request a permanent exemption from open flow testing for the
	(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is incapable of producing at a daily rate in excess of 250 mcf/D
Date: _	02/16/2012
	Signature: Petroleum Geologist

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results. **RECEIVED**

FEB 2 2 2J12

KCC WICHITA