KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST RECEIVED

| Type Test: | | | | | | (See Instructions on Reverse Side) | | | | | | JAN 0 5 2011 | |
|--|----------------|-------|--|---|-------------------------------------|--|--------------------------------|---|--------------------|--|-------------------------|--|--|
| Open Flow | | | | | Test Date | Test Date: API No. 15 | | | | | | | |
| ✓ Deliverabilty | | | | | 07/05/2 | 07/05/2010 15-129-20753 | | | | | | WICHITA | |
| Company MERIT | | RGY | COMPANY | | | | Lease DUNKL | E A | | | | Well Number 2 | |
| County Location MORTON 4030 FNL & 4030 FWL | | | | | Section 1 | | | | RNG (E/ | W) | | Acres Attributed 640 | |
| Field DUNKLEBERGER | | | | | | Reservoir WABAUNSEE, MORROW, CHEROKEE, TOPEKA | | | Gas Gat APC | hering Conn | ection | | |
| Completion Date 02-01-1986 | | | | | Plug Bac 5247 | Plug Back Total Depth 5247 | | | Packer S NA | et at | | | |
| Casing Size Weight 4.5 10.5 | | | | nt | Internal I 4 | Diameter | | Set at 5441 | | rations | то 5292 | | |
| Tubing Size Weig 2.375 4.7 | | | Weigh 4.7 | nt | Internal Dia 1.995 | | ameter Set at 5116 | | Perforations NA | | То | | |
| Type Completion (Describe) Commingled (Gas) | | | | 7. | Type Fluid Production WATER | | | Pump Ur YES | it or Traveling | Plunger? Yes | / No | | |
| Producing | g Thr 5 | (An | nulus / Tubin | g) | % (| Carbon Did | oxide | | % Nitrog | en | Gas Gr | avity - G _g | |
| Vertical D | Depth(l | 1) | | | | | essure Taps ANGE | | . 12015 | | (Meter | Run) (Prover) Siz | |
| Pressure | Buildu | ıp: | Shut in _07/ | 05 2 | 20 10 at 8 | :45 AM | (AM) (PM) | Taken_07 | 7/07 | 20 | 10 _{at} 8:45 A | M (AM) (PM) | |
| Well on L | ine: | | Started | 2 | 0 at | | (AM) (PM) | Taken | | 20 | at | (AM) (PM) | |
| | | | | | | OBSER | VED SURFAC | E DATA | | | Duration of Shut- | in_48Hot | |
| Static / Dynamic Property | ynamic Size | | Ctrcte one: Pressure Meter Differential Prover Pressure in psig (Pm) Inches H ₂ 0 | | Flowing Temperature t | Temperature Temperature | | (P _w) or (P ₁) or (P _c) | | ubing ad Pressure (P _t) or (P _c) | Duration (Hours) | Liquid Produced (Barrels) | |
| Shut-In | 1.0 | | poig (rin) | . mones rigu | <u> </u> | | 34 | psia | psig 5 | psia | 48 | | |
| Flow | | | | | | | | | | | 1.01 | | |
| | | | 5 | [| 1 | FLOW S | TREAM ATTR | IBUTES | T | | | | |
| Plate Coefficient (F _b) (F _p) Mcfd | | Pro | Circle one: Meter or over Pressure psia | Press Extension ✓ P _m x h | Gravity Factor F _g | | Flowing Temperature Factor Fit | emperature Factor F | | Metered Flow R (Mcfd) | (Cubic Fe Barrel) | Flowing Fluid Gravity G | |
| | | | | | (ODEN EL | OW/ (DE) | D/CDADII ITV |) CALCIII | ATIONS | | | | |
| (P) ² = | | : | (P)² = | : | | | .IVERABILITY % (i |) CALCUL 2 _c - 14.4) + | | • | | ? = 0.207 ? = | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | | P _c) ² - (P _w) ² | Choose formula 1 or 2 1. P _c ² - P _a ² 2. P _c ² - P _d ² divided by: P _c ² - P _d | LOG of formula 1. or 2. and divide | P.2. P.2 | Backpre Sto | Backpressure Curve Slope = "n" or Assigned Standard Slope | | Log | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | | | | | | | | | | | | | |
| Open Flow Mcfd @ 14.65 psia | | | | | | Deliverat | Deliverability | | | Mctd @ 14.65 psia | | | |
| | | ianer | l authority or | | | tates that | | | make th | ` ` | rt and that he ha | | |
| | | | | aid report is true | | | | | | | and that he ha | , ₂₀ <u>10</u> | |
| | | | Witness (i | f Any) | | | - | MERIT | ENERGY | COMPANY | ompany | | |
| | | | · | | | | - | Cindy | Chave | z | | | |
| | | | For Comm | ISSION | | | | | | Chec | ked by | | |

| exempt status under and that the forego- correct to the best of equipment instal | r penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator MERIT ENERGY COMPANY bing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records lation and/or upon type of completion or upon use being made of the gas well herein named. |
|---|--|
| | st a one-year exemption from open flow testing for the DUNKLE A 2 |
| gas well on the gro | unds that said well: |
| ☐ ✓ I further agree | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. |
| Date: 12/30/2010 | |
| | Signature: Stitle: Chaces Title: REGULATORY ANALYST |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.