## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

(See Instructions on Reverse Side)

Type Test:

	oen Flo eliveral					Test Date			4410044		API I	No. 15	-06	000	$\supset$		
Company F.G. H		ompa	any, L.L.	С.		03/13/	<u> 2011 - C</u>	13/	14/2011 Lease	ERT C "(			036	٧	Vell No 1-29		
County Location Pratt 440'FSL & 1320' FWL SW/4						Section 29					RNG (E/			Acres Attributed			
Field Jem						Reservoir Mississippi-Kinde					Gas Gath	ering Conne	ection				
Completic			7/20/200	2		Plug Bad 4574'	k Total De	oth			Packer S	et at				RECE	IVED
Casing S		<u>a U/</u>	7/28/200 Wei			Internal D	lismeter		Set a	.+	None Perfor	atione		To		MAD T	C 2044
Casing Size Weight 5-1/2" 10.5#						miona olamoidi			4810'			4' - 4530'		10	· con 1		º 2011
Tubing Size Weight None					Internal Diameter			Set at		Perfor	ations		То	MAR 1		CHITA	
Type Con Gas (S	ingle	)				ŝw	d Producti	on					g Plung	jer? Yes /	No		
Producing Thru (Annulus / Tubing)						% Carbor	n Dioxide				% Nitroge	en		Gas Gravity - G			
Casing Vertical Depth(H)					.10	Pres Fla		re Taps					.690 (Meter Run) (Prover) Size 3"				
Praccure	Builde	n·	Shut in O	3/13	/2011 19	9:	.00		(AM) (PM)	Takan 0	3/13/20	11 19		9:10		(AM) (D: 4)	
Pressure Buildup:         Shut in         03/13/2011         19           Well on Line:         Started         03/14/2011         19								Idveil		13		9:15	(AM) (PM)				
							OBSER	/EI	SURFACE	E DATA			Dura	tion of Shut-i	n_2	4 Hours	
Static / Dynamic Property	Siz	Orifice Size inches		er or Differentia Pressure in (h) sig Inches H <sub>2</sub>		Flowing Temperature t	erature Temperature		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia		Tubing Wellhead Pressure $(P_w)$ or $(P_l)$ or $(P_c)$ psig psia		1	Duration (Hours)		id Produced (Barrels)	
Shut-In									F****	460		· · · · · · · · · · · · · · · · · · ·		24			
Flow																	
							FLOW S	TRE	EAM ATTR	IBUTES							
Plate Coefficcient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Mater or Provar Pressure psia		,	Press Extension Š P <sub>m</sub> x H <sub>w</sub>	Fact	Gravity Factor F <sub>g</sub>		Flowing emperature Factor F <sub>11</sub>	Fac	ation clor pv	Metered Flow R (Mcfd)		GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G <sub>m</sub>	
	I								<del></del>	<u> </u>							
(P <sub>c</sub> ) <sup>2</sup> =		_:	(P <sub>w</sub> )	' =	:	(OPEN FLO	OW) (DEL	IVE _%	RABILITY) (P	CALCUL - 14.4) +		:		(P <sub>a</sub> )² (P <sub>d</sub> )²	= 0.2 =	207	
(P <sub>c</sub> ) <sup>2</sup> · (P <sub>a</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> · (P <sub>d</sub> ) <sup>2</sup>		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>			ose formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ ted by: $P_c^2 - P_a^2$	LOG of formuta 1. or 2. and divide by:		Slope o Assig		ssure Curve be = "n" or signed ard Slope	nxL	x LOG		Antilog		Open Flow Deliverability Equals R x Antilog Mctd	
				-													
Open Flov	l v		I		5 psia	psia			ty		Mcfd @			g 14.65 psia			
					half of the Corre			is	duly authori 15th			ve report and arch 20		ne has knowl	_	of the facts	
			Witnes	s (if any	y)				_				Сотрап	<del>, , , ()</del>	~	52	
			For Co	mmissi	on		<del></del>		-			Che	cked by				

exempt status und and that the foreg the best of my kn tion and/or of type I hereby reque	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is incapable of producing at a daily rate in excess of 250 mcf/D
	Signature: Loveness Mpanje Ponfi  Title: Petroleum Geologist

## Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.