Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test	t:					(See Instruct	tions on Rev	erse Side)						
Ор	en Flo	w			Test Date	·•			API N	lo 15		_		
De	liverat	oilty				01/20/2011 - 01/21/2011 1:					4-000	\mathcal{O}		
Company F.G. Holl Company, L.L.C.						Lease D.R. CROSS				Well Number 1-22				
County Location					Section				RNG (E/W)		Acres Attributed			
Edwards1130' FSL 440' FWL						22 24\$			17W					
Field Wayne						Reservoir Mississippi				Gas Gathering Connection Semgas God				
Completion Date					-	Plug Back Total Depth				Packer Set at				
02/18/1981					4411'				None		То	·		
Casing Size Weight				Internal D	Diameter				Perforations 4380'- 4384'					
4-1/2" 10.5# Tubing Size Weight			Internal D)iameter	9432 Set at		Perforations		То					
2"	20		4.7#		momar L	, idaniotoi	00.0	•	1 011010					
Type Con Single			escribe)		Type Flui	d Production	•		Pump Uni	t or Traveling F	Plunger? Yes /	No		
Producing	Thru	(Ann	ulus / Tubing)		% Carbon	n Dioxide			% Nitroge	n	Gas Gra	avity - G		
Tubing			<u>, </u>											
Vertical D	epth(F	I)					re Taps				(Meter R	un) (Pro	ver) Size	
<u>.</u>			· · · · · · · · · · · · · · · · · · ·			Flan	ge				2"			
Pressure	Buildu	p: \$	Shut in 01/2	0/2011	at <u>8</u>	:00	(AM) (PM)	_{Taken} 0	1/20/201	11 ₁₉	at 8:00	(#	\M) (PM)	
Well on L	ine:	S	Started <u>01/2</u>	1/2011 19	at 8	:00	(AM) (PM)	Taken <u>01</u>	/21/2011	119	at 8:00	(#	AM) (PM)	
						OBSERVE	D SURFACE		······	······	Duration of Shut-	_{in 24}	Hours	
Static / Dynamic Property	ynamic Sla		Circle one: Meter or Prover Pressui		Flowing Well Head Temperature t t		(P _w) or (P ₁) or (P ₆)		Tubing Wellhead Pressure $(P_w) \propto (P_1) \text{ or } (P_c)$		Duration Li (Hours)		Produced arrels)	
Shut-In			psig	Inches H ₂ 0			47	psia	psig psia		24		<u> </u>	
Flow														
)			<u> </u>	<u>l</u>	L	FLOW STR	EAM ATTRI	BUTES	<u></u>			<u>.I.</u>		
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension Š P _m x H _w	Grav Fac	or Temperature		Deviation Factor		Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G _m	
														
(P _c) ² =		:	(P _w) ² =	•	(OPEN FL	OW) (DELIV	•	CALCUL - 14.4) +		:	(P _•); (P _e);	²= 0.20)7	
(P _e) ² - (P _e) ² (P _e) ² - (P _e) ²		(P _c) ² - (P _w) ²		Choose formula 1 or 2 1. P _c ² - P _d ² 2. P _c ² - P _d ² divided by: P _c ² - P _d ²	LOG of formula 1, or 2. and divide		Backpressure Curve Slope = "n"		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilog Mcfd		
	en Flow Mcfd @ 14.65			E paia	psia Deliverability			<u>l</u>	Mcfd @ 14.65 psia					
Open Flov								•						
				behalf of the C		(duly author	ized to ma		nuani nuani	that he has know	ledge of , 19	the facts	
			Witness (if	any)			_			For Co	отрапу ')	⊑ū	EIVED	
	•		For Comm	ission			-			Check	ed by	JAN	7 7 70	

	er penalty or perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator F.G. Holl Company, L.L.C.
and that the foreg the best of my kn tion and/or of type I hereby reque	poing information and statements contained on this application form are true and correct to owledge and belief based upon gas production records and records of equipment installate completion or upon use of the gas well herein named. Set a permanent exemption from open flow testing for the D.R. CROSS 1-22 rounds that said well:
(Check	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is incapable of producing at a daily rate in excess of 250 mcf/D
	Signature: Laveness Mpanfe Title: Petroleum Geologist

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.