

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32	710		API No. 15 - 15-001-30375-00-00
Name: Laymon Oil II, Li			Spot Description:
Address 1: 1998 SQUIRRE	L RD		NE_NE_NE_NW Sec. 14 Twp. 24 S. R. 17 Fast West
Address 2:			
City: NEOSHO FALLS	State: KS Zip	o:_66758+_7124	
Contact Person: Michael La	ymon		Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-249	15		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_3			County: Allen
Name: Laymon Oil II, LLC			Lease Name: Rice Well #: 11-12
None			Field Name:
Purchaser:			Producing Formation: Mississippi
Designate Type of Completion	:	•	Elevation: Ground: 1008 Kelly Bushing: 1013
		Workover	Total Depth: 1240 Plug Back Total Depth:
✓ oil wsw	∫swp	☐ siow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A	☐ SWB	☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✔ No
	☐ GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)			If Alternate II completion, cement circulated from:
Cathodic Other	Core, Expl., etc.):		feet depth to: 40 w/ 10 sx cmt.
If Workover/Re-entry: Old We	I Info as follows:		sx cmi.
Operator:		····	
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original To	otal Depth:	Chloride content: 0ppm Fluid volume: 90bbls
Deepening Re-	perf. Conv. to	ENHR Conv. to SWD	1
	Conv. to	GSW	Dewatering method used: Evaporated
Plug Back:	Pluç	g Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		Quarter Sec Twp S. R
☐ ENHR			
☐ GSW	Permit #:		County: Permit #:
	27/2012	04/27/2012	
Spud Date or Date Recompletion Date	Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	<u> </u>
Confidential Release Date:	
✓ Wireline Log Received	
Geologist Report Received	
UIC Distribution	<u> به مستحدین در </u>
ALT I I II Approved by: Deanna Garrisor Date:	06/08/2012

Side Two



Operator Name: Laymon Oil II, LLC				Lease Name: Rice Well				_ Well #:11	-12	
Sec. 14 Twp. 24	s. R. <u>17</u>	✓ East	☐ West	County			· · · · · · · · · · · · · · · · · · ·	, -		
INSTRUCTIONS: Shot time tool open and clos recovery, and flow rate line Logs surveyed. At	sed, flowing and shus is if gas to surface to	ut-in press est, along	ures, whether s with final chart(hut-in press	sure rea	ched static level	, hydrostatic pres	sures, bottom h	ole temperat	ture, fluid
Drill Stem Tests Taken (Attach Additional S	heets)	Y	es ✓ No			og Formatic	on (Top), Depth a	nd Datum	☐ Sam	nple
Samples Sent to Geolo	ogical Survey	ПΥ	es √ No		Nam Attach			Top Attached	Datu Attacl	
Cores Taken			es 🗹 No		Allaci	icu		Allached	Allaoi	164
Electric Log Run Electric Log Submitted (If no, Submit Copy)	-	✓ Y		•						
List All E. Logs Run:										
Gamma Ray Neutro	n									
			CASING	RECORD	I No	ew Used			•	
	T 6: 41.					ermediate, product	T		T	
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used	Type and Additi	
Surface	10.2500	8.6250		24		40	portland	10		
Production	6.1250	4.5000		10		1237	common	180		
	188									
		T	ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose: —— Perforate	Depth Top Bottom	Туре	of Cement	# Sacks Used Type and Percent Additives						
Protect Casing Plug Back TD	-									
Plug Off Zone	-									
Shots Per Foot	PERFORATI	ON RECO	RD - Bridge Plug	s Set/Type			cture, Shot, Cemer		d	
	Specify	Footage of	Each Interval Per	forated	-	(A	mount and Kind of M	laterial Used)		Depth
									-	
				· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
			· · · · · · · · · · · · · · · · · · ·		-					
										
TUBING RECORD:	Size:	Set At		Packer At	::	Liner Run:	Yes No	o .		
Date of First, Resumed F	Production, SWD or EN	IHR.	Producing Meth							
Estimated Production	Oil	Bbls.	☐ Flowing Gas	Mcf Pumping	g ∟ Wat		Other <i>(Explain)</i> bbls.	Gas-Oil Ratio	G	Gravity
Per 24 Hours		·								
DISPOSITIO	N OF GAS:		N	METHOD OF	COMPLI	ETION:		PRODUCTION	ON INTERVAL:	:
Vented Sold	Used on Lease		Open Hole	Perf.	Dually (Submit		mmingled mit ACO-4)			
(If vented Subr	nit ACO-18.)						ŀ			

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Rice 11-12
Doc ID	1083942

Tops

	X ¹	(A.) ***
Soil	0	7
Lime	7	40
Shale & Lime	40	160
Lime	160	500
Shale	500	600
Lime	600	660
Shale	660	734
Lime	734	820
Shale & Lime	820	920
Lime	920	1085
Shale	1085	1190
Lime	1190	1240

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. ROX 805 IOLA, KS 66749 PHONE: (620) 365-2201

CUSTOMER NO. JOB NO. PURCHASE ORDER NO. REFERENCE	LOTH	TERMS		1112	CLI E	ERK	DATE TIME. 2/ 1/12 3:50
S LAYFON ÖIL II D 1998 SOUTREE RD	DEL.	DATE:	2/	1/12	TERM	1	DOC# 250872 ************************************
o NEUSHU FALLS KS 66758	TAX	:	901	IOLAL	IOLA		**************************************

			•					51511 C0001L
SHIPPED	ORDERED	UM.	SKU SKU	4 DESCRIPTION	LOCATION:	UNITS	PRICE/PER	EXTENSION
	300	EA	PC	PORTLAND CEMENT		300	9.45 /EA	2,835.00
Rice Rice Rice M. Kr. M. Kr.	7-12 6-12 5-12 9-12 amer	ひしとしてなりに	Dacker Dacker Dacker Dacker Dacker Dacker Dacker Dacker	Lilson 1-12- Cedar, Poot 2-12 Wright B 8-12 Wright B 9-12 Whepard 27-12 Shepard 28-12 Shepard 20- 20 Shepard 31-12 Les Shepard 32-12	1000 1001 2010 1201 1211 1211	les packs		-12 100
			** ORDER ** ORDER	R ** ORDER ** ORDER ** ORDER ** ORDE ** DEPOSIT AMOUNT **	R *	9 99	TAXABLE NON-TAXABLE	2835.00 . 0.00
				** BALANCE DUE **	. . '	3,077.39	*	2835.00
(RECEIVE	D BY		** PAYMENT RECEIVED **		0.00	TAX AMOUNT TOTAL AMOUNT	242.39 3077.39

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction.

seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for stength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

EXTENDED PRICE

90L7 TO:				
LF-57-5			-	
m3,AMDM	JIL	II,	1_,1	٠.٢
1778 50	RORE	ŒI.	RÚ.	

TROUGHT FALLS 19 S 3 8

LAMORE LAYPOL: 0.0 THE UTO BOX HER DIME TO PERHANDIGHA OF HOR OF SHE क्षा । मा भागन, धारा भाग **脚位,是有"线"(178**

TIMÉ .	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
1875	1.			ः त्रा.	JE	N AIR	
08:11:54.	HELL	9.00 vd	18.00 yd	P. 00	3.7	n, 00	ALL CO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
****	o Date	1	9,00 90				546.5
04-27-12	oday	1	9.00 yd	80%08	0,0	4.BS 1	31419

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Imitation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is property in a paces the materias in mas lead where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE releaving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewaks, otherways, cuts, etc. by the delivery of this material, and that you also agree to help him remove must from the wheels of his vehicle so that he will not litter the public street. Further, as additional considera-tion, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have asisn out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

$_{\sf GAL}$ X	

WEI	GH	MAS	TEI	R

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER VILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE

LOAD RECEIVED BY:

)
₩.	

CODE QUANTITY 9.00 WELL (10 SACKS PER UNIT) 9.00 WELL 1.50 TRUCKING CHARGE TRUCKING 1.50 **3.00** MIXING & HAULING MIXSHAUL 9.00

DESCRIPTION

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
LEFŢ PLANT	ARRIVED JOB		1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	
			4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	
45	770			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
	•			

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard, charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

reduce of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA025 LAYRON OIL II, 1.1.C 1998 SOUTEREL RO.

1.96/21 LAYRON OIL.

54 प TO 30% प 2.8 मा ता

TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PAB: 13: 41:2 IELI 3.00 yd 18.00 yd 0.00 32 0.00 DATE LOAD # YARDS DEL BATCH# WATER TRIM SLUMP O DATE LOAD # YARDS DEL BATCH# WATER TRIM SLUMP O DATE LOAD # YARDS DEL BATCH# WATER TRIM SLUMP O DATE LOAD # 18.00 yd 20359 6'yd 6, 0 4.00 in FROPERTY DAMAGE RELEASE (TO BE SIGNED & CULTUMENT TO BE MADE INSIDE CURB UNE) DES GOVED & CONTACT MAY CAUSE BURNS. Avoid Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Imitation Persiss, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the CIPIC BEFORE LOADING STARTS. WEIGHMASTER							
TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PO: 13:41: 1 EL I	PRINSYLVANIA NO M 172 TO 360 RD P TO HOUSE, S. OF COUSE						
DATE LOAD # VARDS DEL BATCH# WATER TRIM SLUMP VARDS DEL BATCH# WATER TRIM SLUMP PROPERTY DAMAGE RELEASE Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Skin or Eyes, Flush Thoroughly With Water, if Imitation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMOUNTY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TREEPHONED to the OPPICE BEFORE LOADING STARTS. WARDS DEL BATCH# WATER TRIM SLUMP PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The other of this truck in presenting this Rel.EASE to be truck may possibly cause damage to the premises and/or adjacent property if in places line material in this load where you desire it. It is not when requested that may compare that may conduct to the premises and/or adjacent property, buildings, sidewals, drivways, curbs, etc., by the defirery of this material, and that you does agree to the plant time property in the property of this material, and that you does not property in the premises and/or adjacent property, buildings, sidewals, drivways, curbs, etc., by the defirery of this material, and that you does not not wheeled to this vehicle so also agree to the plant memory must from the wheels of his vehicle so also agree to the plant time property in the premises and/or adjacent property. buildings, sidewals, drivways, curbs, etc., by the defirery of this material, and that you does not	. S						
DATE LOAD # VARDS DEL. BATCH# WATER TRIM SLUMP O DATE O DATE O DATE DATE LOAD # VARDS DEL. BATCH# WATER TRIM SLUMP 1B. UU YO 1B. OU VI 20359 G'YO O.	PLANT/TRANSACTION #						
DATE LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP O DATE PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The other of this truck in presenting this Release to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or additional date of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or and, but in order to do his truck may possibly cause damage to the premises and/or and, but in order to do his truck may possibly cause damage to the premises and/or and, but in order to do his truck may possibly cause damage to the premises and/or and, but in order to do his truck may possibly cause damage to the premises and/or and, but in order to do his truck may possibly cause damage to the provinces and or and, but in order to do his truck may possibly cause damage to the provinces and or and, but in order to do his truck may possibly cause damage to the premises and/or and, but in order to do his truck may possibly cause damage to the provinces and or and the size of the opinion that the size and weight of his truck may possibly cause and weight of his							
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORiginal. INSTRUCTIONS MUST be TRILEPHONED to the OPFICE BEFORE LOADING STRATES. TISL UJ YO 12. 00 vid 20.359 FROPERTY DAMAGE RELEASE (TO BE SIGNED FOULTRY TO DE MADE INSIDE CURB LINE) Dear Customer-The other of this truck in presenting this RELEASE to the promises and/or adjacent to you to your signature is of the opinion that the size and weight of his truck in presenting in this load where you desire & it is not only to out in order to obtain the other in requesting that the view where you desire & it is not order to obtain the other in requesting that the view of the requesting that may occur to the premises and/or adjacent property, buildings, sideralks, directly ways, curbs, etc., by the defivery of this material, and that you does not not be play this remove must from the wheels of his very well wheels of his very the wheels of his very well and the support of the premises and/or adjacent property in the premises and/or adjacent property. Buildings, sideralks, directly ways, curbs, etc., by the defivery of this material, and that you does not	ALL CO						
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Skin or Eyes, Flush Thoroughly With Water, if Imitation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TRILEPHONED to the OPPICE BEFORE LOADING STARTS. 18. COU vid 20359 FROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The other of this truck in presenting this RELEASE to you to your signature is of the opinion that the size and weight of his truck may possibly cause demange to the premises and/or addressed admage to the premises and/or addressed the property if if places line material in this load where you desire £ £ 18 our wish to help you in every way that we can, but in order to do its the other is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property buildings, sidewalks, drivways, curbs, etc., by the defivery of this material, and that you also agree to help thin remove mult from the wheels of his vehicle so also agree to help thin remove mult from the wheels of his vehicle so	TICKET NUMBER						
IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Skin or Eyes, Flush Thoroughly With Water, if Imitation Persists, Get Medical Attention. KEEP CHILDREN ANAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TREEPHONED to the OFFICE BEFORE LOADING STARTS. (TO BE SIGNED IF DELIVERY TO BE MADE (NSIDE CURB LINE) Dear Customer-The other of this truck in presenting this RILEASE to to you to your signature is of the opinion that the size and weight of this truck may possibly cause damage to the premises and/or adjacent properly did places the material in this load where you deside it. It is the driver is requesting that you sign this RELEASE to you deside it. It is found where you deside it is the promises and/or adjacent property, buildings, sidewals, driveways, curbs, etc., by the defivery of this material, and that you also agree to help thin remove must from the wheels of his vehicle so also agree to help thin remove must from the wheels of his vehicle so	31470						
Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMOUNTY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TRILEPHONED to the OFFICE BEFORE LOADING STARTS.	Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X						
CONCRETE AS PERIOSPASCE COMMODUNITY and DECOMES the PROPERTY Of THE PROPERTY O	WEIGHMASTER						
The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in confecting any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. NOTICE AND SUPPLIER FILED WILL NOT BE RESPONSIBLE FO of this truck and this supplier for any and all dearnage to the premises and/or adjacent properly which may be detained by anyone to have	READ THE HEALTH WARNING OR ANY DAMAGE CAUSED						
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Agrenat is Delivered. LOAD RECEIVED BY:							
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50HR. X							
QUANTITY CODE DESCRIPTION UNIT PRICE	EXTENDED PRICE						
9.00 WELL WELL (10 SOCKS PER UNIT) 18.00	•						
9.00 MIXCHAUL MIXING E MAULING 18 00							

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	
	,	_	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	
47	7,70	. .				ADDITIONAL CHARGE 1
TOȚĂL ROUND TRIP	TÔTAL AT JOB	UNLOADING TIME			-, DELAY TIME	ADDITIONAL CHARGE 2
						GRAND TOTAL