KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

COMPLETION FORM

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34494	API No. 15
Name:BECK ENERGY CORPORATION	Spot Description:
Address 1: 4857 HARDING	SE_NE_SE_SE Sec. 3 Twp. 3 S. R. 22 ☐ East ☑ West
Address 2:	714 Feet from ☐ North / 🗹 South Line of Section
City: RAVENNA State: OH. Zip: 44266 +	Feet from ▼ East /  West Line of Section
Contact Person: RAYMOND T. BECK	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 330 ) 297-6891	□ne □nw ☑se □sw
CONTRACTOR: License #_ 33575	County: NORTON
Name: WW DRILLING, LLC.	Lease Name: DEREK KATS Well #: 1
Wellsite Geologist: RICHARD BELL	Field Name: WILGCAT
	Producing Formation:
Purchaser:	Elevation: Ground: 2360 Kelly Bushing: 2365
Designate Type of Completion:	
New Well Re-Entry Workover	Total Depth: 3870 Plug Back Total Depth: 261
Oil wsw swd slow	Amount of Surface Pipe Set and Cemented at: Feet
☐ Gas ☑ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: w/ sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 9800 ppm Fluid volume: 900 bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Dewatering method used: AIR DRY / BACKFILL
Conv. to GSW	Location of fluid disposal if hauled offsite:
Plug Back: Plug Back Total Depth	Education of multi disposal in native offsite.
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R East West
☐ ENHR         Permit #:	County: Permit #:
GSW Permit #:	,
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or confidential for a period of 12 months if rec	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and	regu-
lations promulgated to regulate the oil and gas industry have been fully complied	d with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge.	ge. Confidential Release Date:
BOILERA	Wireline Log Received
Signature: 120 (1. Set)	Geologist Report Received
Title: PRES Date: 5-30.12	ALT [] I [] III Approved by: De Die N 0 4 2012
	KCC WICHIT

Operator Name: BEC	KENERGY CO	RPORATION	Lease N	lame:	DEREK KA	ATS	Well #:1	
Sec. 3 Twp.3	s. R. <u>22</u>	☐ East	County:	NORT	ON	<u></u>		
NSTRUCTIONS: Show me tool open and close ecovery, and flow rates ne Logs surveyed. Atta	ed, flowing and shu if gas to surface te	t-in pressures, whether st, along with final char	shut-in press	ure reach	ned static level,	hydrostatic pressu	ıres, bottom I	nole temperature, f
Drill Stem Tests Taken  (Attach Additional Sheets)  Samples Sent to Geological Survey  Cores Taken  Electric Log Run  Electric Log Submitted Electronically  (If no, Submit Copy)  Yes ✓ No  Yes ✓ No			Log	.og Formation (Top), Dep		Datum	Sample	
		☐ Yes ☑ No		Name	ie		Тор	Datum
		✓ Yes			,			
ist All E. Logs Run:								
		CASIN	G RECORD	✓ New		on etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigi Lbs./	ht	Setting Depth	Type of Cement	# Sacks Used	Type and Perce Additives
SURFACE	12 1/4	8 5/8	24#		261	COMMON	175	3% cc. 2% gel
Purpose:  —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	ADDITION/ Type of Cement	AL CEMENTIN # Sacks		SQUEEZE RECORD  Type and Percent Additives			
Shots Per Foot		ATION RECORD - Bridge Plugs Set/Type cify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth			
			.′					
TUBING RECORD:	Size:	Set At:	Packer At	t:	Liner Run:	Yes No		1
Date of First, Resumed Pi	roduction, SWD or EN	IHR. Producing M	ethod:	g 🔲 (	Gas Lift 🔲 C	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	г В	bls. G	as-Oil Ratio	Gravity
DISPOSITION	N OF GAS:	Open Hole	METHOD OF	COMPLE  Dually (Submit A	Comp. Cor	nmingled	PRODUCT	ION INTERVAL:
(If vented, Subm	nit ACO-18.)	Other (Specify)		(Submit A	(Sub	mit ACO-4)		RECEI

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

JUN 0 4 2012