

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1087385

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # 31486                       |                                       | API No. 15 - 15-125-32231-00-00  |
|---|---------------------------------------|--|
| Name: Horton, Jack                              |                                       | Spot Description:  |
| Address 1: PO BOX 97                            |                                       | SW_SW_SW_NW Sec. 1 Twp. 34 S. R. 14 🗸 East West                              |
| Address 2:                                      |                                       | 2720 Feet from North / ✓ South Line of Section                               |
| City: SEDAN State: KS Zip: 6                    | 7361 + 0097                           | 4980 Feet from ✓ East / ☐ West Line of Section                               |
| a lack Horton                                   |                                       | Footages Calculated from Nearest Outside Section Corner:                     |
| Phone: ( 620 ) 249-4476                         |                                       | □ NE □ NW ☑ SE □ SW  |
| CONTRACTOR: License #31486                      |                                       | County: Montgomery   |
| Name: Horton, Jack                              |                                       | Lease Name: Kurtis Well #: 5   |
| Wellsite Geologist: Fred Jones                  |                                       | Field Name: Wayside Havana   |
| Purchaser:                                      | ,                                     | Producing Formation: Wayside   |
| Designate Type of Completion:                   |                                       | Elevation: Ground: 891 Kelly Bushing: 894                                    |
|   | Workover                              | Total Depth: 730 Plug Back Total Depth:                                      |
| ☑ Oil   | SIOW                                  | Amount of Surface Pipe Set and Cemented at: 20 Feet                          |
| ☐ Gas ☐ D&A ☐ ENHR                              | SIGW                                  | Multiple Stage Cementing Collar Used? ☐ Yes ✓ No                             |
| ☐ og ☐ gsw                                      | Temp. Abd.                            | If yes, show depth set: Feet   |
| CM (Coal Bed Methane)                           | ·                                     | If Alternate II completion, cement circulated from:                          |
| Cathodic Other (Core, Expl., etc.):             |                                       | feet depth to: 730 w/ 78 sx cmt.   |
| If Workover/Re-entry: Old Well Info as follows: |                                       |  |
| Operator:                                       |                                       | Deilling Child Management Disc   |
| Well Name:                                      | · · · · · · · · · · · · · · · · · · · | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Original Comp. Date: Original Total E           | Depth:                                | Chloride content: 0 ppm Fluid volume: 300 bbls                               |
| Deepening Re-perf. Conv. to ENH                 | R Conv. to SWD                        |  |
| ☐ Conv. to GS\                                  | V                                     | Dewatering method used: Evaporated   |
| Plug Back: Plug Ba                              | ck Total Depth                        | Location of fluid disposal if hauled offsite:                                |
| Commingled Permit #:                            |                                       | Operator Name:   |
| Dual Completion Permit #:                       |                                       | -  |
| SWD Permit #:                                   |                                       | Lease Name: License #:   |
| ENHR Permit #:                                  |                                       | Quarter Sec TwpS. R East West  |
| GSW Permit #:                                   |                                       | County: Permit #:  |
|   | 12/2012                               |  |
|   | mpletion Date or completion Date      |  |

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY                                      |
|--|
| Letter of Confidentiality Received                       |
| Date:  |
| Confidential Release Date:                               |
| Geologist Report Received                                |
| UIC Distribution   |
| ALT I I II Approved by: Deanna Garrisor Date: 07/16/2012 |
|  |

Side Two



1087385

| Operator Name: Ho  |                        |                                    | L   | ease Name.           | Kurtis                     |                    | Well #: _ 5                  |   |
|--|------------------------|------------------------------------|---|----------------------|----------------------------|--------------------|------------------------------|---|
| Sec. 1 Twp. 34 S. R. 14 🗸 East 🗌 West  |                        |                                    | West C  | County: Montgomery   |                            |                    |                              |   |
| recovery, and flow ra  | ioseu, nowing and sni  | est, along with f                  | wnetner snut-ir<br>inal chart(s). A                       | n bressure n         | eval attata hadas          | l hydroctotic are  | course ballans               | giving interval tested,<br>hole temperature, fluid<br>ppy of all Electric Wire- |
| Drill Stem Tests Take<br>(Attach Additional                                    | ••                     | Yes                                | ✓ No  | <b>✓</b>             | Log Formati                | on (Top), Depth a  | and Datum                    | ☐ Sample  |
| Samples Sent to Geo  | ological Survey        | Yes                                | ✓ No  | Na<br>Way            | me                         |                    | Тор                          | Datum   |
| Cores Taken<br>Electric Log Run<br>Electric Log Submitte<br>(If no, Submit Cop | •                      | ✓ Yes ✓ Yes ✓ Yes                  | □ No<br>□ No<br>□ No                                      | VVay                 | side                       |                    | 654                          | 237   |
| List All E. Logs Run:  |                        |                                    |   |                      |                            |                    |                              |   |
| Gamma Ray Neutr  | on                     |                                    |   |                      |                            |                    |                              |   |
|  |                        |                                    | CASING RECO   | ORD 🗆                | New 🗸 Used                 |                    |                              |   |
|  |                        | Report all                         |   |                      | ntermediate, produc        | tion, etc.         |                              |   |
| Purpose of String  | Size Hote<br>Drilled   | Size Cas<br>Set (In O              |   | Weight<br>Lbs. / Ft. | Setting<br>Depth           | Type of<br>Cement  | # Sacks<br>Used              | Type and Percent<br>Additives   |
| Surface  | 9.875                  | 7                                  | 18  |                      | 20                         | Portland           | 8                            |   |
| Longstring   | 5.625                  | 2.875                              | 6.5   |                      | 710                        | Portland           | 78                           |   |
|  |                        | AD                                 | DITIONAL CEMI   | ENTING / SO          | UEEZE RECORD               |                    |                              |   |
| Purpose: Depth Type of Ceme  |                        | Comment # Control !                |   |                      | Type and Percent Additives |                    |                              |   |
| Protect Casing Plug Back TD Plug Off Zone                                      | -                      |                                    |   |                      |                            |                    |                              |   |
|  |                        |                                    |   |                      |                            |                    |                              |   |
| Shots Per Foot   | PERFORATION Specify F  | ON RECORD - E<br>ootage of Each In | Bridge Plugs Set/<br>nterval Perforated                   | Туре                 |                            | cture, Shot, Cemen |                              | )<br>Depth  |
| 2  | 654-670                |                                    |   |                      | 6000 lbs sar               | nd                 |                              | 654-670   |
|  |                        |                                    |   |                      |                            |                    |                              |   |
|  |                        |                                    | -   | ·                    |                            | , <u> </u>         |                              |   |
|  |                        |                                    |   |                      |                            |                    |                              |   |
| TUBING RECORD:   | Size:                  | Set At:<br>654                     | Pad   | ker At:              | Liner Run:                 | Yes   ✓ No         |                              |   |
| Date of First, Resumed 7/13/2012   | Production, SWD or ENF |                                    | ucing Method:<br>lowing                                   | mping                | Gas Lift C                 | Other (Explain)    |                              |   |
| Estimated Production<br>Per 24 Hours   | Oil B                  | bis. (                             | Gas Mcf   | Wa                   | ter B                      | ols.               | Gas-Oil Ratio                | Gravity   |
| DISPOSITIO   | ON OF GAS:             |                                    | METHO   | D OE COMP            | ETION                      |                    |                              |   |
| Vented Sold  | Used on Lease          | Open H                             | METHOD OF COMPLETION:  Hole Perf. Dually Comp. Commingled |                      |                            | nmingled 65        | PRODUCTION INTERVAL: 654-670 |   |
| //f vented_Submit ACO 18 )   |                        | Other (S                           | (Submit ACO-5) (Submit ACO-4)                             |                      |                            |                    | 5.7010                       |   |

## STATEMENT

ELMORE'S INC.

Box 87 - 776 HWY99 Sedan, KS 67361 Cell: (620) 249-2519 0m 6-15-12

Cell: (620) 249-2519 Eve: (620) 725-5538

Customer Southwinds Energy
Address Po Box 20
City Section State KS Zip 40361

| Oty.               | <b>Description</b>    | Price  | I Amours   |
|--------------------|-----------------------|--------|--|
| 3                  | h- Cement Pump        | 750,00 | 330,00   |
| 3                  | Ar Water Truck        | 85,00  | 255,00   |
|                    | Boulk Tonk            | 8570   | 85,00  |
| 28                 | SKS Cement            | 10,00  | 780,00   |
|                    | Plug Container        | 5000   | 50,00  |
| _/_                | Rubber Plug           | 25/00  | 7 July 10 July |
|                    | Pye                   | 5,00   | 57 00  |
| 1                  | Calcium Chloride      | 40,00  | 40,00  |
| · Altimote Process |                       |        | 1570 30  |
|                    | Curtis 7              | lax    | 130 31   |
|                    | Comended Long String  |        | 11/02/03/  |
|                    | 700' 21/2 Caston With |        |  |
|                    | 58 SKS Coment 3% Col  |        |  |
|                    | + 20 SKS Next WITH    |        |  |
|                    | SKS Calcium Chloride  | h<br>  |  |
|                    |                       |        |  |
|                    |                       |        |  |

Thank You - We appreciate your husiness!

| Rec'd. | by   |
|--------|--|
| 5.50   | The state of the s |

TERMS: Account due upon receipt of services. A 199% Service Charge, which is an annual percentage rate of 189% will be charged to accounts after 30 days.