


STATE OF KANSAS
 STATE CORPORATION COMMISSION

OR
FORMATION PLUGGING RECORD

Strike out upper line
 when reporting plug-
 ging off formations.

Give All Information Completely
 Make Required Affidavit
 Mail or Deliver Report to:
 Conservation Division
 State Corporation Commission
 800 Bittling Building
 Wichita, Kansas

Ness County. Sec. 31 Twp. 19S. Rge. (E) 25 (W)
 Location as "NE¼NW¼SW¼" or footage from lines. CSE SE NW
 Lease Owner. Bay Petroleum Corporation;
 Lease Name. Gantz Well No. 3
 Office Address. Denver, Colorado.
 Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
 Date well completed. Sept. 29, 19.47
 Application for plugging filed. Sept. 29, 19.47
 Application for plugging approved. Sept. 29, 19.47
 Plugging commenced. 8:00 AM Sept. 29, 19.47
 Plugging completed. 11:00 A.M. Sept. 29, 19.47
 Reason for abandonment of well or producing formation. Dry Hole



Locate well correctly on above
 Section Plat

If a producing well is abandoned, date of last production. 19.
 Was permission obtained from the Conservation Division or its agents before plugging was com-
 menced? Yes.

Name of Conservation Agent who supervised plugging of this well. Mr. Kerr.
 Producing formation. Depth to top. Bottom. Total Depth of Well. 4615 Feet
 Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
		0	1080'	8 5/8"	1080	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

4615' to 300' - Heavy Rotary Mud.
 300' to 298½' - Wooden Plug
 298½' to 248½' - Crushed rock and 15 sax cement.
 248½' to 40' - Heavy Rotary Mud.
 40' to 38½' - Wooden Plug.
 38½' to 13½' - Ten sax cement.
 13½' to Surface - Cellar.



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to. Bay Petroleum Corporation,
 Address. Box, 513, Chase, Kansas.

STATE OF Kansas COUNTY OF Rice, ss.
 Lewis Hedrick (employee of owner) or (owner or operator) of the above-described well,
 being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above
 described well as filed and that the same are true and correct. So help me God.

(Signature) *L. Hedrick*
 (Address)

SUBSCRIBED AND SWORN to before me this 14 day of November, 1947.
 Vincent C. Gray Notary Public.

My commission expires May 20, 1950
PLUGGING
 FILE SEC 31 T 19 R 2W
 BOOK PAGE 137 LINE 27

WELD LOG BUREAU * KANSAS GEOLOGICAL SOCIETY
412 Union Nat'l Bk. Bldg, Wichita, Kans.

Company: Chalmette Pet. Corp. & Potash Co. of
Farm : Gantz No. 3 America.

SEC. 31. T. 19 R. 25W.
SEC NW.

Total Depth: 4615'
Comm: 9-10-47. Comp: 9-29-47
Shot or treated
Glen Peel Erlg. Co. Inc.
Issued. 10-25-47

County: Ness
Kansas


CASING:
8 5/8" 1094' Com.

Elevation. 66666

Production: Dry.

Figures indicate bottom of formations.

Surface clay and shale	200	shale and lime	3643
shale and shells	550	lime	3671
sand	635	shale and lime	3779
sand and shale	730	lime	3909
shale and shells w/sand		lime and shale	3947
strks	885	lime	4489
shale	940	lime and shale	4546
sand	955	chert	4558
shale w/sand strks	1010	conglomerate	4578
shale	1025	dolomite	4615
sand and shale	1050	Total Depth	
shale	1081		
red bed	1204		
anhydrite	1232	TOPS:	
shale and shells	1280	Lansing	3922
sand and shale	1660	Conglomerate	4544
shale and shells	1813	Mississippi	4572.
anhydrite	1821		
shale	1835		
lime	2225		
shale	2490		
lime and shale	2540		
anhydrite w/ shale strk	2640		
shale and lime	2700		
lime cherty	2715		
lime and shale	2850		
lime	2890		
lime and shale	3065		
lime w/shale strks	3135		
shale w/line strks	3220		
lime brwn and shale	3290		
lime and shale	3376		
shale and lime brwn	3450		
shale	3473		
lime brwn and shale	3581		



PLUGGING
FILE SEC. 31 T. 19 R. 25W.
BOOK PAGE 137 LINE 27