

## Kansas Corporation Commission Oil & Gas Conservation Division

1088202

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32/10	API No. 15
Name:Laymon Oil II, LLC	Spot Description:
Address 1:1998 SQUIRREL RD	NW_SW_NW_NW_Sec. 8 Twp. 24 S. R. 16 ▼ East West
Address 2:	
City: NEOSHO FALLS State: KS Zip: 66758 +	
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>620</u> ) <u>963-2495</u>	NE NW ZSE SW
CONTRACTOR: License #32710	County: Woodson
Name:Laymon Oil II, LLC	
Wellsite Geologist: None	
Purchaser:	Producing Formation: squirrel
Designate Type of Completion:	Elevation: Ground: 1071 Kelly Bushing: 1076
✓ New Well Re-Entry Workover	Total Depth: 1160 Plug Back Total Depth:
☑ Oil □ wsw □ swd □ sid	40
☐ Gas ☐ D&A ☐ ENHR ☐ SIG	Multiple Stage Cementing Collar Used? Yes V No
☐ OG ☐ GSW ☐ Ter	np. Abd. If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	W SX ONL
Operator:	
Well Name:	Drilling Fluid Management Plan  (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 80 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Co	my to CM/D
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total De	pth Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
☐ ENHR Permit #:	· · · · · · · · · · · · · · · · · · ·
GSW Permit #:	County: Permit #:
06/11/2012 06/13/2012 06/13/2012	
Spud Date or Date Reached TD Completion Date	nte or

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
✓ Wireline Log Received	
Geologist Report Received	
UIC Distribution	
ALT I I III Approved by: Deanna Gerrison Date: 07/27/2012	1

Side Two

1088202

Operator Name: Layr	non Oil II, LLC	·	Lease Name:	McHone		_ Well #:3-1	12	······································
Sec. 8 Twp. 24	s. R. <u>16</u>	✓ East ☐ West	County: Wo			·		
time tool open and clos	ed, flowing and shu s if gas to surface te	d base of formations pen it-in pressures, whether s est, along with final chart( well site report.	hut-in pressure re	ached static level	hydrostatic pres	sures, bottom h	nole tempe	rature, fluid
Drill Stem Tests Taken (Attach Additional Si	heets)	Yes No		Log Formatio	n (Top), Depth ar	nd Datum	. Sa	ample
Samples Sent to Geological Survey		Yes 🗸 No	Nai Attac			Top Attached		atum ached
Cores Taken		Yes No	Allac	ileu		Attached	Alle	201100
Electric Log Run Electric Log Submitted (If no, Submit Copy)	Electronically	✓ Yes  No ✓ Yes  No						
List All E. Logs Run:								
Gamma Ray Neutror	1							
		CASING	RECORD 7	lew Used				
		Report all strings set-o	1	<del></del>	<del></del>	T	T _	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		nd Percent ditives
Surface	10.2500	5.6250	24	40	Portland	10		
Production	6.1250	2.8750	7	1150	common	160		
	<u> </u>	ADDITIONAL	CEMENTING / SC	UEEZE RECORD				
Purpose:  —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives				
Protect Casing Plug Back TD	-							
Plug Off Zone	-							
Shots Per Foot	PERFORATION	ON RECORD - Bridge Plug	s Set/Type	Acid, Fra	cture, Shot, Cemen	t Squeeze Record	d	
Shots Per Pool		Footage of Each Interval Pert			mount and Kind of Ma			Depth
								· · ·
			<del>-</del> ·					
			· · · · · · · · · · · · · · · · · · ·					<del>-</del> .
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed P	roduction, SWD or EN	HR. Producing Meth	nod:	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil I	Bbls. Gas	Mcf Wa	iter B	bls. (	Gas-Oil Ratio		Gravity
DISPOSITION	N OF GAS:	ħ.	METHOD OF COMPL	FTION:		PRODUCTIO	ON INTERV	Δ1 ·
Vented Sold	Used on Lease		Perf. Dual	ly Comp. 🔲 Cor	nmingled			11
(If vented, Subn		Other (Specify)	(Submit	ACO-5) (Sub	mit ACO-4)			

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	McHone 3-12
Doc ID	1088202

## Tops

37. 1 L. A

Tops		
Xemis	36	<b>363</b>
Soil	0	5
Lime	6	30
Shale	30	45
Lime	45	60
Shale	60	200
Lime & shale	200	420
Lime	420	510
Shale	510	560
Lime	560	700
Shale	700	820
Lime & Shale	820	1020
Shale	1020	1030
Upper Squirrel Sand	1030	1042
Shale	1042	1075
Cap Rock	1075	1076
Shale	1076	1078
Cap Rock	1078	1079
Lower Squirrel Sand	1079	1083
Shale	1083	1160

DHOME: (620) 365-2201 IOTH KS 66749 P.O. BOX 805 NOSIGUA 'N 102 THE MEW KLEIN LUMBER COMPANY

DOC# 520072 TUNNON DIF II 0 3:28 21/17 HEL TOLH OF MONTH 3447 **DATE** CLERK SMRBT . BELEBENCE CUSTOMER NO. JOB NO. PURCHASE ORDER NO.

Kice 4-13 10 packed 10 01 Willson 1-12 - 10 socks 5'932'00 3"42 \EU 300 PORTLAND CENENT Эd ₽3 STINU MOTTROOM DESCRIPTION OBDEBED NW EXTENSION PRICE/PER **SKN** CHIPPED 520872 OKDK MOI JOLAL TOLA : XAT \*\*\*\*\* Ó MEDZHO LUTTE . KR PPLZB \* OFDER DEL. DATE: 2/ 1/12 TERM# 1 \*\*\*\*\*\*\*\* 1996 SOUTRREL RD

\*\* DULLENT RECEIVED \*\* **BECEINED BA** \*\* BUTUNCE DIE \*\* \*\* DEDOZIL UNOUNT \*\* \*\* OKDEK \*\* OKDEK \*\* OKDEK \*\* OKDEK \*\* OKDEK \*

00.0

TINUOMA XAT

5932, 60

68 "2208 545,39

5932\*00

00.0

TAXABLE

0.00 NON-TAXABLE

JATOTAUS 65.570,5

TINUOMA JATOT

T DN 398d

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

1.87 \*\*:



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road. under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for threath set under the presence of contents. strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete his contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAMOS LAYNON OIL II. L.I.F. 1998 SOUTRREL RU.

> MEDSHO FALLS YS THE THE

L35/7 LAMON DIL 54 N TO MILLOW M 4,85 ML TO 180TH W 7 MI 1 CD LEASE MELITINE MELLING 12

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				: LUL	1-13	% A1F	
194:32:41p	HELL	8.00 70	16.00 yd	5,60	. 35	F. 187	rinerice
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	n Dete	-	46.00 ya				
DE 13-12	Today -	,	8.00 yd	29959	8/yd 0.0	4,00 in	31636

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer. The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premisbe and/for adjacent property if it places the material in this load where you destre it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE reflexing him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curst, etc. by the delivery of this material, and that you also agree to help him remove must from the wheets of his vehicle so that has all or the three which ever the text is additional consideranthat he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

QUANTITY	CODE	DESCRIPTION	•		UNIT PRICE	EXTENDED PRICE
	•					7.4.
8.00	UELI.	WELL (10 !	BACKS PER UNIT)	0.00	51.00	468.00
3.00	14TX&HAUL	MIXIMB & H	HAULING	8.06	25.00	200.00
₹. ୭୭	TRUCKING	TRUCKING (	CHARGE	1.00	50.00	120.86

RETURNED TO PLANT	LEFT JOB *	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	]
LEFT PLANT	ARRIVED JOB	START UNLOADING	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE	ibTotal \$ 708.00 b: % 7.300 51.68 ital \$ 759.68 Ider \$ 759.68
1-71	. ^\					ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
,						GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, strubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract an result in the filling of a mechanic's lien on the property which is the subject of this contract.

LA005 LAYMON DIL II, L.L.C. 1998 SQUIRREL RD.

LHO. 7 LAMON DIL 54 W TO HILLOW H 4.85 BT TO 180TH H 7 MI 5 .50

	NEO	SHO FALLS KS		LEASE	MICHORE VELLES	3-17		
		66758	**					
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #	
				X CAL	MA	# AIR		
04:38:58p	PELL	8.00 yd	16.00 ya	一点,09	35	0.00	400DC0	
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER .	
	o Date	6	48.00 yd				> 4 24 thz.	
06-13 13	oday	8	16.00 yd	< . 50360 . 50360	5/yd 0.0		31835	
IDDITA	WARNING			PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)		Excessive Water is Detrimental to Concrete Performance H <sub>2</sub> O Added By Request/Authorized By		
Contains Portland Cemen	IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear rubber solts and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Byes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical		you for your signature is of the opi	nuck in presenting this RELEASE to hilon that the size and weight of his e to the premises and/or adjacent	GAL X			
CAUSE BURNS, AVOID C Contact With Skin or Eye Attention, KEEP CHILDRI			I must wish to help your introduct way	e to the premises and/or adjacent this toad where you desire it. It is that we can, but in order to do this	I WEIGHWAJER			
CONCRETE IS A PERISHABL	E COMMODITY and BECOMES the PROF CHANGES OR CANCELLATION of ORIG E BEFORE LOADING STARTS.	PERTY of the Purchaser upon Sinal instructions must be	this supplier from any responsibility to the premises and/or adjaces driveways, curbs, etc., by the deli-	gn this RELEASE relieving him and y from any demage that may occur nt property, buildings, sidewalks, twenty of this material, and that you of fruff the wheels of his vehicle so				
The undersigned promises to any sums owed.  All accounts not paid within 30	o pay all costs, including reasonable afford O days of delivery will bear interest at the rat	te of 24% per annum.	that he will not litter the public stre tion, the undersigned agrees to ind of this truck and this supplier for a and/or adjacent property which m	et. Further, as additional considera- emnify and hold harmless the driver my and all damage to the premises ay be claimed by anyone to have	NOTICE AND SUPPLIER WI WHEN DELIVERING INSIDE CL	LL NOT BE RESPONSIBLE	READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED	
Not Responsible for Reactiv Material is Delivered.	re Aggregate or Color Quality. No Claim	n Allowed Unless Made at Time	artsin out of delivery of this order. SIGNED		LOAD RECEIVED BY:			
A \$25 Service Charge and Excess Delay Time Charged (	Loss of the Cash Discount will be colle	cted on all Returned Checks.	X	7	X	<u></u>	1 ;	
QUANTITY	CODE	DESCRIPTION		*	<u> </u>	UNIT PRICE	EXTENDED PRICE	
<del> </del>		2	1 - a - 1 - a					
8.00	WELL		ACKS PER UNI	T) *-	16.90	51.00	408.00	
8.00	MIXAHAUL	MIXING & P	HAULING .		16.00	25.00	୍ ଅବସ. ଓଡ଼	
				يعفد		•	•	

			<u> </u>	*****		
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	
			JOB NOT READY     SLOW POUR OR PUMP     TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	, T	httotal \$ 608.00 kg % 7.300 kg % 52.38
LEFT PLANT	ARRIVED JOB	x START UNLOADING	CONTRACTOR BROKE DOWN     ADDED WATER	9. OTHER * ,	THE DOL	Dtal 1 652.38 der t 1412.06
-1	521			,		ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
						GRAND TOTAL