

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1087887

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210	API No. 15 - 15-031-23215-00-00
Name: Birk, Edward E.	Spot Description:
Address 1: _ 302 S 16TH ST	SE_SE_SW_NW Sec. 28 Twp. 22 S. R. 17 Fast West
Address 2:	
City: BURLINGTON State: KS Zip: 66839 + 2329	4125 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Edward E Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>620</u> ) <u>364-2745</u>	□ne □nw ☑se □sw
CONTRACTOR: License #_8210	County: Coffey
Name: Birk, Edward E.	Lease Name:WestWell #:
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel Sand
Designate Type of Completion:	Elevation: Ground: 1054 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 981 Plug Back Total Depth: 981
✓ oil www swd slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A DENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 965
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	100 topul to 0x of the
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 0 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used: Evaporated
Conv. to GSW	Dewatering method used
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
■ ENHR         Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
04/02/2012 04/04/2012 04/04/2012	
Spud Date or Date Reached TD Completion Date or	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Deanna Garrison Date: 07/26/2012

Side Two



Operator Name: Birk	k, Edward E.		Lease	Name: _	vest		Well #: <del>b1</del>	<del></del> -	
Sec. 28 Twp.22	s. R. <u>17</u>	✓ East	t Count	y: Coffe	у				
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rate line Logs surveyed. A	osed, flowing and shu es if gas to surface te	it-in pressures, whe est, along with final	ether shut-in pre	ssure reac	hed static level,	hydrostatic pres	ssures, bottom I	nole temp	erature, fluid
Drill Stem Tests Taker		☐ Yes 🗸	No	□ Lo	og Formatio	n (Top), Depth a	nd Datum	₹:	Sample
,	,	☐ Yes 🗸	No	Name			Тор		Datum
Samples Sent to Geological Survey  Cores Taken  Electric Log Run  Electric Log Submitted Electronically  (If no, Submit Copy)		Yes Y  Yes Y  Yes Y	No No	Squirre			965	+,	73
List All E. Logs Run:									
			ASING RECORD		_	ion etc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	We	eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface casing	9.875	7.0	17		40	Portland	14	Calciu	
Long string	6.125	2.875	6.5	-	965	Portland	120		
		ADDI	TIONAL CEMENT	TING ( COL	IEEZE DECORD				
Purpose: Perforate	Depth Top Bottom	Type of Ceme	T .	ks Used	DEEZE RECORD	Type and	Percent Additives	<b>S</b>	
Protect Casing Plug Back TD	-							··· ·	
Plug Off Zone	-								<del> </del>
Shots Per Foot		ION RECORD - Brid Footage of Each Inte		e		cture, Shot, Ceme mount and Kind of I		rd	Depth
0	Open Hole 965-9	81			Frac w/40 s	sand			965-981
							<del>-</del>		
TUBING RECORD:	Size:	Set At:	Packer	At:	Liner Run:	Yes N	lo		I
Date of First, Resumed 04/28/2012	Production, SWD or Ef		ing Method: wing 🗸 Pump	oing	Gas Lift (	Other (Explain)			
Estimated Production Per 24 Hours	Oil 1	Bbls. Ga	s Mcf	Wat	er B	bls.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:		METHOD (	OF COMPLE	ETION:		PRODUCT	ON INTER	IVAL:
Vented Solo		Open Hole		_	Comp. Co	mmingled			
(If vented, Su	ibmit ACO-18.)	Other (Sp	ecify)	(Submit )	(Sub				

EDWARD E BIR 302 SOUTH 16TI BURLINGTON, 620-364-1311 - O CHARGE TO ADDRESS LEASE & WELL KIND OF JOB DIR. TO LOC.	WELL CEMENTING	1/12 
QUANTITY	MATERIAL USED	SERV. CHG
120 Sx	Portland Cement	
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	
T.D. 981	CSG. SET AT 965 VOLUME	
	TBG SET AT VOLUME_	
		1
PLUG DEPTH	PKER DEPTH PLUG USED	
TIME FINISHED		
REMARKS: C	Innect to pipe. Primp Cement into Well. Gog Job complete	darc. to

FAWARD BIRK Ed Birks OWNER'S REP.

NAME

CEMENTER OR TREATER

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

## Payless Con

EXTENDED PRICE

SOLD TO: BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

## **BURLINGTON KS**

JE & COOPERATIVE VENTURES 58-W TO WAYSIDE N 1 MI TO 5TH north past tanks

. 1			66839	1746	Y UEASE:	- WELD SEED .	- B	<u> </u>
	TIME	FORMULA	LOAD SIZE	YARDS ORDERED	<b>*</b>	DRIVER/TRUCK	<b>,</b>	PLANT/TRANSACTION #
,	. 4	WĚLL	12.00 vd	12.00 va.s	- X CAL	JE	% AIR 0.00	COFCO - 5
	DATE	I II have bridge by	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	04-04-12	o Date	2 1	24.00 yd 1 12.00 yd 1	120083	6/yd <b>0.</b> 0		31275
			•	Maymanam M	MAE DOLEADO -	- Fycessive-Water	is Detrimental to Conci	ete Performance

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Coment Wear Rubbe Boom Protonged Contact With Skin. In Case of Contact With Skin or Eyes, Rush Thoroughly With Water, If Irritation Persists, Gel Medical Attention; KEEP CHILDREN AWAY.

CONCRETE IN A PERISHABLE COMMODITY AND BECOMES the PROPERTY of the PURCHASER UPON-LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHOMED to the OFFICE BEFORE LOADING STARTS.

The underligned promises to pay all costs, including reasonable attorneys' fees, incurred in columny sums owed.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Excess Daley Time Charged @ \$50HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVER LID SE MADE INSIDE CURB LINE)

-H<sub>2</sub>0 Added By Reguest Authorized By

UNIT PRICE

QUANTITY	CODE	DESCRIPTION	1	
12.00 12.00 2.50	WELL MIX&HAUL TRUCKING	WELL (10 SAC MIXING & HAD TRUCKING CHO		12.00 12.00 2.50

12.00 WELL	WELL (10 SACKS PE	R UNIT)	12.00	=>5p.00° 612.00°
12.00 MIXAHAUL	MIXING & HAULING		12.00	25.00 300.00
2.50 TRUCKING	TRUCKING CHARGE	د ساسم که	2.50	50.00 125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		ibTotal \$ 1037.00 Tax % 6.300 .65.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	Total \$1 1102.33
1010	MU		A. A.		oder \$ , 1102.33
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
				11	GRAND TOTAL