## KANSAS CORPORATION COMMISSION SIP Test ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST Type Test: (See Instructions on Reverse Side) 15-119-21058-00-01 Open Flow Test Date: Deliverability 12-23-11 Lease Well Number **CIMARRON** ENÉRVESGT OPERATING, LLC. 2-22 County TWP ANG (E/W) Section Acres Attributed Location MEAD 990FNL&1650FEL 22 34S 30W Gas Gathering Connection Field Reservoir ADAMS RANCH MORROW/CHESTER DUKE Completion Date Plug Back Total Depth Packer Set at 9-26-01 6330 NONE Casing Size Weight Internal Diameter Set at Perforations 5.5 4.950 6383 5850-5922 5944-5964 15.5 **Tubing Size** Internal Diameter Set at Weight Perforations 2.375 1.995 6025 4.7 Type Completion (Describe) Type Fluid Production Pump Unit or Traveling Plunger? Yes / No COMINGLED GAS WATER/COND. YES-PUMP Producing Thru (Annulus / Tubing) % Carbon Dioxide % Nitrogen Gas Gravity - G ANNULUS .708 Vertical Depth(H) Pressure Taps (Meter Run) (Prover) Size **FLANGE** 5907 3.068" at 0915 0915 12-22-11 12-23-11 Pressure Buildup: (AM) (PM) Taken \_ (AM) (PM) Well on Line: Started \_ (AM) (PM) Taken (AM) (PM) 24.0 **OBSERVED SURFACE DATA** Duration of Shut-In Hours Circle one: Prassura Tubing Static / Orifice Flowing Well Head Liquid Produced Meter Differential Wellhead Pressure Wellhead Pressure Duration Temperature Dynamic Size Temperature Prover Pressure (Hours) (P, ) or (P, ) or (P, $(P_{+}) \propto (P_{1}) \propto (P_{2})$ (Barrels) Property (Inches) t t psig (Pm) Inches H.O. psig psig psla Shul-In 24.2 38.6 24.0 Flow **FLOW STREAM ATTRIBUTES** Flowing Flowing Plate Press Gravity Deviation Metered Flow GOR Meter or Coefficcient Extension Temperature Fluid Factor Factor (Cubic Feet/ (F<sub>b</sub>) (F<sub>b</sub>) Mold Prover Pressure Factor Gravity ✓ P<sub>m</sub>xh (Mcfd) Barrel) psla G, (OPEN FLOW) (DELIVERABILITY) CALCULATIONS $(P_{*})^{2} = 0.207$ $(P_{x} - 14.4) + 14.4 =$ $(P_a)^2 =$ Choose formula 1 or 2 Backpressure Curve Open Flow (P.)2 - (P.)2 LOG of 1. P.2-P.2 Stope = "n" formula n x LOG Deliverability ---- or----Antilog 2. P.2. P.2 1, or 2. Equals R x Antillog (P\_)2 · (P\_)2 Assigned and divide P.2. P.2 (Mc(d) divided by: P2-P2 Standard Slope Open Flow McId @ 14.65 psia Deliverability Mcfd @ 14.65 psia The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 23 day of DECEMBER RECEIVED Picuisian Wileline & Testing IAN 0 6 2012 Mark & Burch Checked by

\_\_\_JAN 0 6 2012

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator ENERVEST OPERATING, LLC
and that the foregoing pressure information and statements contained on this application form are true and
correct to the best of my knowledge and belief based upon available production summaries and lease records
of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.  I hereby request a one-year exemption from open flow testing for the CIMARRON 2-22
gas well on the grounds that said well:
(Check one)
is a coalbed methane producer
is cycled on plunger lift due to water
is a source of natural gas for injection into an oil reservoir undergoing ER
is on vacuum at the present time; KCC approval Docket No
is not capable of producing at a daily rate in excess of 250 mcf/D
I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
Date: January 3, 2012
Signature: Mancy Sardner  Title: Regulatory Analyst

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

> At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

> The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.