KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:				(;	See Instruct	ions on Re	verse Side)					
Op	ел По	w			T D				ADLA	1- 4F				
√ De	diverab	ilty			Test Date 12/27/20					lo. 15 20475 - O	D-00			
Company Claasse		and Ga	as, Inc.				Lease Fair		•		#2-36	Well Nur	nber	
County			Locati C-SW-	=	Section 36		TWP 30S		RNG (E/W) 34W		•	Acres At 640	cres Attributed i40	
Field	****				Reservoir					ering Conne				
Victory Completion Date				Morrow/Atoka Plug Back Total Depth				Packer Se	ield Servic					
2/24/1988				5389				None		- A				
Casing Size 4 1/2			Weigh 10.5		Internal Diameter 4.052		Set at 5622		Perforations 5261		то 5354			
Tubing Size 2 3/8		_	Weight 4.7		Internal Diameter 1.995		Set at 5308		ations	To 5211				
Type Cor	npletio	n (Des				d Production		<u> </u>		t or Traveling	Plunger? Yes	/ No		
commir					water		<u> </u>		Pump t		00			
annulus	_	(Annu	lus / Tubin	3)	% C	arbon Dioxi	ep		% Nitroge	n	Gas G	ravity - G	å	
Vertical D		1)				Pres	sure Taps	······································			(Meter	Run) (Pr	over) Size	
Pressure	Buildu		nut in	272	0 11 at 1	:15	(AM) (PM)	Taken 12	2/28	20	11 2:00	(AM) (PM)	
											at (AM			
						ORSERVE	D SURFAC	F DATA			Duration of Shut	_{ldn} 24	Hours	
Static /	Orifi		Circle one:	Pressure	Flowing	Well Head	Cas	sing	1	bing		1		
Dynamic Size		Meter Prover Pressun		Differential ire in	Temperature		perature (P.) or (P.) or				Duration (Hours)		Liquid Produced (Barrels)	
Property	(inca	nches) psig		Inches H ₂ 0	<u> </u>		psig	psia	psig	psia		+		
Shut-In	.75						65		52			↓		
Flow							<u> </u>		<u> </u>			<u> </u>		
						FLOW STE	REAM ATTE	RIBUTES						
Plate Coefficeient		Circle one: Meter or Prover Pressure		Press Extension	Grav Fac	tor	Flowing Temperature Factor		eviation Metered Fl Factor R		(Cubic F	eet/	Flowing Fluid Grevity	
(F ₆) (F Mole			psia	√ P _m xh	F,	•	F,		F _p ,	(Mcfd)	Barrel)	G.	
					•	OW) (DELIV		•			-) ² = 0.20) 7	
(P ₀)² ⇒	<u>_</u>	:	(P _w)² =	Choose formula 1 or 2:	P _d =			P _a - 14.4) +	T	:	(P _a	') ₅ =		
(P _a) ² - (P _a) ²		(P,)°- (P_)²	1. P _c ² -P _s ²	LOG of formula		Backpressure Curve Stope = *n*		l n x ti	og	Antilon	Open Flow Deliverability		
$(P_{\underline{a}})^2 \cdot (P_{\underline{a}})^2$				2. P2-P2	1, or 2, and divide	P. 7 - P. 2	z p z Assign		-		Antilog		Equals R x Antillog (Mcfd)	
				divided by: Pc - P	ty:		Stant	dard Slope				+		
					 				_			 		
		_												
Open Flo)W			Mcfd @ 14.	65 psia		Delivera	bility			Mcfd @ 14.65 ps	sia		
		•	•		, ,		•		_		ort and that he h			
the facts s	stated t	herein,	, and that s	aid report is true	and correc	t. Executed	this the $\frac{3}{2}$	Oth	day of _De	ecember			20 11	
(In	NOL.	R.	<u>Ulou</u>	WALL HAND				Dani	il R	Claare	Company		EIVED	
				- 								JAN	0 3 2012	
			For Comr	nission						Cha	cked by	CC N	VICHITA	

exempt and that correct to of equip	status under Rule K.A.R. 82-3-304 on behalf of the operator Claassen Oil and Gas, Inc. It the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records ment installation and/or upon type of completion or upon use being made of the gas well herein named.
gas well	l on the grounds that said well:
	(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D rther agree to supply to the best of my ability any and all supporting documents deemed by Commission necessary to corroborate this claim for exemption from testing.
Data∗ 1	2/30/2011
Date	
	Signature: Daniel R Clause
	Title: President

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

JAN 03 2012