

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1084597

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 - 15-059-25741-00-00
Name: Haas Petroleum, LLC	Spot Description:
Address 1: 11551 ASH ST., STE 205	NW_SE_SW_SW_Sec. 5 Twp. 16 S. R. 21 ▼ East West
Address 2:	
City: LEAWOOD State: KS Zip: 66211 +	895 Feet from East / West Line of Section
Contact Person: Mark Haas	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 499-8373	□NE □NW □SE ØSW
CONTRACTOR: License #_ 33557	County: Franklin
Name: Skyy Drilling, LLC	Lease Name: W-Lidikay Well #: 22
Wellsite Geologist: NA	Field Name:
Purchaser:	Producing Formation: Squirrel Sandstone
Designate Type of Completion:	Elevation: Ground: 968 Kelly Bushing: 0
✓ New Well	Total Depth: 740 Plug Back Total Depth:
✓ Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: 22 Feel Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feel If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/sx cmt
Operator:	
Well Name:	Orilling Fluid Management Plan (Date must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid votume: 0 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R East West
ENHR Permit #:	County: Permit #:
GSW Permit #:	Pernit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promutgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received Date:06/14/2012
Confidential Release Date:
✓ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: NAOMI JAMES Date: 06/21/2012

Side Two



Operator Name: Haas	s Petroleum, LLC	<u> </u>		_ Lease I	Name: _\	N-Lidikay		_ Well #:22		
Sec. 5 Twp. 16	s. R. <u>21</u>	✓ East		County	Frank	din				
INSTRUCTIONS: Shortime tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shut if gas to surface te	i-in pressu st, along v	rres, whether si vith final chart(s	nut-in pres	sure read	hed static level.	hydrostatic pres	ssures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional St	neats)		es 📝 No		□L(og Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geolo	gical Survey	□ Ye	es 🗸 No		Nam	9		Тор	ı	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy) List All E. Logs Run:	Electronically	☐ Ye	s 🔲 No		N/A					
Gamma Ray										
		Dona	*******	RECORD	√ Ne	_				······································
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	Wel	ght	rmediate, production Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	9.8750	7		17		22	Regular	35		
Longstring	5.6250	2.8750		23		740	Poz Mix	110	50/50	
_		<u> </u>	ADDITIONAL	CEMENTI	NG / SQL	EEZE RECORD				
Purpose: Perforate Protect Casing	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives		
Plug Back TD Plug Off Zone	-									
	<u> -</u>									
Shots Per Foot	PERFORATIO Specify F	ON RECOR	tD - Bridge Plug Each Interval Perl	s Set/Type forated			cture, Shot, Ceme	nt Squeeze Recor	d	Depth
2	669.0 to 678.0									
				·						
THEIN'S DESCRIPTION	Class	0-1.1								
TUBING RECORD:	Size:	Set At:		Packer A	AC:	Liner Run:	Yes N	0		
Date of First, Resumed P	Production, SWD or EN	HR.	Producing Meth	nod: Pumpin	ng 🗆	Gas Lift 🔲 O	ther (Explain)			
Estimated Production Per 24 Hours	Oil (Bbls.	Gas	Mcf	Wate	er Bi	bis.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:		R.	METHOD OF	COMPLE	TION:		PRODUCTION	ON INTER	Ν/ΔΙ ·
Vented Sold	Used on Lease			Perf.	Dually	Comp. Con	nmingled	PRODUCII	NIA HAI EK	· V/IL.
(if vented, Subn	nit ACQ-18.)	1 0	Ther (Secolar		(Submit A	4GC+0) (Subi	nit ACO-4)			

SKYY DRILLING LLC

DAILY DRILLING REPORT

LEASE NAME LA	+ 12	10	DA	TE 2-6	20 /2_
LEASE NAME LA	7 6.71	ken	LOCATION	FEL/FWL	FSL/FNL
WELL NO. 224	PRICE N	· ^	SECTWPR	(FROM SECTION LINE)	
				CONUTY	
FORMATION	FROM	1 TO	FIRST TOWER:	HOURS WORKED	
Soul	_		DRILLER:	·	
day	6	4	TOOL DRESSER;		
unei	4	lle	REMARK:		····
Shake	16	24	topoel sand 394 to	52.5	
line	24	29	oil sound stop 525	to 529	
coal	29	43	Shale 529 to 530	10 54	
line	43	50	Line 530 to 559		
red bud	50	9.0	shak 559 to 565		
stale	90	93	lume 565 to 573		
une	93	118	shale 573 to 577	*	
Shak	811	136	line 577 to 591		
line	136	214	The state of the s		
shale	214				
FORMATION		TO			
line		241	SECOND TOWER:	HOURS WORKED	
shake			DRILLER:		
ine	712	21-0	TOOL DRESSER:		
shale			REMARK:		
ine		268			
shale.	268		line 626 to 637		
line	297	297	Shale 637 to 647		
shale			line 647 to 670		
•	302	208	top ail sand 670 to 6	[
ind)	1 ~1	327	oil + sand shale 671 to	675	
ine	327	336	gray snak woi sand	675+0678	
Shall	336	337	shale 678 to 679		
	339	381	lab. II & SII &		
ane		383	Will Drilled 750'	·	
shall	383	394			



Consolidated ou was sanker, les

TICKET NUMBER	<u>36487</u>	· ·
LOCATION OHIGH	a KS	
FOREMAN Fred M	Na der	• ;

PO Box 884, Chanute, KS 66720 620-431-9210 or 600-467-8676

FIELD TICKET & TREATMENT REPORT

620-431-9210 or 800-467-8676	CEME	NT			• • • •
DATE CUSTOMER#	WELL NAME & NUMBER	SECTION	. TOWNSHIP	RANGE	COUNTY
2/20/12 3451	W Lidikas # 20	NW 5	/6	21	FR.
COSTOMER HOLES POLYA LEU	d				No.
MAILING ADDRESS	<u>~</u>	TRUCK#	DRIVER	TRUCK#	DRIVER
800 w 47 th s	th Ste 716	506	FREMAD	Sataly 1	the "
	STATE ZIP CODE	495	HARBEC	Af B	Z
. · · · I	ard .	369	DERMAS.	.pm	
Kansas City	Mo 69112	503	DAUGAR	DØ	
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	HOLE SIZE 5 78 HOLE DEP	тн <u>э 40′</u>	_ Casing Size & W	EIGHT 276"	EUF
	DRILL PIPETUBING		<u> </u>	OTHER	
•	SLURRY VOL WATER ga	VsK	CEMENT LEFT In	CASING_之名 ^じ	Plue.
DISPLACEMENT 40 YBBL	DISPLACEMENT PSI MIX PSI	<u> </u>	RATE CBDW	(0
REMARKS: Establish	pump rate mixx	Puma 100	# Premium	Gol Flus	
Mixx Pump	110 sks 50/50 Pa	e voix Co	emust 2%	Col Co	mont
to surface	Flush Duma + In	es clean.	Displan	、 った * Þ.	bha.
Dug to cas	MG TO PIESSUVE	. Ha Rab	# 'DC' = 5.	10000	700-25
DyEssure to	Lex float Value.	Shat N	CO SM	TERRO	
			7		·
			-1		_ ,
••			7	. 0	
Company Tool	<u>/s</u> .		Fuely	assien_	 -
			 		-

CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	· <u> </u>	PUMP CHARGE 495		10200
9025	20	MILEAGE 495		80
5402	729	Casin footage	,	N/C
1540 7	Minimum	Ton Miles 503		3500
<u> </u>	Zhrs	80 BBC Vac Truck 369		1800
	<u> </u>			7.04
	·	*		
1/24	110 5/45	50/50 Por Mix Coment		1204
IIIEB	285 ⁴	Premium Gel		598
4402		2/2" Rubber Plug		ત્રેક [°]
		Ø		
`-, -				•
				
- '		0.1700		-
		1 24 1970		
				. ,
3737		7.8%	SALES TAX	100 89
	4/1/1		ESTIMATED	-30 23·5

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 14, 2012

Mark Haas Haas Petroleum, LLC 11551 ASH ST., STE 205 LEAWOOD, KS 66211

Re: ACO1 API 15-059-25741-00-00 W-Lidikay 22 SW/4 Sec.05-16S-21E Franklin County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Mark Haas

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 14, 2012

Mark Haas Haas Petroleum, LLC 11551 ASH ST., STE 205 LEAWOOD, KS 66211

Re: ACO-1 API 15-059-25741-00-00 W-Lidikay 22 SW/4 Sec.05-16S-21E Franklin County, Kansas

Dear Mark Haas:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 02/06/2012 and the ACO-1 was received on June 14, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department