

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

Open Flow **OST**
 Deliverability

(See Instructions on Reverse Side)

15-181-20564-00-00

Test Date:
4/21/2011

~~4/21/2011~~
~~15-181-20564-00-00~~

Company Rosewood Resources, Inc.		Lease Topliff		Well Number 33-34	
County Sherman	Location NWSE	Section 34	TWP 8S	RNG (E/W) 40W	Acres Attributed 80
Field Goodland		Reservoir Niobrara		Gas Gathering Connection Branch Systems Inc.	
Completion Date 8/21/2010		Plug Back Total Depth 1239'		Packer Set at	
Casing Size 4 1/2"	Weight 10.5#	Internal Diameter 4.000	Set at 1279'	Perforations 1074'	To 1106'
Tubing Size NONE	Weight	Internal Diameter	Set at	Perforations	To
Type Completion (Describe) Single (VERTICLE)		Type Fluid Production Dry Gas		Pump Unit or Traveling Plunger? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Producing Thru (Annulus / Tubing) Annulus		% Carbon Dioxide		% Nitrogen	
Vertical Depth(H) 1290'		Pressure Taps Flange		Gas Gravity - G _g .6 (Meter Run) (Prover) Size 2"	
Pressure Buildup: Shut in 4-20 20 11 at 1:30 (AM) (PM)		Taken 4-21 20 11 at 1:50 (AM) (PM)			
Well on Line: Started 4-21 20 11 at 1:50 (AM) (PM)		Taken 4-22 20 11 at 2:30 (AM) (PM)			

OBSERVED SURFACE DATA

Duration of Shut-in 24 Hours

Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter or Prover Pressure psig (Pm)	Pressure Differential in Inches H ₂ O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P _w) or (P _i) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _i) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In						15	29.4				
Flow						8	22.4			24	0

FLOW STREAM ATTRIBUTES

Plate Coefficient (F _p) (F _p) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F _g	Flowing Temperature Factor F _t	Deviation Factor F _{pv}	Metered Flow R (Mcf/d)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G _m
						16		

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_e)² = _____ : (P_w)² = _____ : P_d = _____ % (P_c - 14.4) + 14.4 = _____ : (P_e)² = 0.207
(P_g)² = _____

(P _e) ² - (P _w) ² or (P _e) ² - (P _d) ²	(P _e) ² - (P _w) ²	Choose formula 1 or 2: 1. P _e ² - P _d ² 2. P _e ² - P _w ² divided by: P _e ² - P _w ²	LOG of formula 1, or 2, and divide by: $\frac{P_e^2 - P_w^2}{P_e^2 - P_w^2}$	Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope	n x LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcf/d)

Open Flow Mcf/d @ 14.65 psia Deliverability Mcf/d @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 28 day of December, 20 11.

Witness (if any)

For Commission

Jannell Geary
For Company

For Company

Checked by

RECEIVED

APR 24 2012

KCC WICHITA

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the Topliff 33-34 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 12/28/11

Signature: 
Title: Assistant Production Foreman

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption is denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
APR 24 2012
KCC WICHITA

W2728

~~Toplift 33-34~~

South Goodland

Goodland

None

April-11

FloBoss

DATE	Casing PSI	STATIC MCF	HRS DOWN	REMARKS (Maximum length 110 characters)
4/1/2011	12	25	14	0
4/2/2011	12	25	14	0
4/3/2011	12	25	14	0
4/4/2011	12	25	14	0
4/5/2011	12	25	14	0
4/6/2011	12	25	14	0
4/7/2011	12	25	14	0
4/8/2011	12	25	14	0
4/9/2011	12	25	14	0
4/10/2011	11	24	13	0
4/11/2011	11	24	13	0
4/12/2011	11	24	13	0 bp, opened to 18mcf
4/13/2011	10	23	16	0
4/14/2011	9	22	17	0
4/15/2011	9	22	17	0
4/16/2011	9	22	16	0
4/17/2011	9	22	16	0
4/18/2011	9	22	16	0
4/19/2011	8	21	16	0
4/20/2011	8	21	16	0 shut in for test, 10psi at well
4/21/2011	15	28	0	24 opened up
4/22/2011	10	23	16	0
4/23/2011	9	22	16	0
4/24/2011	9	22	16	0
4/25/2011	8	21	16	0
4/26/2011	9	22	15	0
4/27/2011	8	21	15	0
4/28/2011	8	21	15	0
4/29/2011	8	21	15	0
4/30/2011	8	21	15	0
5/1/2011				0

Total

434

RECEIVED
APR 24 2012
KCC WICHITA

W2728

Toplift 33-34

South Goodland

Goodland

None

May-11

FloBoss

DATE	Casing PSI	STATIC	MCF	HRS DOWN	REMARKS (Maximum length 110 characters)
5/1/2011	8	21	15	0	
5/2/2011	8	21	15	0	
5/3/2011	8	21	14	0	
5/4/2011	8	21	14	0	
5/5/2011	7	20	15	0	
5/6/2011	8	21	15	0	
5/7/2011	8	21	15	0	
5/8/2011	8	21	14	0	
5/9/2011	8	21	14	0	
5/10/2011	8	21	14	0	
5/11/2011	7	20	14	0	cal
5/12/2011	7	20	14	0	
5/13/2011	7	20	14	0	
5/14/2011	7	20	14	0	
5/15/2011	7	20	14	0	
5/16/2011	7	20	14	0	
5/17/2011	7	20	14	0	bp
5/18/2011	7	20	14	0	
5/19/2011	7	20	14	0	
5/20/2011	7	20	14	0	
5/21/2011	7	20	14	0	
5/22/2011	7	20	14	0	
5/23/2011	7	20	14	0	
5/24/2011	7	20	13	0	
5/25/2011	7	20	14	0	
5/26/2011	7	20	14	0	
5/27/2011	7	20	14	0	
5/28/2011	7	20	14	0	
5/29/2011	7	20	14	0	
5/30/2011	7	20	14	0	
5/31/2011	7	20	13	0	

Total

437

RECEIVED
APR 24 2012
KCC WICHITA

W2728

Topliff 33-34

South Goodland

Goodland

None

June-11

FloBoss

DATE	Casing PSI	STATIC	MCF	HRS DOWN	REMARKS (Maximum length 110 characters)
6/1/2011	7	20		13	0
6/2/2011	7	20		13	0
6/3/2011	7	20		13	0
6/4/2011	7	20		13	0
6/5/2011	7	20		13	0
6/6/2011	7	20		13	0
6/7/2011	7	20		13	0
6/8/2011	7	20		13	0
6/9/2011	7	20		13	0
6/10/2011	7	20		13	0
6/11/2011	7	20		13	0
6/12/2011	7	20		13	0
6/13/2011	7	20		13	0
6/14/2011	7	20		13	0 bp
6/15/2011	6	19		13	0
6/16/2011	6	19		13	0
6/17/2011	7	20		13	0
6/18/2011	6	19		13	0
6/19/2011	7	20		13	0
6/20/2011	6	19		12	0
6/21/2011	6	19		13	0
6/22/2011	6	19		13	0
6/23/2011	6	19		12	0
6/24/2011	6	19		12	0
6/25/2011	6	19		12	0
6/26/2011	6	19		12	0
6/27/2011	6	19		12	0
6/28/2011	6	19		12	0
6/29/2011	7	20		12	0
6/30/2011	7	20		10	5
7/1/2011					0

Total

379

RECEIVED
APR 24 2012
KCC WICHITA