KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test			ANT.		(See Instruct	ions on Re	verse Side	, IS-	181-20	ماكاد	5-00	y-07	>	
			(IST		Test Date) :			-	No. 15					
De	liverabl	ity 			4/14/20	11			16	= 1000 04					
Company Rosewoo	/ od Res	soui	ces, Inc.				Lease Philbric	k				13-14	Well Nu	mber	
County Location Sherman NWSW			Section 14		TWP 9S		RNG (E 40W	RNG (E/W) 40W			Acres A 80	Attributed			
Fleid Goodlan	d		·——·		Reservoli			Gas Gathering Connection Branch Systems Inc.							
Completic 8/20/201)			Plug Bac 1242'	k Total Dept	h	Packer Set at							
Casing Si	ize		Weigh 10.5#		Internal C	Diameter	Set 122		Perforations 1048'			To 1080'			
Tubing SI	ze Ize		Weigh		Internal C	Diameter	Set			Perforations					
Type Con Single (Type Flui Dry Ga	d Production	1		Pump U Flowir	nit or Traveling	Plunge	er? Yes	No		
. <u></u>			nulus / Tubing	g)		arbon Dioxi	 de		% Nitrog	_	Gas Gr	Gas Gravity - G			
Annulus												.6			
Vertical D	epth(H)			Pressure Taps Flange							(Meter I	Run) (P	rover) Size	
Pressure	Buildup	·	Shut In 4-1	3 2	11 at 1		<u> </u>	Taken_4-	14	20	11 a	1:40		(AM) (PM)	
Well on L	lne:	;	Started 4-1	4 2	o 11 at 1	:40	(AM) (PM)) Taken <u>4-</u>	15	20	<u>11</u> a	2:00	(AM) (PM)	
						OBSERVE	D SURFAC	E DATA			Duratio	on of Shut-	in_24	Hour	
Static / Orifice Dynamic Size		Meter Different		Pressure Differential in	Flowing Well Head Temperature Temperature		Casing Wellhead Pressure (P_) or (P_) or (P_)		Tubing Wellhead Pressure (P _w) or (P ₁) or (P ₂)			Duration (Hours)		Liquid Produced (Barrels)	
Property Shut-In	(inches)		psig (Pm)	Inches H ₂ 0	† 	1	psig 21	95la 35.4	psig	psia					
Flow		_					8			2			0		
						FLOW STR	EAM ATTE	RIBUTES							
Plate Coefficient (F _b) (F _p) Mold		Pro	Circle one: Mater or ver Pressure psla	Press Extension Pmxh	Pactor		Flowing emperature Factor F ₁	Fa	iation ctor	Metered Flow R (Mcfd)		GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G	
									9						
					(OPEN FL	OW) (DELIV	ERABILITY) CALCUL	ATIONS			(P _a)	² = 0.2	07	
(P _c) ² =		.:	(P _w) ² =		P _d =	9	% (I	P _e - 14.4) +	14.4 =	<u> </u>		(P _d)			
$(P_{a})^{2} - (P_{a})^{2}$ or $(P_{a})^{2} \cdot (P_{a})^{2}$		(P _e) ² - (P _w) ² 1. P _e ³ - P _e ² 2. P _e ³ - P _e ²		• •	LOG of formuta 1. or 2.		Backpressure Curve Slope = "n" Assigned		n x LOG		Antilog		Open Flow Deliverability Equals R x Antilog		
· · · · ·	4'			divided by: Pa-P	and divide by:	P.*- P.*		iard Slope		L]				(McId)	
Open Flo	w			Mold @ 14	.65 psla		Deliveral	bility			Mcfd @	14.65 ps	ia		
			•	n behalf of the	• •		•		_	he above repo	rt and	that he ha		ledge of 20 _11	
			Witness (i	f any)			,		an	MUL	ompany	cu	(\mathcal{U})	CEIVE	
			FacCarre	desina			,			Pt	akad be				
			For Comm							Unec	ked by		API	2242	

KCC WICHITA

exempt status und and that the foreg correct to the best of equipment insta I hereby reque	er penalty of perjury under the laws of the state of Kansas that I am authorized to request ler Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. Joing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. Jest a one-year exemption from open flow testing for the Philbrick 13-14
_	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: 12/28/11	Signature: <u>Janul Guw</u> Title: <u>Assistant Production Foreman</u>

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

APR 2 4 2012

KCC WICHITA

W2729

Philbrick 13-14;

South Goodland

Goodland

None

April-11

FloBoss

	Casing				HRS	REMARKS
DATE	PSI	STATIC	MCF		DOWN	(Maximum length 110 characters)
4/1/2011	9			9	0	
4/2/2011	9			9	0	
4/3/2011	9	22		9	0	
4/4/2011	9	22		9	0	
4/5/2011	8			9	0	
4/6/2011	8	21		10	0	
4/7/2011	9	22		10	0	
4/8/2011	8	21		10	0	
4/9/2011	9	22		10	0	
4/10/2011	8	21		9	0	
4/11/2011	8			9	0	
4/12/2011	8			9	0	
4/13/2011	9	22		10		shut in for test
4/14/2011	21	34		0	24	opened up
4/15/2011	10			11	0	
4/16/2011	9			11	0	
4/17/2011	9	22		10	0	
4/18/2011	9			10	0	
4/19/2011	8			10	0	
4/20/2011	8			10	0	
4/21/2011	8			10	0	
4/22/2011	8	21		10	0	
4/23/2011	8			10	0	
4/24/2011	8			10	0	
4/25/2011	8			10	0	
4/26/2011	8	21		9	0	
4/27/2011	8			9	0	
4/28/2011	8			9	0	
4/29/2011	8			9	0	
4/30/2011	8	21		9	0	
5/1/2011					0	

Total 279

RECEIVED
APR 2 4 2012
KCC WICHITA

W2729

Philbrick 13-147

South Goodland

Goodland

None

May-11

FloBoss

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
5/1/2011	8	21	9	0	
5/2/2011	8	21	9	0	•
5/3/2011	8	21	9	0	
5/4/2011	8	21	9	0	•
5/5/2011	8		9		
5/6/2011	8		9	0	
5/7/2011	8		9	0	
5/8/2011	8	21	9		
5/9/2011	8		9		
5/10/2011	8		9		
5/11/2011	8		9		cal
5/12/2011	8		9		
5/13/2011	7		9		
5/14/2011	7		9	0	
5/15/2011	8		9		
5/16/2011	8		9	0	
5/17/2011	8	21	9	0)
5/18/2011	8		9	0)
5/19/2011	8		9		
5/20/2011	8		9		
5/21/2011	7	20	9)
5/22/2011	8		9	0)
5/23/2011	8		9)
5/24/2011	7	20	9	0)
5/25/2011	7	20	9	0)
5/26/2011	8	21	9	0)
5/27/2011	7	20	9	0)
5/28/2011	8	21	9	0)
5/29/2011	8	21	9	0)
5/30/2011	8	21	9	0)
5/31/2011	7	20	9	0)

Total 279

W2729

Philbrick 13-14

South Goodland

Goodland

None

June-11

FloBoss

	Casing			rs	REMARKS
DATE	PSI	STATIC M		NWC	(Maximum length 110 characters)
6/1/2011	7		9	0	
6/2/2011	7		9	0	
6/3/2011	7	20	9	0	
6/4/2011	7	20	9	0	
6/5/2011	7	20	9	0	
6/6/2011	7		9	0	
6/7/2011	7		9	0	
6/8/2011	7	20	9	0	
6/9/2011	7	20	9	0	
6/10/2011	7		9	0	
6/11/2011	7	20	9	0	
6/12/2011	7	20	9	0	
6/13/2011	7	20	9	0	
6/14/2011	7	20	9	0	
6/15/2011	7	20	9	0	
6/16/2011	7	20	9	0	
6/17/2011	7	20	9	0	
6/18/2011	7	20	9	0	
6/19/2011	7	20	9	0	
6/20/2011	7	20	9	0	
6/21/2011	7	20	9	0	
6/22/2011	7	20	9	0	
6/23/2011	7	20	9	0	
6/24/2011	7	20	9	0	
6/25/2011	7	20	9	0	
6/26/2011	7	20	9	0	
6/27/2011	7	20	9	0	
6/28/2011	7	20	9	0	
6/29/2011	8	21	9	0	
6/30/2011	8	21	8	5	
7/1/2011				0	

Total 269

KCC WICHITA