

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

TECHNICIAN'S PLUGGING REPORT

Operator License # 5783

Operator: Galloway Drilling Company, Inc.  
Name &  
Address 105 S. Broadway, Suite 340  
Wichita, KS 67202

API NUMBER 15- 135-23,506 - 0000  
SW SE, SEC. 1, T 17 S, R 23 W 6E  
660 feet from S section line  
1980 feet from E section line

Lease Name Kisslinger Well # 2  
County Ness 143.48  
Well Total Depth 4415 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 269

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X

Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Galloway Drilling Company, Inc. License Number 5783  
Address 105 S. Broadway, Suite 340, Wichita, KS 67202

Company to plug at: Hour: 8:30 a.m. Day: 4 Month: 10 Year: 19 90

Plugging proposal received from Carl  
(company name) Galloway Drilling Company, Inc. (phone) 316-263-1793

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1686-1722'  
1st plug at 1720' with 50 sx cement, 2nd plug at 944' with 80 sx cement,  
3rd plug at 470' with 50 sx cement, 4th plug at 289' with 50 sx cement,  
5th plug at 40' with 10 sx cement, 6th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Steve Middleton  
(TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 10:30 a.m. Day: 4 Month: 10 Year: 19 90

ACTUAL PLUGGING REPORT 1st plug at 1720' with 50 sx cement,  
2nd plug at 944' with 80 sx cement,  
3rd plug at 470' with 50 sx cement,  
4th plug at 289' with 50 sx cement,  
5th plug at 40' with 10 sx cement,  
6th plug to circulate rathole with 15 sx cement.

Remarks: Used 60/40 Pozmix. 6% gel 1/2# floseal by Allied.  
(If additional description is necessary, use BACK of this form.)

**INVOICED**

DATE 10-19-90  
INV. NO. 29661

Signed [Signature]  
(TECHNICIAN)

RECEIVED  
STATE CORPORATION COMMISSION  
10-8-90  
OCT 8 1990

EFFECTIVE DATE: 9-24-90

State of Kansas  
NOTICE OF INTENTION TO DRILL 135-23,506-600

FORM MUST BE SIGNED  
ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date 9 27 90  
month day year

SW/4 SE/4 ..... Sec 1... Twp .17. S, Rg 23. XXX West

OPERATOR: License # 5783  
Name: Galloway Drilling Co., Inc.  
Address: 105 S. Broadway, Suite 340  
City/State/Zip: Wichita, Kansas 67202  
Contact Person: Jay H. Galloway  
Phone: (316) 263-1793

660 feet from South line of Section  
1980 feet from East line of Section  
(Note: Locate well on Section Plat on Reverse Side)

CONTRACTOR: License # 5783  
Name: Galloway Drilling Co., Inc.

County: Ness  
Lease Name: Kisslinger Well #: 2  
Field Name: Wildcat

Well Drilled For: Well Class: Type Equipment:  
 Oil ... Inj ... Infield ... Mud Rotary  
 Gas ... Storage ... Pool Ext. ... Cable  
 OAWO ... Disposal ... Wildcat  
 Seismic; ... # of Holes

Is this a Prorated field? yes  no  
Target Formation(s): Mississippian  
Nearest lease or unit boundary: 660'  
Ground Surface Elevation: N/A feet HSL  
Domestic well within 330 feet: yes  no  
Municipal well within one mile: yes  no  
Depth to bottom of fresh water: 100'  
Depth to bottom of usable water: 900'  
Surface Pipe by Alternate: 1  2  
Length of Surface Pipe Planned to be set: 250'  
Length of Conductor pipe required: NONE  
Projected Total Depth: 4400  
Formation at Total Depth: Mississippian  
Water Source for Drilling Operations:  
... well  farm pond ... other

SEP 18 1990

If OAWO: old well information as follows:  
Operator: CONSERVATION DIVISION  
Well Name: Wichita, Kansas  
Comp. Date: Old Total Depth

Directional, Deviated or Horizontal wellbore? yes  no  
If yes, total depth location:

DWR Permit #: .....  
Will Cores Be Taken?: yes  no  
If yes, promised zone:

Exp. 3/19/91

AFFIDAVIT

250' Alt. II Req.

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101,

Pusher Carl  
 SPUD DATE 9-26-90 INIT. DG  
 LENGTH SURFACE PLANNED 250'  
 RESERVE PIT STATUS- REMOVE FLUID \_\_\_\_\_ LINED \_\_\_\_\_  
 after salt sect. \_\_\_\_\_ bbls. \_\_\_\_\_ when done \_\_\_\_\_ bbls.  
 RATHOLE AHEAD? Y \_\_\_\_\_ N \_\_\_\_\_ SIZE HOLE \_\_\_\_\_  
 SURFACE PIPE 8 1/2" @ 269 CONDUCTOR \_\_\_\_\_  
 ANHYDRITE T- 1486 B- 1722 ELEVATION \_\_\_\_\_  
 TD 4415 FORMATION Mississippian  
 RAN PIPE @ \_\_\_\_\_ DV TOOL \_\_\_\_\_ ALT II DONE \_\_\_\_\_  
 \_\_\_\_\_ SX \_\_\_\_\_ SX Y \_\_\_\_\_ N \_\_\_\_\_  
 \_\_\_\_\_ Arbuckle Plug @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
 \_\_\_\_\_ Hug./Council @ \_\_\_\_\_ Ft. W/ \_\_\_\_\_ SX  
 \_\_\_\_\_ Anhydrite Base @ 1720 Ft. W/ 50 SX  
 \_\_\_\_\_ 2 1/2 Base Anyh. @ 944 Ft. W/ 80 SX 4/6  
 \_\_\_\_\_ 3 1/2, 1/2 Plug @ 470 Ft. W/ 50 SX 4/0  
 \_\_\_\_\_ 4 Bottom Surface @ 289 Ft. W/ 50 SX  
 \_\_\_\_\_ 5 40' Plug @ 40 Ft. W/ 10 SX  
 RAT HOLE CIRC/W 15 SX MOUSE HOLE W/ NA SX  
 WATER WELL NA SX (Irr. Well \_\_\_\_\_ Pond \_\_\_\_\_)  
 Hauling \_\_\_\_\_  
 TECHNICIAN SAI DATE 10-3-90  
 TYPE OF CEMENT 60/40 670 1/4 lb 14 1/2"  
 STARTING TIME 08:30 (AM/PM) DATE 10-4-90  
 COMPLETION TIME 10:30 (AM/PM) DATE 10-4-90  
 CEMENT COMPANY Alclad